

**REVISED PRICE LIST OF CORE JUTE MACHINERY
AND THEIR SPECIFICATIONS AS PROVIDED BY THE
ENLISTED VENDORS**

(Effective from April'2018)



Spreader

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
						L x B x H			
1	Golden India	Spreader	Modified Jute Spreader Machine with pneumatic Roll Former unit complete	GI/SPP-1	Sliver Roll Dia. 48"x 8.5" wide, 10 HP x 960 RPM Motor, Delivery Speed 182 fpm, Draft 10-11, Gear & Chain Sprocket, Hob cut teeth, Crank Drop forged Carbon steel	31.5' X 7.5' X 5.5'	M/c 10HP Dust Collector 5HP	20.50	20.5
2	Star Industries	Spreader	Jute Spreader Machine	SI001	with pneumatic/TL Type Roll former with dust extractor including centralized lubricating system	35' X 6.5' X 6.5'	10	21.00	
3	Lagan Engineering Company Limited	Spreader	Jute Spreader Machine	LSD	Lattice driven feed conveyor section, chain driven slow section complete with chain fallers (32 nos X 17 pairs each) and fast section push bar type with 19 LH & 19 RH fallers fitted with suitable forged crank. Complete with pneumatic roll former, and electric driving arrangement	35' X 6.5' X 6.5'	10	21.50	
4	S. G. Industries	Spreader	Jute Spreader Machine	SGI	Produce compact Hackled, cleaned from Foreign materials and emulsified jute rolls of 4.5" dia and 6.5" width or 50" dia & 8.5" width to be fed directly to Breaker Card after giving proper piling time, complete with Roll Former, Electrical Motor, Starter, Main Switch, V-Belt, Motor Pulley, & Motor Rail. supply of clean air system by the Blower unit complete with electrical for the fast chain tracks, supply of ducting for dust/fluff extractor unit complete electrical & bag filter, supply of centralized lubrication system complete with electrical for smooth running of the machine	43' X 9' X 6.5'	10	26.00	



Spreader							Machine Dimension L x B x H	Motor HP	Unit-Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
5	G D industries	Spreader	Jute Spreader Machine	GDSPP100	Jute Spreader Machine pneumatic Roll Former complete with dust collection unit, Blower & Motor centralization lubricant system fast and slow section Truck & Rail, Auto stop motion in Roll Former Machine.	40'X8'X6'	M/c 10HP Dust Collector 5HP	24.45	20.5	
6	Zhejiang Golden Eagle, Co.; Ltd	Spreader	Jute Spreader Machine	XXXX	Push bar type. Fallers on fast section capable of individual. Special drive to fallers giving smooth silent operation. Reach - slow chain 59", fast section 70". Pitch of bars in both cases 4 1/2". Equipped with steel feed table and steel lattice feed sheet. Arranged with dustproof roller bearings to driving shaft and fast section. Complete with Roll former and electric drive equipment. Capacity 600 kg/hr	XXXX	XXXXXX	US\$ 40,000		
7	Golden India	Spreader	Modified Jute Spreader Machine with Auto Doffing Roll Former unit complete	GI/SPA-1	Sliver Roll Dia. 37"x 6.5" wide, 10 HP x 960 RPM Motor, Delivery Speed 182 fpm, Draft 10-11, Gear & Chain Sprocket, Hob cut teeth, Crank Drop forged Carbon steel	34'X7.5'X6.5'	M/c 10HP Dust Collector 5HP	22.00		



Roll Former for Spreader

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L x B x H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Golden India	Roll Former	Pneumatic Roll former unit (Sliver Roll capacity 8.5"X 48" dia.)	GI/RFP-1	Forming sliver roll dia. 48"X 8.5" wide hard chromed finished extra large pneumatic cylinder	7.5'X2.95'X5.33'	NA	5.75	5.75
2	Golden India	Roll Former	Auto Doffing Roll former (TL Type) for jute spreader	GI/RFA-1	Forming sliver roll dia. 37"X 6.5" wide	3.85'X2.625'X6.5'	NA	7.25	7.25



Hard Waste Teaser Card

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Madhabi Engineering works Pvt. Ltd.	HW Teaser Card	Hard Waste Teaser Card	H-W	With Staves, Motor & Switch	12' X 13' X 07'	15	11.4	10.75
2	Bhowmick Calculators	HW Teaser Card	Hard Waste Teaser Carding Machine	BC- HW	Shell Feed Arrangement, Feed by hand, Iron Cylinder with Iron roller, Up striker, one pair Stripper & Worker Roller, Total Metallic Staves, Delivery with Conveyor, 15 H.P. Motor	8'X5'X5'	15	11.00	
3	Engineers Incorporated	HW Teaser Card	Hard Waste Teaser Card	EI HW	Complete with 15 HP Electric Motor and Starter and Aluminium Staves	13.6' X 12.6'X 9.6'	15	10.75	
4	Golden India	HW Teaser Card	Hard Waste Card	GI/HWTC	1 pair half circular, Metallic Staves, Complete with Motor, Magnet Starter with Conveyor	13.5'X12.5'X10'	15	11.50	



Hopper feeder

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Madhabi Engineering works Pvt. Ltd.	Hopper Feeder	Hopper Feeder & Distributor Unit	H-F	With Aluminium Lattice, Motor & Control Panel	17'X8'X10'	10	11.5	10.20
2	Milltex Engineers (P) Ltd.	Hopper Feeder	Milltex make Jute Hopper Feeder	MJH 02	Complete with lattices made of aluminium stripes	20' X 9'X10'	10HP/2HP	10.20	
3	Madhabi Engineering works Pvt. Ltd.	Hopper Feeder	Hopper Feeder & Distributor Unit	H-F	With Wooden Lattice, Motor & Control Panel	17'X8'X10'	10	10	10.00



Teaser Card									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension X B X H L	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Madhabi Engineering works Pvt. Ltd.	Teaser Card	3 Pair Teaser Card	T-3-M	With Roll Former, Steel face Wooden Staves, Motor & Switch	21' X 10' X 9'	15	19.90	19.90
2	Lagan Engineering Company Limited	Teaser Card	3 pair Teaser Card	LTC	Half circular 3 pair down striker with Roll Former and Metal facing Wooden staves including electric drive equipment of reputable manufacturers	20.5'X 10'X10'	15	20.50	
3	Madhabi Engineering works Pvt. Ltd.	Teaser Card	3 Pair Teaser Card	T-3-SF	With Roll Former, Steel face Metalag Staves, Motor & Switch	21' X 10.03' X 9'	15	21.45	21.45
4	Bhowmick Calculators	Teaser Card	3 pair Teaser Carding Machine (JF2 Type)	BC-TC	Iron cylinder with 8 nos. iron roller, total bearing, 3 pair, down striking, shell feed, half circular driven by 15 H.P. Motor, with steel faced wooden staves	14'X10'X9'	15	17.00	17.00



Roll Feed Unit									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Golden India	Roll Feed Unit	Roll feed unit for Breaker Card	GI/SP-ROF	Front Roller fluted & rear roller plain type, sliver used 8 .5'' wide 6 nos.	7.2'X3.3'X3.7'	NA	1.50	0.94
2	Star Industries	Roll Feed Unit	Up take assembly	SI002	Roll feed unit	4.5'L X 6.5' W	NA	1.00	
3	Madhabi Engineering Works Pvt. Ltd.	Roll Feed Unit	Uptake Roller	UR	Roll Feed Arrangement	7.5'X2.08'X1.25'	NA	1.30	
4	Engineers Incorporated	Roll Feed Unit	Roll Feed Unit (Uptake)	EI RFU	for Breaker Card to feed Big Diameter Spreader Rolls	7'X3.5'X1.66'	NA	0.94	
5	S. G. Industries	Roll Feed Unit	Roll feed unit for Breaker Card	SGI	for feeding Roll directly from Jute Spreader Machine complete with all spares fittings like Warm, Worm Wheel, Separator & Sprocket.	6' X 32'X 1.5'	NA	1.70	



Breaker Card									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) (Lakh)	Minimum Basic Price (INR) Lakh
1	Madhabi Engineering works Pvt. Ltd.	Breaker Card	3 Pair Breaker Card	B-3-W	With Wooden Staves, Roll Former, Motor & Switch	21.03' X 10.03' X 9'	15	20.3	18.0
2	Bhowmick Calculators	Breaker Card	3 pair Breaker Card Machine	BC-2	JF-2 Type, iron cylinder with 8 nos iron rollers, total bearing, 3 pair, down striker, shell feed, half circular with roll former & wooden staves	16'X10'X11'	15	18.00	
3	Lagan Engineering Company Limited	Breaker Card	Long Jute/Short Fibre 3 pair Breaker Card	LLI/SF	Half circular 3 pair down striker with Roll Former and Wooden staves including electric drive equipment of reputable manufacturers	20.5' X 10.25' X 10'	15	20.50	
4	Engineers Incorporated	Breaker Card	Long Jute Breaker Card - Type EI 2(similar to JF2)	EI 2	Complete with 15 HP Electric Motor and Starter, Wooden Staves and TK Type Roll Former. (Hand Feed Machine)	24.6'X10.3'X10'	15	19.8	
5	Milltex Engineers (P) Ltd.	Breaker Card	Milltex make Jute Breaker Card	MJB 02	Complete in all respect with Electrical, Roll former and Wooden staves	20'X9.5'X10'	15	20.70	
6	Golden India	Breaker Card	Breaker Card (G-02)/JF2	GI/JFBC-2/1	3 pair half circular, Hand feed ,Complete with Motor, Magnet Starter, Roll Former and Wooden stave	17.7'X9.1'X9.1'	15	19.50	
7	Zhejiang Golden Eagle, Co.; Ltd	Breaker Card	Breaker Card	XXXXX	Half circular, shell feed, having a cylinder 6' wide X 4' diameter, 2 pairs of workers and strippers. Cylinder and rollers mounted on ball bearings. Single doffer. Delivery fitted with Hymack Roll former doffering straight out with magazine ejecting towards right when facing delivery of Card. Complete with electric drive equipment, including Hymack pins. Capacity 350 kg/hr	XXXX	XXX	US\$ 36,000	US\$ 36,000

8	Madhabi Engineering works Pvt. Ltd.	Breaker Card	3 Pair Breaker Card	B-3-M	With Aluminum Staves, Roll Former, Motor & Switch	21.03'X 10.03'X 9'	15	21.5	21.00
9	Engineers Incorporated	Breaker Card	Long Jute Breaker Card	Type EI 2	Complete with 15 HP Electric Motor and Starter, Metalag Staves and TK Type Roll Former. (Hand Feed Machine)	24.5'X10'X10'	15	21.10	
10	Golden India	Breaker Card	Breaker Card (G-02)/JF2	GI/JFBC-2/2	3 pair half circular, Hand Feed ,Complete with Motor, Magnet Starter, Roll Former And Metalag stave	17.7'X9.1'X9.1'	15	21.00	
11	Engineers Incorporated	Breaker Card	Cuttings Breaker Card - Type EI 1(similar to JF1)	EI 1	Complete with 15 HP Electric Motor and Starter, Wooden Staves and TK Type Roll Former. (Hand Feed Machine)	21.5'X18.5'X12'	15	19.80	19.80
12	Engineers Incorporated	Breaker Card	Cuttings Breaker Card - Type EI 1(similar to JF1)	EI 1	Complete with 15 HP Electric Motor and Starter, Metalag Staves and TK Type Roll Former. (Hand Feed Machine)	21.5'X18.5'X12'	15	21.10	21.10



Inter Card									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Bhowmick Calculators	Inter Card	Inter Carding Machine JF 4 Type	BC-I	Iron cylinder with 10 nos. iron roller, total bearing, 3.5 pair, down striker, Pin and Plain Roller Feed, half circular driven by 10 H.P. Motor, with Electrical, motor, staves, feed creel, roll former	19'X10'X11'	10	19.00	19.00



Finisher Card									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) (Lakh)	Minimum Basic Price (INR) Lakh
1	Madhabi Engineering works Pvt. Ltd.	Finisher Card	3.5 Pair Finisher Card	F-3.5-W	With Uptake, Roll Former, Wooden Staves, Motor & Switch	21'-03'X 10.03'X 9'	10	20.65	19.00
2	Bhowmick Calculators	Finisher Card	3.5 pair Finisher Carding Machine	BC- 4	JF4 Type, iron cylinder with 10nos. iron rollers, 3.5 pair, Pin and Plain Roller Feed down striker, half circular wooden staves with roll former	19'X10'X11'	15	19.0	
3	Lagan Engineering Company Limited	Finisher Card	3.5 pair Long Jute/Short Fibre Finisher Card	LCF	Half circular 3.5 pair down striker with Roll Feed, Roll Former and Wooden staves including electric drive equipment of reputable manufacturers	22.8'X10.25'X10'	10	21.50	
4	Engineers Incorporated	Finisher Card	Long Jute Finisher Card - Type EI 4(similar to JF4)	EI 4	Complete with 10 HP Electric Motor and Starter, Wooden Staves and TK Type Roll Former including Roll Feed (Uptake Unit) assembly, Type HF	21'X10'X10'	10	20.10	
5	MilltexEngineers (P) Ltd.	Finisher Card	Milltex make Jute Finisher Card	MJF 02	Complete in all respect with Electrical, Roll former and Wooden staves	20'X10'X9.5'	10	22.60	
6	Golden India	Finisher Card	Finisher Card (G-04)/JF4	GI/JFFC-4/1	3.5 pair half circular Finisher card Complete with Motor, Magnet Starter, uptake Roll Feed unit, Roll Former and Wooden Stave	20.75'X9.166'X9.166'	10	20.00	
7	Madhabi Engineering works Pvt. Ltd.	Finisher Card	3.5 Pair Finisher Card	F-3.5-M	With Uptake, Roll Former, Metalug Staves, Motor & Switch	21.0'X 10.0'X 9.0'	10	22.20	21.75
8	Engineers Incorporated	Finisher Card	Long Jute Finisher Card - Type EI 4(similar to JF4)	EI 4	Complete with 10 HP Electric Motor and Starter, Metalag Staves and TK Type Roll Former including Roll Feed (Uptake Unit) assembly, Type HF	21'X10'X10'	10	22.75	
9	Golden India	Finisher Card	Finisher Card	GI/JFFC-4/2	3.5 pair half circular Finisher card Complete with Motor, Magnet Starter, Uptake Roll Feed, Roll Former and Metalug Stave	20.7'X9.0'X9.1'	10	21.75	



Finisher Card									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) (Lakh)	Minimum Basic Price (INR) Lakh
10	Madhabi Engineering works Pvt. Ltd.	Finisher Card	4.5 Pair full circular Finisher Card (Single Doffer)	F-4.5-W	With Uptake, Roll Former, Staves, Motor & Switch	18'X 12.06'X 9.0'	10	22.00	22.00
11	Golden India	Finisher Card	4.5 pair full circular Finisher Card (Double doffer)	GI/JFFC-4	With Roll former, uptake unit, Wooden stave, Motor and Switch	20.7'X9.1'X9.1'	10	21.75	21.75
12	Zhejiang Golden Eagle, Co.; Ltd	Finisher Card	Finisher Card	XXXX	Full circular, pinned feed, having a cylinder 6' wide X 5' diameter, 4 pairs of workers and strippers. Cylinder and rollers mounted on ball bearings. Double doffer. Feed fitted with positively driven roll feed motion suitable to accommodate up to 11 rolls 5" wide coming from Breaker Card and delivery fitted with Hymack Roll former. Complete with individual electric drive equipment, including staves and pins. Capacity 280 kg/hr	XXXX	XXXX	US\$ 42,500	US\$ 42,500
13	Engineers Incorporated	Finisher Card	Cuttings Finisher Card - Type EI 3(similar to JF3/JF3L)	EI 3	Complete with 10 HP Electric Motor and Starter, Wooden Staves and TK Type Roll Former including Roll Feed (Uptake Unit) assembly, Type HF	21'X10'X10'	10	20.10	20.10
14	Engineers Incorporated	Finisher Card	Cuttings Finisher Card - Type EI 3(similar to JF3/JF3L)	EI 3	Complete with 10 HP Electric Motor and Starter, Metalag Staves and TK Type Roll Former including Roll Feed (Uptake Unit) assembly, Type HF	21'X10'X10'	10	22.75	22.75



Draw Head									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Hans Machineries Pvt. Ltd.	Draw Head	Rotary faller gill Draw Head Machine	J 000	1:1 doubling & single head with Draft range between 2 and 3	7'X 5.11'X 5.5'	N.A.	2.30	2.30
2	Lagan Engineering Company Limited	Draw Head	Draw Head, an attachment to Finisher Card	LD.H01	Draft range from 1.8 to 2.25, having 6 pinned disk roller three side by side and three on top, driven by Card, no motor required with suction arrangement having one H.P. motor and delivery in sliver can of 24"	7.6.'X 5.2' X5'	Suction motor 1HP	6.00	6.00
3	Lagan Engineering Company Limited	Draw Head	Draw Head with Autoleveller, an attachment to Finisher Card	LD02	Draft' range from 1.8 to 2.25, having 6 pinned disk roller three side by side and three on top, driven by Card, no motor required with suction arrangement having one H.P. motor and delivery in sliver can of 24"	7.6.'X 5.2'X5'	Suction motor 1HP	8.00	8.00



Screw Gill 1st Drawing

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Lagan Engineering Company Limited	Screw Gill 1st Drawing	High Speed Screw Gill First Drawing Frame (Coarse/Fine side) having 5 heads, 5 delivery	LSG1C	5 Heads, 2 slivers per head, 1 delivery per head, 14'' reach, fitted with roll feed at back and can turning and packing motion with high density packers, complete with individual electric drive equipment of reputable manufacturer	13.1'X 9.1'X 6.2'	5	14.25	14.25
2	Jutex Industries (P) Ltd.	Screw Gill 1st Drawing	Screw Gill 1st Drawing Machine having 7 heads, 7 delivery	JD1-77	2 :1 Doubling, 14'' Reach, fitted with roll feed and packing motions with high-density packers, complete with electrical	17.10'X9'X6'	5	16.1	16.10
3	Jutex Industries (P) Ltd.	Screw Gill 1st Drawing	Screw Gill 1st Drawing Machine having 5 heads, 10 delivery	JD1-510	2:1 Doubling, 14'' Reach, fitted with roll feed and packing motions with high-density packers, complete with electrical	19.8'X9'X6'	5	12.30	12.30
4	Bhowmick Calculators	Screw Gill 1st Drawing	First Drawing Machine having 5 heads, 10 delivery, 2:1	BC-2 ND	High Speed, 5 carriage 10 delivery with doubling plate, screw gill, doubling 2:1, Draft range 3 to 5, right hand drive, driven by 5 H.P. motor	18'X 4'X6'	5	13.5	
5	Lagan Engineering Company Limited	Screw Gill 1st Drawing	Screw Gill First Drawing Frame having 5 heads, 10 delivery	LSG1	5 Heads, 4 slivers per head, 2 delivery per head, 14'' reach, fitted with roll feed at back and can turning and packing motion with high density packers, complete with individual electric drive equipment of reputable manufacturer	19.7'X 9.1'X 6.2'	5	14.50	



Screw Gill 1st Drawing									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
6	S. G. Industries	Screw Gill 1st Drawing	Screw Gill Drawing Machine having 5 heads, 10 delivery	SGI	5 Head, 4 Slivers per Head, 2 deliveries per Head, 14" Reach. Fitted with Roll Feed at back and can turning and packing motions with high density packers complete with individual electric drive	20' X 12' X 12'	10	17.00	12.30
7	Zhejiang Golden Eagle, Co.; Ltd	Screw Gill 1st Drawing	Screw Gill 1st Drawing Machine having 5 heads, 10 delivery	--	5 heads, 4 Sliver per head & 2 deliveries per head, 14" Reach, fitted with roll feed at back and can turning & packing motions with high-density packers, complete with electric drive equipment . Capacity 180 -300Kgs/Hr	--	--	US\$ 27,000	



High Speed First Drawing									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) (Lakh)	Minimum Basic Price (INR) Lakh
1	Zhejiang Golden Eagle, Co.; Ltd	Twinmack 1st Drawing	Twinmack 1st Drawing Machine having 2 heads, 2 delivery		2 heads, 2 Sliver per head & 1 delivery per head, 12''Reach, fitted with roll feed at back and turning & packing motions with high-density packers, complete with electric drive equipment and built-in Dust Venturi. Capacity 51 – 90 meter/min			US\$ 20,000	US\$ 20,000



Rotary Gill 1st Drawing

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Hans Machineries Pvt. Ltd.	Rotary Gill 1st Drawing	Rotary faller gill First Drawing Machine	J100-4	2:1 doubling, 4 head & 4 deliveries, expected productivity - 11 MT/day	16.3'X 10' X6.3'	7.5	8.80	8.00
2	New Mech Tech Pvt. Ltd.	Rotary Gill 1st Drawing	Rotary Gill 1st Drawing Machine	RG/ 1	2: 1 Doubling, 4 Delivery, Complete with Electronic type stop motion, 5 HP Motor, 1425 RPM, 440 Volt A.C. Motor & Electrical (Production 8 to 10 MT/Day)	9'X 10'X6'	5	8.00	
3	Hans Machineries Pvt. Ltd.	Rotary Gill 1st Drawing	Rotary faller gill First Drawing Machine	J100-2	2:1 doubling, 2 head & 2 deliveries, expected productivity - 6 MT/day	9.2'X9.3'X6.3'	5	6.10	6.10
4	Hans Machineries Pvt. Ltd.	Rotary Gill 1st Drawing	Rotary faller gill First Drawing Machine	J100-3	2:1 doubling, 3 head & 3 deliveries, expected productivity - 9 MT/day	12.4'X9.4'X6.3'	-	7.35	7.35
5	Hans Machineries Pvt. Ltd.	Rotary Gill 1st Drawing	Rotary faller gill First Drawing Machine suitable for Sacking weft sliver	J100-SW	2:1 doubling, 2 head & 4 deliveries, expected productivity - 10 MT/day	10.6'X9.3'X6.4'	-	6.90	6.90



Screw Gill 2nd Drawing									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Jutex Industries (P) Ltd.	Screw Gill 2nd Drawing	Screw Gill 2nd Drawing Machine having 5 heads, 10 delivery, 4:1	JD 2-510/(4)	8 Sliver per head & 2 delivery per head, 12'' Reach, fitted with back uprights for can feed at back and can turning & packing motions with high-density packers at delivery, complete with electrical	18' X13.6'X6.6'	5	11.85	11.85
2	Bhowmick Calculators	Screw Gill 2nd Drawing	Second Drawing Machine having 5 heads, 10 delivery, 4:1	BC-2 ND	High Speed, 5 carriage 10 delivery with doubling plate, screw gill, doubling 4:1, Draft range 5.5 to 6.5, right hand drive, driven by 5 H.P. motor	17'X 4'X6'	5	13.00	
3	Lagan Engineering Company Limited	Screw Gill 2nd Drawing	Screw Gill Second Drawing Frame (Special Type) having 5 heads, 10 delivery, 4:1 dubling	LSG2SP	5 Heads, 8 slivers per head, 2 deliveries per head, 12''reach, fitted with back uprights for can feed at back and can turning and packing motion with high density packers, complete with individual electric drive equipment of reputable manufacturer	19.7'X 14.4'X 6.4'	5	14.25	
4	Zhejiang Golden Eagle, Co.; Ltd	Screw Gill 2nd Drawing	Screw Gill Second Drawing Frame	XXXX	5 Heads, 4 slivers per head, 2 deliveries per head, 12'' reach. Fitted with back uprights for can feed at back and can turning and packing motions at delivery with high density packers. Complete with individual electric drive equipment.	XXXX	XXXX	US\$ 26,000	
5	Lagan Engineering Company Limited	Screw Gill 2nd Drawing	Screw Gill Second Drawing Frame having 5 heads, 10 delivery, 3:1	LSG2	5 Heads, 6 slivers per head, 2 deliveries per head, 12''reach, fitted with back uprights for can feed at back and can turning and packing motion with high density packers at delivery, complete with individual electric drive equipment of reputable manufacturer	18.1'X 9.5'X 6.4'	5	14.25	



Rotary Gill 2nd Drawing

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Hans Machineries Pvt. Ltd.	Rotary Gill 2nd Drawing	Rotary faller gill Second Drawing Machine	J200-4	4:1 doubling, 4 head & 8 deliveries, expected productivity - 12 MT/day	16.3'X13.3'X6.3'	7.5	8.80	8.80
2	Hans Machineries Pvt. Ltd.	Rotary Gill 2nd Drawing	Rotary faller gill Second Drawing Machine	J200-2	4:1 doubling, 2 head & 4 deliveries, expected productivity - 6 MT/day	9.2'X13'X6.2'	5	6.10	6.10
3	New Mech Tech Pvt. Ltd.	Rotary Gill 2nd Drawing	Rotary Gill 2nd Drawing Machine	RG/ 2	4: 1 Doubling, 4 Delivery, Complete with Electronic type stop motion, 5 HP Motor, 1425 RPM, 440 Volt A.C. Motor & Electrical (Production 6 to 7 MT/Day)	9'X 15'X6'	5	7.75	
4	Hans Machineries Pvt. Ltd.	Rotary Gill 2nd Drawing	Rotary faller gill Second Drawing Machine	J200-3	4:1 doubling, 3 head & 6 deliveries, expected productivity - 9 MT/day	12.8'X13'X6'	5	7.35	7.35
5	Hans Machineries Pvt. Ltd.	Rotary Gill 2nd Drawing	Rotary faller gill Second Drawing m/c	J200-T-4	3:1 doubling, 4 head & 8 deliveries, expected productivity - 12 MT/day	16'X11'X6'	7.5	8.40	8.40
6	New Mech Tech Pvt. Ltd.	Rotary Gill 2nd Drawing	Rotary Gill 2nd Drawing Machine	RG/ 2	3: 1 Doubling, 8 Delivery, Complete with Electronic type stop motion, 5 HP Motor, 1425 RPM, 440 Volt A.C. Motor & Electrical (Production 13 to 14 MT/Day)	11'X 18'X 7.5'	5	9	
7	Hans Machineries Pvt. Ltd.	Rotary Gill 2nd Drawing	Rotary faller gill Second Drawing Machine	J200-T-2	3:1 doubling, 2 head & 4 deliveries, expected productivity - 6 MT/day	11.2'X11.2'X6.3'	5	5.80	5.8




Rotary Gill 2nd Drawing

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
8	Hans Machinerics Pvt. Ltd.	Rotary Gill 2nd Drawing	Rotary faller gill Second Drawing Machine	J200-T-3	3:1 doubling, 3 head & 6 deliveries, expected productivity - 9 MT/day	12.8'X11.2'X6.3'	5	7.10	7.1



Screw Gill 3rd Drawing

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Jutex Industries (P) Ltd.	Screw Gill 3rd Drawing	Screw Gill Triple Cam Finisher(3rd) Drawing Machine having 5 heads, 20 delivery	JD3-520	8 Sliver per head & 4 delivery per head, 12''Reach, fitted with back uprights for can feed at back and can turning & packing motions with high-density packers at delivery, complete with electrical	15.5''X10.6''X6.6'	5	11.90	11.28
2	Bhowmick Calculators	Screw Gill 3rd Drawing	Third Drawing Machine having 5 heads, 20 delivery	BC- 3RD	5 carriage 20 delivery, with screw gill, doubling 2:1, Draft' range 6 to 9, right hand drive, driven by 5 H.P. motor	15.5''X4''X6'	5	13.00	
3	Lagan Engineering Company Limited	Screw Gill 3rd Drawing	High Speed Screw Gill Triple Cam Finisher Drawing Frame having 5 heads, 20 delivery	LSGTC	5 Heads, 8 slivers per head, 4 deliveries per head, 12''reach, fitted with back uprights for can feed at back and can turning and packing motion with high density packers at delivery, complete with individual electric drive equipment of reputable manufacturer	15.5''X10.5''X6.2'	5	14.25	
4	Sree Durga Fibre Products (P) Ltd.	Screw Gill 3rd Drawing	High Speed Screw Gill Triple Cam Finisher Drawing Frame having 5 heads, 20 delivery	-	5 Heads, 8 slivers per head, 4 deliveries per head, width of delivery roller boss .3/4'' (Sacking). Fitted with back uprights for can feed at back and can turning and packing motion with packers complete with individual electric drive equipment of reputable manufacturer	-	-	11.28	



Screw Gill 3rd Drawing									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
5	Zhejiang Golden Eagle, Co.; Ltd	Screw Gill 3rd Drawing	Triple Cam Finisher Drawing Frame		5 Heads, 4 Slivers per head, 4 deliveries per head, 12'' reach. Fitted with back uprights for can feed at back and can turn and packing motions at delivery with high density packers. Complete with individual electric drive equipment.	-	-	US\$ 26,000	11.28
6	Jutex Industries (P) Ltd.	Screw Gill 3rd Drawing	Screw Gill Triple Cam Finisher(3rd) Drawing Machine having 5 heads, 20 delivery for Sacking side	JD3-520C	8 Sliver per head & 4 delivery per head, 12''Reach, 3.5''rubber roller, 3/4''delivery, fitted with back uprights for can feed at back and can turning & packing motions with high-density packers at delivery, complete with electrical	15.5' X10.6'X6.6'	5	12.15	12.15
7	Bhowmick Calculators	Screw Gill 3rd Drawing	SWF/Finisher Drawing Machine having 5 heads, 20 delivery	BC-SWF	5 carriage 20 delivery, with screw gill, doubling 2:1, Draft range 6 to 9, right hand drive, driven by 5 H.P. motor	16'X4'X6'	5	13.00	
8	Lagan Engineering Company Limited	Screw Gill 3rd Drawing	Screw Gill Sacking Weft Finisher Drawing Frame having 4 heads, 16 delivery	LSGSW	4 Heads, 8 slivers per head, 4 deliveries per head, 12''reach, fitted with back uprights for can feed at back and can turning and packing motion with high density packers at delivery, complete with individual electric drive equipment of reputable manufacturer	11.9' X	5	14.00	10.25

(22)

Screw Gill 3rd Drawing									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
9	Sree Durga Fibre Products (P) Ltd.	Screw Gill 3rd Drawing	Finisher Drawing 16 Delivery		4 Heads, 8 slivers per head, 4 deliveries per head, width of delivery roller boss 3/4''(Sacking). Fitted with back uprights for can feed at back and can turning and packing motions with packers. Complete with individual electric drive equipment of reputable manufacturer	-		10.25	10.25
10	Zhejiang Golden Eagle, Co.; Ltd	Screw Gill 3rd Drawing	Sacking weft Double Cam Screwgill Finisher Drawing 16 Delivery		4 heads, 4 slivers and 4 deliveries per head, 12'' reach. Fitted with back uprights for can feed at back and can turning and packing motions at delivery with high density packers. Complete with individual electric drive equipment.	-		US\$ 24,200	

(23)

Rotary Gill 3rd Drawing									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	New Mech Tech Pvt. Ltd.	Rotary Gill 3rd Drawing	Rotary Gill 3rd Drawing Machine	RG/ 3	2: 1 Doubling, 12 Delivery, Complete with Electronic type stop motion, 5 HP Motor, 1425 RPM, 440 Volt A.C. Motor & Electrical (Production 5 to 5.5 MT/Day)	12.1'X 15.1'X7.8'	5	9.00	7.65
2	Hans Machineries Pvt. Ltd.	Rotary Gill 3rd Drawing	Rotary faller gill Third Drawing Machine	J300-3	2:1 doubling, 3 head & 12 deliveries, expected productivity - 5.25 MT/day	12.33''X11.16'X 6.3'-	5	7.65	
3	Hans Machineries Pvt. Ltd.	Rotary Gill 3rd Drawing	Rotary faller gill Third Drawing Machine	J300-2	2:1 doubling, 2 head & 8 deliveries, expected productivity - 3.5 MT/day	9.2'X11.2'X6.3'	3	6.30	6.30
4	Hans Machineries Pvt. Ltd.	Rotary Gill 3rd Drawing	Rotary faller gill Third Drawing Machine	J300-4	2:1 doubling, 4 head & 16 deliveries, expected productivity - 7 MT/day	16.3'X11.2'X6.3'	5	9.00	9.00



4 ¼" Slip Draft Spinning Frame									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Jutex Industries (P) Ltd.	4 ¼" Slip Draft Spinning	Automatic doffing Sliver Spinning Machine having 100 spindles, 4 ¼" pitch	JS 100	Bobbin size 6.5" Traverse X 3" Diameter with wharves and Baxter flyer complete with motor & electrical	38.6' X 3.9' X 5.4'	15	14.50	
2	Bhowmick Calculators	4 ¼" Slip Draft Spinning	Spinning Machine 100 Spindles	BC-SD-100	Baxter flyer, Slip Draft system, Draft range 10 to 20, Auto doffing, 4 ¼" pitch, flyer speed 3000 -4200, left/right hand drive	37' X 3.5' X 6'	15	15.00	
3	Lagan Engineering Company Limited	4 ¼" Slip Draft Spinning	High Speed Automatic Doffing Slip Draft 100 spindles Sliver Spinning Frame	LSP100	4 ¼" pitch, 100 spindles, Bobbin size 6.5" traverse X 3" dia, fitted with Baxter flyer and individual electric drive equipment of reputable manufacturer	38.3' X 3.8' X 5.6'	15	17.50	14.50
4	Sree Durga Fibre Products (P) Ltd.	4 ¼" Slip Draft Spinning	Spinning Machine 100 Spindles		Having 100 Spindles, 4 ¼" pitch, Bobbin size 6.5" traverse X 3" dia, fitted with Baxter flyer and individual electric drive equipment of reputable manufacturer	--	--	15.4	
5	Jutex Industries (P) Ltd.	4 ¼" Slip Draft Spinning	Automatic doffing Sliver Spinning Machine having 110 spindles, 4 ¼" pitch	JS 110	Bobbin size 6.5" Traverse X 3" Diameter with wharves and Baxter flyer complete with motor & electrical	41.5' X 3.9' X 5.4'	15	15.51	15.51



4 1/4" Slip Draft Spinning Frame

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
6	Bhowmick Calculators	4 1/4" Slip Draft Spinning	Spinning Machine 110 Spindles	BC-SD-110	Baxter flyer, Slip Draft system, Draft range 10 to 20, Auto doffing, 4 1/4" pitch, flyer speed 3000-4200, left/right hand drive, driven by 15 H.P. motor	42"X3.5"X6'	15	16.50	15.10
7	Lagan Engineering Company Limited	4 1/4" Slip Draft Spinning	High Speed Automatic Doffing Slip Draft 110 spindles Sliver Spinning Frame	LSP110	4 1/4" pitch, 110 spindles, Bobbin size 6.5" traverse X 3" dia, fitted with Baxter flyer and individual electric drive equipment of reputable manufacturer	41.5"X 3.8"X 5.6'	15	19.50	
8	G D Industries	4 1/4" Slip Draft Spinning	High Speed Automatic Doffing Slip Draft 110 spindles Sliver Spinning Frame	GDSP GSD414 -110	4 1/4" - 110 Spindles bobbin size 6.5" traverse X 3" dia fitted with Baxter flyer	44"X5"X6'	15	19.00	
9	Sree Durga Fibre Products (P) Ltd.	4 1/4" Slip Draft Spinning	Spinning Machine 110 Spindles	-	4 1/4" pitch, 110 spindles, Bobbin size 6.5" traverse X 3" dia, fitted with Baxter flyer and individual electric drive equipment of reputable manufacturer	--	--	16	
10	Zhejiang Golden Eagle, Co.; Ltd	4 1/4" Slip Draft Spinning	Automatic Doffing Slip Draft 110 spindles Sliver Spinning Frame	-	4 1/4" pitch, 110 spindles, Bobbin size 6.5" traverse X 3" diameter. Complete with Sliver stop motion and individual electric drive equipment. Fitted with MKIV Baxter Flyer.	--	--	US\$ 44,500	
11	Jutex Industries	4 1/4" Slip	Automatic	JS 120	Bobbin size 6.5" traverse X	46"X3.9"X4.	25	16.92	16.92

4 1/4" Slip Draft Spinning Frame

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
	(P) Ltd.	Draft Spinning	Doffing Sliver Spinning Machine having 120 spindles, 4 1/4" pitch	(4")	3" Diameter with wharves and Baxter flyer complete with motor & electrical	4'			
12	Bhowmick Calculators	4 1/4" Slip Draft Spinning	Spinning Machine 120 Spindles	BC-SD-120	Baxter flyer, Slip Draft system, Draft range 10 to 20, Auto doffing, 4 1/4" pitch, flyer speed 3000 -4200, left/right hand drive, driven by 20 H.P. motor	45'X3.5'X6'	20	20.00	
13	Lagan Engineering Company Limited	4 1/4" Slip Draft Spinning	High Speed Automatic Doffing Slip Draft 108 Rotating spindles Sliver Spinning Frame	LSP108	4 1/4"pitch, 108 Rotating spindles, Bobbin size 6.5"traverse X 3"dia, fitted with Baxter flyer and individual electric drive equipment of reputable manufacturer, fitted with pulley mounted shaft instead of cylinder with inverter speed control system and Overhead Cleaner	41.8'X 4.6'X 8.10'	20	23.00	23.00



4 1/4" Apron Draft Spinning Frame

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price till Oct 2017 (INR) Lakh
14	Zhejiang Golden Eagle, Co.; Ltd	4 1/4" Apron Draft Spinning	Automatic Doffing Apron Draft 110 spindles Sliver Spinning Frame	-	4 1/4"pitch, 110 spindles, Bobbin size 6.5"traverse X 3" diameter. Complete with Sliver stop motion and individual electric drive equipment. Fitted with MKIV Baxter Flyers.		-	US\$ 45,000	US\$ 45,000




4 ¾" Apron Draft spinning Frame									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Lagan Engineering Company Limited	4 ¾" Apron Draft Spinning	Automatic Doffing Apron Draft Sliver Spinning Frame	LSPAD96	4 ¾" pitch, 96 spindles, Bobbin size 7.5" traverse X 3.5" dia, fitted with individual electric drive equipment of reputable manufacturer	40.6' X 3.7' X 5.5'	20	22.00	22.00
2	Zhejiang Golden Eagle, Co.; Ltd	4 ¾" Apron Draft Spinning	Automatic Doffing Apron Draft Sliver Spinning Frame	-	4 ¾" pitch, 104 spindles, Bobbin size 7.5" traverse X 3.5" dia, fitted with individual electric drive equipment of reputable manufacturer. Including MKIV Baxter Flyers.	--	--	US\$ 45,000	US\$ 45,000



4 ¾" Slip Draft Spinning									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
3	Jutex Industries (P) Ltd.	4 ¾" Slip Draft Spinning	Automatic doffing Sliver Spinning M/c having 96 spl, 4 ¾" pitch	JS96	Bobbin size 7 .5" Traverse X 3 .5" Diameter with wharves and Baxter flyer complete with motor & electrical	41.6" X 5' X 5.5'	15	15.75	15.00
4	Hans Machineries Pvt. Ltd.	4 ¾" Slip Draft Spinning	4 ¾" pitch Slip Draft Spinning - 96 spindles	SS-4-3/4"-96	Baxter flyer type, complete with motor, electricals & electronics	41" X 4' X 5.6'	20	15.00	
5	Bhowmick Calculators	4 ¾" Slip Draft Spinning	Spinning Machine 96 Spindles	BC-SD-96	Baxter flyer, Slip Draft system, Draft range 10 to 20, Auto doffing, 4 ¾" pitch, flyer speed 2000 -4000, le/right hand drive, driven by 15 H.P. motor	41" X 3.5' X 6'	15	16.50	
6	Lagan Engineering Company Limited	4 ¾" Slip Draft Spinning	Automatic Doffing Slip Draft 96 spindles Sliver Spinning Frame	LSP96	4 ¾" pitch, 96 spindles, Bobbin size 7 .5" traverse X 3 .5" dia, fitted with Baxter flyer and individual electric drive equipment of reputable manufacturer	40.6" X 3.7' X 5.6'	20	17.75	
7	G D industries	4 ¾" Slip Draft Spinning	Spinning Machine 96 Spindles	GDSPGSD 434-96	4 ¾" Pitch, 96 spindles Slip Draft Machine with Motor & Baxter flyer	43" X 5' X 6'	15	18.20	
8	Sree Durga Fibre Products (P) Ltd.	4 ¾" Slip Draft Spinning	Spinning Machine 96 Spindles	-	96 spindles, 4 ¾" pitch, Bobbin size 7 .5" traverse X 3 .5" dia, fitted with Baxter flyer and individual electric drive equipment of reputable manufacturer	-	-	15.4	
9	Jutex Industries (P) Ltd.	4 ¾" Slip Draft Spinning	Automatic doffing Sliver Spinning Machine having 104 spindles, 4 ¾" pitch	JS 104	Bobbin size 7 .5" Traverse X 3 .5" Diameter with wharves and Baxter flyer complete with motor & electrical	44.6" X 5.5' X 5.5'	20	16.75	16.00

4 ¾" Slip Draft Spinning

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
10	Hans Machineries Pvt. Ltd.	4 ¾" Slip Draft Spinning	4 ¾" pitch Slip Draft Spinning - 104 spindles	SS-4-3/4"-104	Baxter flyer type, complete with motor, electrical & electronics	44'X 3.9'X5.5'	20	16.00	16.00
11	Bhowmick Calculators	4 ¾" Slip Draft Spinning	Spinning Machine 104 Spindles	BCSD 104	Baxter flyer, Slip Draft system, Draft range 10 to 20, Auto doffing, 4 ¾" pitch, flyer speed 2000 -4000, left/right hand drive, driven by 20 H.P. motor	44'X3.5'X6'	20	17.50	
12	Lagan Engineering Company Limited	4 ¾" Slip Draft Spinning	Automatic Doffing Slip Draft 104 spindles Sliver Spinning Frame	LSP104	4 ¾" pitch, 104 spindles, Bobbin size 7.5" traverse X 3.5" dia, fitted with Baxter flyer and individual electric drive equipment of reputable manufacturer	43.8'X 3.7'X 5.6'	20	18.75	
13	G D industries	4 ¾" Slip Draft Spinning	Spinning Machine 104 Spindles	GDSFGSD4 34-104	4 ¾" pitch, 104 spindles, bobbin size 7.5" traverse X 3.5" dia fitted with Baxter flyer	46'X5'X6'	15	19.20	
14	Sree Durga Fibre Products (P) Ltd.	4 ¾" Slip Draft Spinning	Spinning Machine 104 Spindles	-	104 Spindles, 4 ¾" pitch, Bobbin size 7.5" traverse X 3.5" dia, fitted with Baxter flyer and individual electric drive equipment of reputable manufacturer	-	-	16.00	
15	Zhejiang Golden Eagle, Co. Ltd.	4 ¾" Slip Draft Spinning	Automatic Doffing Slip Draft 104 spindles Sliver Spinning Frame	-	4 ¾" pitch, 104 spindles, Bobbin size 6.5" traverse X 3" diameter. Complete with Sliver stop motion and individual electric drive equipment. Fitted with MKIV Baxter Flyers.	-	-	US\$ 44,500	
16	Jutex Industries (P) Ltd.	4 ¾" Slip Draft Spinning	Automatic doffing Sliver Spinning M/c having 120 spl, 4 ¾" pitch	JS 120 (4 th)	Bobbin size 7.5" Traverse X 3.5" Diameter with wharves and Baxter flyer complete with motor & electrical	55'X5'X5.5'	25	19.32	19.32



4 ¾" Slip Draft Spinning									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
17	Bhowmick Calculators	4 ¾" Slip Draft spinning	4 ¾" Slip Draft spinning, 120 spindle	BC SDA-120	Baxter flyer, Slip Draft system, Draft range 10 to 20, Auto doffing, 4 ¾" pitch, flyer speed 3000 -4500, left/right hand drive, driven by 25 H.P. motor	50'X3.5'X6'	25	20.00	19.32
18	G D industries	4 ¾" Slip Draft spinning	4 ¾" Slip Draft spinning, 120 spindles	GDSPGSD4 34-120	4 ¾" spinning frame, 120 spindles, bobbin size 7.5" traverse X 3.5" dia, fitted with Baxter flyer	52.5'X5'X6'	20	21.20	
19	Bhowmick Calculators	4 ¾" Slip Draft spinning	Spinning Machine 112 Spindles	BC-SD 112	Baxter flyer, Slip Draft system, Draft range 10 to 20, Auto doffing, 4 ¾" pitch, flyer speed 3000 -4500, le/right hand drive, driven by 20 H.P. motor	47'X3.5'X6'	20	19.00	18.00
20	G D industries	4 ¾" Slip Draft spinning	Spinning Machine 112 Spindles	GDSPGSD4 34-112	4 ¾" spinning frame, 112 spindles, bobbin size 7.5" traverse X 3.5" dia, fitted with Baxter flyer	49'X5'X6'-	20	20.20	
21	Jutex Industries (P) Ltd.	4 ¾" Slip Draft spinning	Spinning Machine 112 Spindles	JS-112	Bobbin size 7.5" traverse X 3.5" dia, fitted with wharves & Baxter flyer complete with motor and electric (IS/JPS)	47'X5'X5.5'-	20	18.00	



Mackroll Winding

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Bhowmick Calculators	Mackroll Winding	Mackroll Winding Machine having 16 Spindles	BC/ MW	(8 + 8 = 16) spindle frame, driven by 3 H.P. motor, 1440 rpm	21'X3.5'X5'	3+3 HP	5.50	5.50
2	N. L. Fabricators	Mackroll Winding	Mackroll Winding Machine having 32 Spindles	NLF	16 Spindles each side, complete with Self drive system with Electrical	22'X4.5'X4.8'	5	8.00	8.00
3	Modern Jute Machinery Co. Pvt. Ltd.	Mackroll Winding	Mackroll Winding Machine having 24 Spindles	MJMMR W 24	12 Spindles each side, complete in all respect without Electrical	15'X3'X4'	2	4.0	4.0
4	N. L. Fabricators	Mackroll Winding	Mackroll Winding Machine having 24 Spindles	NLF	12 Spindles each side, complete with Self drive system with Electrical	17'X4.5'X4.8'	5	6.2	



Mackroll Winding

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
5	Zhejiang Golden Eagle, Co. Ltd.	Mackroll Winding	Mackroll Winding Machine having 24 Spindles	-	24 spindles, 12 spindle per side. Suitable for making cones and cheeses 10" traverse and upto 10" diameter. Fitted with tag-end let-off arrangement. Complete with individual electric drive equipment.	-	-	US\$ 13,500	4.0
6	Diamond Industries	Mackroll Winding	Mackroll Winding Machine having 40 Spindles	DIMR40	Complete in all respect without Electrical	27'X3.66'X5.83'	5	4.70	4.70
7	Diamond Industries	Mackroll Winding	Mackroll Winding Machine having 40 Spindles	DIMR40	Complete in all respect with Electrical and Accessories	27'X3.66'X5.83'	5	4.95	4.95
8	Diamond Industries	Mackroll Winding	Mackroll Winding Machine having 48 Spindles	DIMR48	Complete in all respect without Electrical	32'X3.66'X5.83'	5	5.5	5.5
9	Diamond Industries	Mackroll Winding	Mackroll Winding Machine having 48 Spindles	-	Complete in all respect with Electrical and Accessories	32'X3.66'X5.83'	5	5.75	5.75



4 3/4" Flyer Twisting									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Bhowmick Calculators	4 3/4" Flyer Twisting	Twisting Machine 96 Spindles	BC/T- 96	Baxter flyer, 4 3/4" pitch, twist range 2.5 to 7.5, right hand drive, driven by 20 H.P. motor	41'X3.5'X6'	20	16.00	16.00
2	Sree Durga Fibre Products (P) Ltd.	4 3/4" Flyer Twisting	Twisting Machine 104 Spindles	-	104 Spindles, 4 3/4" Pitch, Bobbin Size 7 .5" traverse X 3 .5" dia. Fitted with overhead creel, Baxter flyer and individual electric drive equipment of reputable manufacturer.	-	-	15.4	15.40



5 1/2"Flyer Twisting Frame						Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine				
1	Jutex Industries (P) Ltd.	5 1/2"Flyer Twisting	Automatic doffing Twisting Machine having 80 spindles, 5 1/2" pitch	JT 80	Bobbin size 8" Traverse X 4" Diameter with wharves and Baxter flyer complete with motor & electrical	40'X3.5'X5.9'	20	15.75	15.00
2	Bhowmick Calculators	5 1/2"Flyer Twisting	Twisting Machine 80 Spindles	BC/ T-80	Two leg flyer/Baxter flyer, 5 1/2"pitch, twist range 2.5 to 7.5, right hand drive, driven by 20 H.P. motor	41'X3.5'X6'	20	15.00	
3	Lagan Engineering Company Limited	5 1/2"Flyer Twisting	Automatic Doffing 80 spindles Flyer Twisting Frame	LT	80 spindles 5.5"pitch, Bobbin size 7.5"traverse X 4 3/8"dia, fitted with Over head creel, Baxter flyer and individual electric drive equipment of reputable manufacturer	40'X 4'X 7.5'	20	17.25	
4	Sree Durga Fibre Products (P) Ltd.	5 1/2"Flyer Twisting	Twisting Machine 80 Spindles		5 1/2"pitch, 80 spindles, Bobbin size 7.5"traverse X 4 3/8"dia, fitted with Over head creel, Baxter flyer and individual electric drive equipment of reputable manufacturer	-	-	15.40	
5	Bhowmick Calculators	5 1/2"Flyer Twisting	Twisting Machine 40 Spindles	BC/ T-40	Two leg flyer/Baxter flyer, 5 1/2"pitch, twist range 2.5 to 7.5, right hand drive, driven by 15 H.P. motor	22'X3.5'X6'	15	10.00	10.00
6	Sree Durga Fibre Products (P) Ltd.	5 1/2"Flyer Twisting	Twisting Machine 88 Spindles		5 1/2"pitch, 88 spindles, Bobbin size 7.5"traverse X 4 3/8"dia, fitted with Over head creel, Baxter flyer and individual electric drive equipment of reputable manufacturer	-	-	16.00	16.00



Ring Twisting Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Bhowmick Calculators	Ring Twisting	Ring Twisting Machine	BC-RT	60/96/120 Spindle, Lift - 12" to 16", Ring dia - 7.5" / 8" / 8.5"	30'X8'X6'	15	30.00	30.00
2	S. G. Industries	Ring Twisting	Ring Twisting Machine	SGI	48X2 Spindle, double sided 8" pitch, 14" Traverse 8.5" Ring complete with self drive system with electrical	45' X 4' X 4'	50	26.00	26.00
3	Raajan Textile Engineers & Consultant	Ring Twisting	Jute Ring Twisting Machine	JRT 6	Ring Dia-6", Lift- 12", Gauge- 8", Number of Spindles 60 to 90, Electrical motors is not included. Side creel is required to feed single yarn- 5 kgs to 10 kgs	27'X4'X6'	15	0.16/spindle, Price for side creel - 0.015/spindle	0.16/spindle, Price for side creel - 0.015/spindle
4	Raajan Textile Engineers & Consultant	Ring Twisting	Jute Ring Twisting Machine	JRT 8	Ring Dia-8.5", Lift- 12", Gauge- 10.5", Number of Spindles 50 to 74, Electrical motors is not included. Side creel is required to feed single yarn- 5 kgs to 10 kgs	30'X4'X6'	15	0.18/spindle, Price for side creel - 0.02/spindle	0.18/spindle, Price for side creel - 0.02/spindle
5	Jeyaletshmi Machine Works	Ring Twisting	Heavy Ring Twister suitable for Jute Twine Twisting Machine	JMW 5 TH JUTE	JMW make 96 Spindle, 12" Gauge, 8.5" Ring Dia, 14" Lift X 1' Ring Height, Heavy Ring Twister suitable for Jute Twine Twisting Machine with 5 ply mechanic stop motion for individual yarn	56' X 17.5' X 7.25'	30	37.00	37.00



Cone Winding

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	PEASS INDUSTRIAL ENGINEERS PVT LTD	Cone Winder (Re-Winder)	PS High Speed Jumbo Cone Winder (Re-Winder)	RECO PT	Model RECO-PT-S with 24 Drums	21.6'X5.4'X5.9'	6 HP - 02 no's and 01 HP - 01 No's	6.24	6.24
2	PEASS INDUSTRIAL ENGINEERS PVT LTD	Cone Winder (Re-Winder)	PS High Speed Jumbo Cone Winder (Re-Winder)	RECO PT	32 Drums	27.8'X5.4'X5.9'	6 HP - 02 no's and 01 HP - 02 No's	8.64	8.64
3	PEASS INDUSTRIAL ENGINEERS PVT LTD	Cone Winder (Re-Winder)	PS High Speed Jumbo Cone Winder (Re-Winder)	RECO PT	48 Drums	40.2'X5.4'X5.9'	6 HP - 02 no's and 01 HP - 02 No's	10.25	10.25
4	PEASS INDUSTRIAL ENGINEERS PVT LTD	Cone Winder (Re-Winder)	PS High Speed Jumbo Cone Winder (Re-Winder)	RECO PT	64 Drums	52.8'X5.4'X5.9'	6 HP - 02 no's and 01 HP - 02 No's	11.41	11.41



Precision Winding

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	New Mech Tech Pvt. Ltd.	Precision Winding	Precision Winding m/c. of 10" traverse	PW/1	complete with 1 HP Motor, 1425 RPM & Electrical	4.3'X 4.5'X5.5'	1	0.67 per spindle	0.60 per Spindle
2	Hans Enterprise	Precision Winding	Precision Winding Machine of 10" Traverse	PW-10	10" Traverse Type (Chain Traverse), having Two Spindles per machine, complete with Motor and other Electricals	4.4'X 3.4'X 5'	0.75 X 2	0.60 per Spindle	
3	New Mech Tech Pvt. Ltd.	Precision Winding	Precision Winding m/c. of 12" traverse	PW/2	complete with 1 HP Motor, 1425 RPM & Electrical	3.7'X 4.7'X 5.7'	1	0.70 per spindle	0.65 per Spindle
4	Hans Enterprise	Precision Winding	Precision Winding Machine of 12" Traverse	PW 12	Chain Traverse Type, having Two Spindles per machine, complete with Motor and other Electricals	4.4'X 3.4'X 5'	0.75 X 2	0.65 pe Spindle	
5	S. G. Industries	Precision Winding	Precision Winding Machine	S.G.I	Complete with Mechanical Drive and Electrical	6.15'X 4.75'	1	0.80	0.80
6	S. G. Industries	Precision Winding	Precision Winding Machine	S.G.MICRO	Complete with PLC Drive and Electrical	6.15' X 4.75'	1	1.70	1.70



Pre-Beaming Machine					Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.					
1	N. L. Fabricators	Pre-Beaming	3 Meter Pre-Beaming Machine suitable to make 60" Beam	NLF	Suitable to make 60" beam between flanges & dia 1000 mm with Hydraulic Break, Electrical Zig Zag expandable Comb & Electrical Oscillating Yarn sheet complete with Creel 420/700/1344 ends, 210/350/672 ends each side will be as reserve having Duty Tension Com; sensors Electronic Thread Break for individual Yarn with Electrical	78.7'X9.8'X8.2'	20	17	17.00
2	N. L. Fabricators	Pre-Beaming	3 Meter Pre-Beaming Machine suitable to make 90" Beam	NLF	Suitable to make 90" beam between flanges & dia 1000 mm with Hydraulic Break, Electrical Zig Zag expandable Comb & Electrical Oscillating Yarn sheet complete with Creel 420/700/1344 ends, 210/350/672 ends each side will be as reserve having Duty Tension Com; sensors Electronic Thread Break for individual Yarn with Electrical	65.6'X16.4'X8.2'	30	26	26.00
3	N. L. Fabricators	Pre-Beaming	3 Meter Pre-Beaming Machine suitable to make 120" Beam	NLF	Suitable to make 120" beam between flanges & dia 1000 mm with Hydraulic Break, Electrical Zig Zag expandable Comb & Electrical Oscillating Yarn sheet complete with Creel 420/700/1344 ends, 210/350/672 ends each side will be as reserve having Duty Tension Com; sensors Electronic Thread Break for individual Yarn with Electrical	55.8'X19.7'X8.2'	30	24.2	24.20
4	R. B. Electronic & Engineering Pvt. Ltd.	Pre-Beaming	Pre-Beaming Machine (Warping Machine)	-	Model ADW, Model DWM AC Frequency drive, with creel	-	-	12.00 to 50.00	12.00 to 50.00
5	Indotex Manufacturers	Pre-Beaming	Pre-Beaming Machine (for 90"w)			56' x 15' x 7'ht approx.	15	24.00	24.00
6	G D industries	Pre-Beaming	Pre-Beaming/ Jute Sacking Machine	GDPB100	Having 720 spool capacity , stop motion, wet box with 10 HP. motor	60'X15'X8'	10	24.00	24.00



Sectional Warping Machine

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Rabatex Industries	Sectional Warping Machine	Slow speed sectional Warping Machine Model - RI-102	RI-102	68 inch (1700 mm) working width	7'X 10'X 11'	3	3.85	3.85
2	Rabatex Industries	Sectional Warping Machine	Slow speed sectional Warping Machine Model - RI-102	RI-102	78 inch (2000 mm) working width	8'X10'X11'	3	4.25	4.25
3	Rabatex Industries	Sectional Warping Machine	Slow speed sectional Warping Machine Model - RI-102	RI-102	88 inch (2200 mm) working width	10'X10'X11'	3	4.7	4.70
4	Rabatex Industries	Sectional Warping Machine	Slow speed sectional Warping Machine Model - RI-102	RI-102	98 inch (2500 mm) working width	12'X10'X11'	3	5.05	5.05
5	Rabatex Industries	Sectional Warping Machine	Slow speed sectional Warping Machine Model - RI-102	RI-102	108 inch (2750 mm) working width	14'X10'X11'	3	5.50	5.50
6	Rabatex Industries	Sectional Warping Machine	Slow speed sectional Warping Machine Model - RI-103	RI-103	68 inch (1700 mm) working width	16'X10'X11'	5	6.65	6.65
7	Rabatex Industries	Sectional Warping Machine	Slow speed sectional Warping Machine Model - RI-103	RI-103	78 inch (2000 mm) working width	18'X10'X11'	5	7.1	7.10
8	Rabatex Industries	Sectional Warping Machine	Slow speed sectional Warping Machine Model - RI-103	RI-103	88 inch (2200 mm) working width	20'X10'X11'	5	7.5	7.50
9	Rabatex Industries	Sectional Warping Machine	Slow speed sectional Warping Machine Model - RI-103	RI-103	98 inch (2500 mm) working width	122'X10'X11'	5	7.9	7.90
10	Rabatex Industries	Sectional Warping Machine	Slow speed sectional Warping Machine Model - RI-103	RI-103	108 inch (2750 mm) working width	10'X10'X11'	5	8.35	8.35
11	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine	RI-106	(1800 - 2100) mm working width, Drum dia. 800mm, Flange dia. 1000 mm	18.5'X 7.3'X6.6'	7.5 / 15	17.8	17.80



Sectional Warping Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
12	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine	RI-106	(2101 - 2400) mm working width, Drum dia. 800mm, Flange dia. 1000mm	19.5'X 7.3'X6.7'	7.5 / 15	18.3	18.30
13	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine	RI-106	(2401 -- 2800) mm working width, Drum dia. 800mm, Flange dia. 1000mm	21.5'X 7.3'X6.7'	10 / 20	18.8	18.80
14	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine	RI-106	(2801 - 3400) mm working width, Drum dia. 800mm, Flange dia. 1000mm	24.5'X 7.3'X6.7'	15 / 25	21.25	21.25
15	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine	RI-106	(3401 - 3600) mm working width, Drum dia. 800mm, Flange dia. 1000mm	25.5'X 7.3'X6.7'	15 / 25	21.8	21.80
16	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine	RI-106	(3601 - 4000) mm working width, Drum dia. 800mm, Flange dia. 1000mm	26.5'X 7.3'X6.7'	15 / 30	22.9	22.90
17	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine	RI-107 I	(1800 - 2100) mm working width, with integral or attached Beamer, Drum dia. 800mm, Flange dia. 1000mm	18.5'X 7.3'X6.6'	7.5 / 15	24.7	24.70
18	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine	RI-107 I	(2101 - 2400) mm working width, with integral or attached Beamer, Drum dia. 800mm, Flange dia. 1000mm	19.5'X 7.3'X6.7'	7.5 / 15	25.7	25.70
19	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine	RI-107 I	(2401 - 2800) mm working width, with integral or attached Beamer, Drum dia. 800mm, Flange dia. 1000mm	21.5'X 7.3'X6.7'	10 / 20	26.7	26.70
20	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine	RI-107 I	(2801 - 3400) mm working width, with integral or attached Beamer, drum dia. 800mm, Flange dia. 1000mm	24.5'X 7.3'X6.7'	15 / 25	29.5	29.50
21	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(1800 - 2100) mm working width, with separate Beamer, Drum dia. 800 mm, Flange dia. 1000 mm	20.5'X 7.8'X 7	15 / 25	26.70	26.70
22	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(1800 - 2100) mm working width, with separate Beamer, Drum dia. 1000 mm, Flange dia. 1250mm	20.5'X 7.8'X 7	15 / 25	28.70	28.70

Sectional Warping Machine

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Bas Price (INR) Lakh
23	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(2101 - 2400) mm working width, with separate Beamer, Drum dia. 1000mm, Flange dia. 1000mm	22.5'X7.8'X 7.2'	15 / 25	27.70	27.70
24	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(2101 - 2400) mm working width, with separate Beamer, Drum dia. 1000mm, Flange dia. 1250mm	22.5'X7.8'X 7.2'	15 / 25	29.70	29.70
25	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(2401-2800) mm working width, with separate Beamer, drum dia. 1000mm, Flange dia. 1000mm	25.5'X7.8'X 7.2'	15 / 25	30.50	30.50
26	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(2401-2800) mm working width, with separate Beamer, drum dia. 1000mm, Flange dia. 1250mm	25.5'X7.8'X 7.2'	15 / 25	33.75	33.75
27	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(2801 - 3400) mm working width, with separate Beamer, drum dia. 1000mm, Flange dia. 1000mm	27.5'X7.8'X 7.2'	20 / 25	33.5	33.50
28	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(2801 - 3400) mm working width, with separate Beamer, drum dia. 1000mm, Flange dia. 1250mm	27.5'X7.8'X 7.2'	20 / 25	38.5	38.50
29	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(3400 - 3600) mm working width, with separate Beamer, drum dia. 1000mm, Flange dia. 1000mm	28.5'X7.8'X 7.2'	20 / 25	34.75	34.75
30	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(3400 - 3600) mm working width, drum dia. 1000mm, Flange dia. 1250mm	28.5'X7.8'X 7.2'	20 / 30	39.5	39.50
31	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(3601 - 4000) mm working width, with separate Beamer, drum dia. 1000mm, Flange dia. 1000mm	29.5'X7.8'X 7.2'	20 / 30	36	36.00
32	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-107S)	RI-107S	(3601 - 4000) mm working width, with separate Beamer, drum dia. 1000mm, Flange dia. 1250mm	27.5'X7.8'X 7.2'	20 / 30	40.5	40.50
33	Rabatex Industries	Sectional Warping Machine	High Speed sectional Warping Machine Model-(RI-109)	RI-109	(1800 - 2100) mm working width, Drum dia. 1000 mm, Flange dia. 1000mm	22.5'X7.8'X 7.2'	15 / 25	52.5	52.50



Sectional Warping Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
34	Rabatex Industries	Sectional Warping Machine	Computerized sectional Warping Machine	RI-109	(1800 - 2100) mm working width, Drum dia. 1000 mm, Flange dia. 1250 mm	22.5'X7.8'X 7.2'	15 / 25	54	54.00
35	Rabatex Industries	Sectional Warping Machine	Computerized sectional Warping Machine	RI-109	(2101 - 2400) mm working width, drum dia. 1000 mm, Flange dia. 1000mm	24.5'X7.8'X 7.2'	15 / 25	55	55.00
36	Rabatex Industries	Sectional Warping Machine	Computerized sectional Warping Machine	RI-109	(2101 - 2400) mm working width, drum dia. 1000 mm, Flange dia. 1250mm	24.5'X7.8'X 7.2'	15 / 25	56	56.00
37	Rabatex Industries	Sectional Warping Machine	Computerized sectional Warping Machine	RI-109	(2401 - 2800) mm working width, Drum dia. 1000mm, Flange dia. 1000mm	25.5'X7.8'X 7.2'	15 / 25	56.5	56.50
38	Rabatex Industries	Sectional Warping Machine	Computerized sectional Warping Machine	RI-109	(2401 - 2800) mm working width, Drum dia. 1000mm, Flange dia. 1250mm	25.5'X7.8'X 7.2'	15 / 25	57.5	57.50
39	Rabatex Industries	Sectional Warping Machine	Computerized sectional Warping Machine	RI-109	(2801 - 3400) mm working width, Drum dia. 1000mm, Flange dia. 1000mm	27'X7.8'X 7.2'	15 / 25	61	61.00
40	Rabatex Industries	Sectional Warping Machine	Computerized sectional Warping Machine	RI-109	(2801 - 3400) mm working width, Drum dia. 1000mm, Flange dia. 1250mm	27'X7.8'X 7.2'	15 / 25	63.00	63.00
41	Rabatex Industries	Sectional Warping Machine	Computerized sectional Warping Machine	RI-109	(3401 - 3600) mm working width, Drum dia. 1000mm, Flange dia. 1000mm	28.5'X7.8'X 7.2'	15 / 25	63.00	63.00
42	Rabatex Industries	Sectional Warping Machine	Computerized sectional Warping Machine	RI-109	(3401 - 3600) mm working width, Drum dia. 1000mm, Flange dia. 1250mm	28.5'X7.8'X 7.2'	15 / 25	65.00	65.00
43	Rabatex Industries	Sectional Warping Machine	Computerized sectional Warping Machine	RI-109	(3601 - 4000) mm working width, Drum dia. 1000mm, Flange dia. 1000mm	29.5'X7.8'X 7.2'	15 / 25	65.00	65.00
44	Rabatex Industries	Sectional Warping Machine	Computerized sectional Warping Machine	RI-109	(3601 - 4000) mm working width, Drum dia. 1000mm, Flange dia. 1250mm	29.5'X7.8'X 7.2'	15 / 25	67.00	67.00




Sectional Warping Machine

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
45	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(1800 - 2100) mm working width, Drum dia. 1000mm, Flange dia. 800-1100mm	22.5'X7.8'X 7.2'	15 / 25	58.00	58.00
46	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(1800 - 2100)mm working width, Drum dia. 1000mm, Flange dia. 1250mm	22.5'X7.8'X 7.2'	15 / 25	62.00	62.00
47	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(2101 - 2400) mm working width, Drum dia. 1000mm, Flange dia. 800-1100mm	24.5'X7.8'X 7.2'	15 / 25	61.00	61.00
48	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(2101 - 2400) mm working width, Drum dia. 1000mm, Flange dia. 1250mm	24.5'X7.8'X 7.2'	15 / 25	65.00	65.00
49	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(2401--2800) mm working width, Drum dia. 1000mm, Flange dia. 800-1100mm	25.5'X7.8'X 7.2'	15 / 25	63.50	63.50
50	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(2401--2800) mm working width, Drum dia. 1000 mm, Flange dia. 1250mm	25.5'X7.8'X 7.2'	15 / 25	37.50	37.50
51	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(2801 - 3400) mm working width, Drum dia. 1000mm, Flange dia. 800 - 1100mm	27'X7.8'X 7.2'	15 / 25	65.00	65.00
52	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(2801 - 3400) mm working width, Drum dia. 1000mm, Flange dia. 1250mm	27'X7.8'X 7.2'	15 / 25	69.00	69.00
53	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(3401 - 3600) mm working width, Drum dia. 1000mm, Flange 800 -1100mm	28.5'X7.8'X 7.2'	20 / 30	68.00	68.00
54	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(3401 - 3600) mm working width, Drum dia. 800-1000mm, Flange 1250mm	28.5'X7.8'X 7.2'	20 / 30	75.00	75.00
55	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(3601 - 4000) mm working width, Drum dia. 800 - 1100mm, Flange dia. 1000mm	29.5'X7.8'X 7.2'	20 / 30	70.00	70.00



Sectional Warping Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
56	Rabatex Industries	Sectional Warping Machine	Computerized Sectional Warping Machine	RI-112	(3601 - 4000) mm working width, Drum dia. 1000mm, Flange dia. 1250mm	29.5'X7.8'X 7.2'	20 / 30	79.00	79.00
57	Rabatex Industries	Winding Machine	Beam to Beam re-winding machine Model - (RI-1001)	RI-1001	Working width 1900mm - 2300mm	19.5'X8.7'X 8'	25	23.50	23.50
58	Rabatex Industries	Winding Machine	Beam to Beam re-winding machine Model - (RI-1001)	RI-1001	Working width 2300mm - 2800mm	20.5X8.7'X 8'	25	25.50	25.50
59	Rabatex Industries	Winding Machine	Beam to Beam re-winding machine Model - (RI-1001)	RI-1001	Working width 2800mm - 3200mm	21.5X8.7'X 8'	25	27.50	27.50
60	Rabatex Industries	Winding Machine	Beam to Beam re-winding machine Model - (RI-1001)	RI-1001	Working width 3200mm - 3600mm	25.5'X8.7'X 8'	25	31.50	31.50
61	Rabatex Industries	Reed cleaning machine	Ultrasonic Reed Cleaning Machine Model - (RI-1201)	RI-1201	Working width 1800mm - 2200mm + 400mm Tank, Liter Capacity - 110ltr	8'X3'X4'	3	11.50	11.50
62	Rabatex Industries	Reed cleaning machine	--	RI-1201	Working width 2201mm - 2400mm	10'X3'X4'	3	12.50	12.50
63	Rabatex Industries	Reed cleaning machine	--	RI-1201	Working width 2401mm - 2800mm	12'X3'X4'	3	14.50	14.50
64	Rabatex Industries	Reed cleaning machine	--	RI-1201	Working width 2801 mm - 3400 mm	14'X3'X4'	3	16.00	16.00
65	Rabatex Industries	Reed cleaning machine	--	RI-1201	Working width 3401 mm - 3600 mm	16'X3'X4'	3	17.50	17.50
66	Rabatex Industries	Reed cleaning machine	--	RI-1201	Working width 3601 mm-4000 mm	18'X3'X4'	3	18.50	18.50



Sectional Warping Machine

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Bas Price (INR) Lakh
67	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,240ends,8deck,with ratchet type tensioner without stop motion	12.4'X10'X7.8'	-	1.68	1.68
68	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,240ends,8deck,with ratchet type tensioner with stop motion	12.4'X10'X7.8'	-	2.20	2.20
69	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,320 ends,8deck,with ratchet type tensioner without stop motion	16.4'X10'X7.8'	-	2.24	2.24
70	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,320 ends,8deck,with ratchet type tensioner with stop motion	16.4'X10'X7.8'	-	2.70	2.70
71	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,400 ends,8deck,with ratchet type tensioner without stop motion	20.4'X10'X7.8'	-	2.80	2.80
72	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,400 ends,8deck,with ratchet type tensioner with stop motion	20.4'X10'X7.8'	-	3.30	3.30
73	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,480 ends,8deck,with ratchet type tensioner without stop motion	24.4'X10'X7.8'	-	3.36	3.36
74	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,480 ends,8deck,with ratchet type tensioner with stop motion	24.4'X10'X7.8'	-	3.95	3.95
75	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,560 ends,8deck,with ratchet type tensioner without stop motion	28.4'X10'X7.8'	-	3.92	3.92
76	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,560 ends,8deck,with ratchet type tensioner with stop motion	28.4'X10'X7.8'	-	4.40	4.40
77	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,640 ends,8deck,with ratchet type tensioner without stop motion	32.3'X10'X7.8'	-	4.48	4.48
78	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,640 ends,8deck,with ratchet type tensioner with stop motion	32.4'X10'X7.6'	-	4.85	4.85
79	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,720 ends,8deck,with ratchet type tensioner without stop motion	36.3'X10'X7.6'	-	5.04	5.04
80	Rabatex Industries	Cone Creel	Cone Creel Model-(RI-200) Parallel Type	RI-200	240mm pitch,720 ends,8deck,with ratchet type tensioner with stop motion	36.3'X10'X7.6'	-	5.35	5.35
81	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (240 mm Pitch)	RI-201	240mm pitch,320ends,8deck	12.3'X10'X7.6'	-	2.70	2.70
82	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (280 mm Pitch)	RI-201	280mm pitch,320ends,8deck	13.3'X10'X7.6'	-	3.25	3.25



Sectional Warping Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
83	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (240 mm Pitch)	RI-201	240mm pitch,400ends,8deck	16.4'X10'X7.6'	-	3.30	3.30
84	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (280 mm Pitch)	RI-201	280mm pitch,400ends,8deck	17.4'X10'X7.6'	-	4.10	4.10
85	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (240 mm Pitch)	RI-201	240mm pitch,480ends,8deck	20.3'X10'X7.8'	-	3.95	3.95
86	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (280 mm Pitch)	RI-201	280mm pitch,480ends,8deck	21.3'X10'X7.6'	-	4.90	4.90
87	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (240 mm Pitch)	RI-201	240mm pitch,560ends,8deck	24.3'X10'X7.6'	-	4.40	4.40
88	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (280 mm Pitch)	RI-201	280mm pitch,560ends,8deck	25.3'X10'X7.6'	-	5.75	5.75
89	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (240 mm Pitch)	RI-201	240mm pitch,640ends,8deck	28.3'X10'X7.6'	-	4.85	4.85
90	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (280 mm Pitch)	RI-201	280mm pitch,640ends,8deck	29.3'X10'X7.6'	-	6.55	6.55
91	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (240 mm Pitch)	RI-201	240mm pitch,720ends,8deck	32.3'X10'X7.6'	-	5.35	5.35
92	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (280 mm Pitch)	RI-201	280mm pitch,720ends,8deck	33.3'X10'X7.6'	-	7.35	7.35
93	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (240 mm Pitch)	RI-201	240mm pitch,840ends,8deck	36.3'X10'X7.6'	-	6.15	6.15



Sectional Warping Machine						Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine				
94	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (280 mm Pitch)	RI-201	280mm pitch,840ends,8deck	37.3'X10'X7.6'	-	8.60	8.60
95	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (240 mm Pitch)	RI-201	240mm pitch,960ends,8deck	36.3'X10'X7.6'	-	7.25	7.25
96	Rabatex Industries	Cone Creel	Cone Creel Model (RI-201)-Parallel H Creel (280 mm Pitch)	RI-201	280mm pitch,960ends,8deck	37.3'X10'X7.6'	-	9.85	9.85
97	Rabatex Industries	Cone Creel	Cone Creel Model - (RI-202)Revolving Creel (240 mm Pitch)	RI-202	240mm pitch,320ends,8deck	17.3'X8.2'X7.6'	-	3.75	3.75
98	Rabatex Industries	Cone Creel	Cone Creel Model - (RI-202)Revolving Creel (280 mm Pitch)	RI-202	280mm pitch,320ends,8deck	17.3'X8.3'X7.8'	-	4.35	4.35
99	Rabatex Industries	Cone Creel	Cone Creel Model - (RI-202)Revolving Creel (240 mm Pitch)	RI-202	240mm pitch,400ends,8deck	24.5'X8.3'X7.6'	-	4.65	4.65
100	Rabatex Industries	Cone Creel	Cone Creel Model - (RI-202)Revolving Creel (280 mm Pitch)	RI-202	280mm pitch,400ends,8deck	25.5'X8.2'X7.8'	-	5.45	5.45
101	Rabatex Industries	Cone Creel	Cone Creel Model - (RI-202)Revolving Creel (240 mm Pitch)	RI-202	240mm pitch,480ends,8deck	31.5'X8.2'X7.8'	-	5.40	5.40
102	Rabatex Industries	Cone Creel	Cone Creel Model - (RI-202)Revolving Creel (280 mm Pitch)	RI-202	280mm pitch,480ends,8deck	32.5'X8.2'X7.8'	-	6.55	6.55
103	Rabatex Industries	Cone Creel	Cone Creel Model - (RI-202)Revolving Creel (240 mm Pitch)	RI-202	240mm pitch,560ends,8deck	38.5'X8.2'X7.6'	-	5.85	5.85
104	Rabatex Industries	Cone Creel	Cone Creel Model - (RI-202)Revolving Creel (280 mm Pitch)	RI-202	280mm pitch,560ends,8deck	39.5'X8.2'X7.6'	-	7.65	7.65



Sectional Warping Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
105	Rabatex Industries	Cone Creel	Cone Creel Model – (RI-202)Revolving Creel (240 mm Pitch)	RI-202	240mm pitch,640ends,8deck	46.5'X8.2'X7.6'	-	6.5	6.50
106	Rabatex Industries	Cone Creel	Cone Creel Model – (RI-202)Revolving Creel (280 mm Pitch)	RI-202	280mm pitch,640ends,8deck	47.5'X8.2'X7.6'		8.75	8.75
107	Rabatex Industries	Cone Creel	Cone Creel Model – (RI-202)Revolving Creel (240 mm Pitch)	RI-202	240mm pitch,720ends,8deck	53.5'X8.2'X7.6'	-	7.00	7.00
108	Rabatex Industries	Cone Creel	Cone Creel Model – (RI-202)Revolving Creel (280 mm Pitch)	RI-202	280mm pitch,720ends,8deck	45.4'X8'.1'X7.6'	-	9.85	9.85
109	Rabatex Industries	Cone Creel	Cone Creel Model – (RI-202)Revolving Creel (240 mm Pitch)	RI-202	240mm pitch,840ends,8deck	59.5'X8.1'X7.6'	-	8.20	8.20
110	Rabatex Industries	Cone Creel	Cone Creel Model – (RI-202)Revolving Creel (280 mm Pitch)	RI-202	280mm pitch,840ends,8deck	60.5'X8.1'X7.6'	-	11.5	11.50
111	Rabatex Industries	Cone Creel	Cone Creel Model – (RI-202)Revolving Creel (240 mm Pitch)	RI-202	240mm pitch,960ends,8deck	67.5'X8.1'X7.6'	-	9.60	9.60
112	Rabatex Industries	Cone Creel	Cone Creel Model – (RI-202)Revolving Creel (280 mm Pitch)	RI-202	280mm pitch,960ends,8deck	68.5'X8.1'X7.6'	-	13.15	13.15
113	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (240 mm Pitch)	VM-202	240mm pitch,400ends,8deck	68.5'X8.2'X7.8'	-	6.35	6.35
114	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (280 mm Pitch)	VM-202	280mm pitch,400ends,8deck	68.5'X8.1'X7.6'	-	7.75	7.75
115	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (240 mm Pitch)	VM-202	240mm pitch,480ends,8deck	67.5'X8.1'X7.6'	-	7.40	7.40



Sectional Warping Machine

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
116	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (280 mm Pitch)	VM-202	280mm pitch,480ends,8deck	24.5'X8.1'X7.6	-	9.30	9.30
117	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (240 mm Pitch)	VM-202	240mm pitch,560ends,8deck	25.5'X8.1'X7.6	-	8.50	8.50
118	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (280 mm Pitch)	VM-202	280mm pitch,560ends,8deck	31.5'X8.1'X7.6	-	10.85	10.85
119	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (240 mm Pitch)	VM-202	240mm pitch,640ends,8deck	32.5'X8.1'X7.6	-	9.75	9.75
120	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (280 mm Pitch)	VM-202	280mm pitch,640ends,8deck	38.5'X8.2'X7.6	-	12.40	12.40
121	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (240 mm Pitch)	VM-202	240mm pitch,720ends,8deck	39.5'X8.2'X7.6	-	10.60	10.6
122	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (280 mm Pitch)	VM-202	280mm pitch,720ends,8deck	46.5'X8.2'X7.8	-	13.95	13.95
123	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (240 mm Pitch)	VM-202	240mm pitch,840ends,8deck	47.5'X8.2'X7.6	-	13.45	13.45
124	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (280 mm Pitch)	VM-202	280mm pitch,840ends,8deck	53.5'X8.2'X7.8	-	16.25	16.25
125	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (240 mm Pitch)	VM-202	240mm pitch,960ends,8deck	45.4'X8.2'X7.6	-	14.40	14.40
126	Rabatex Industries	Cone Creel	Cone Creel Model –(VM-202) NCC (280 mm Pitch)	VM-202	280mm pitch,960ends,8deck	59.5'X8.2'X7.6	-	18.60	18.60



Sectional Warping Machine

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
127	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(240 mm Pitch)	NCC VM-203	240mm pitch,400ends,8deck	68.5'X8.2'X7.8	-	7.65	7.65
128	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(280 mm Pitch)	NCC VM-203	280mm pitch,400ends,8deck	17.3'X8.2'X7.8	-	9.05	9.05
129	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(240 mm Pitch)	NCC VM-203	240mm pitch,480ends,8deck	17.4'X8.2'X7.8	-	9.00	9.00
130	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(280 mm Pitch)	NCC VM-203	280mm pitch,480ends,8deck	24.5'X8.2'X7.6	-	10.85	10.85
131	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(240 mm Pitch)	NCC VM-203	240mm pitch,560ends,8deck	25.5'X8.2'X7.6	--	10.30	10.30
132	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(280 mm Pitch)	NCC VM-203	280mm pitch,560ends,8deck	31.5'X8.2'X7.8	-	12.70	12.70
133	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(240 mm Pitch)	NCC VM-203	240mm pitch,640ends,8deck	32.5'X8.2'X7.6'	-	11.55	11.55
134	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(280 mm Pitch)	NCC VM-203	280mm pitch,640ends,8deck	38.5'X8.2'X7.5	-	14.5	14.50
135	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(240 mm Pitch)	NCC VM-203	240mm pitch,720ends,8deck	39.5'X8.2'X7.6'	-	13.15	13.15
136	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(280 mm Pitch)	NCC VM-203	280mm pitch,720ends,8deck	46.5'X8.2'X7.8'	-	16.30	16.30
137	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(240 mm Pitch)	NCC VM-203	240mm pitch,840ends,8deck	60.5'X8.2'X7.8	-	16.25	16.25



Sectional Warping Machine

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
138	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(280 mm Pitch)	NCC VM-203	280mm pitch,840ends,8deck	67.5'X8.2'X7.8	-	19.00	19.00
139	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(280 mm Pitch)	NCC VM-203	240mm pitch,960ends,8deck	68.5'X8.2'X7.8	-	17.55	17.55
140	Rabatex Industries	Cone Creel	Cone Creel Model – NCC VM-203(280 mm Pitch)	NCC VM-203	280mm pitch,960ends,8deck	68.5'X8.2'X7.6	-	21.75	21.75



Warping Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine dimension LXWXH in feet	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Krishna Engineering	Warping Machine	High Speed Spindle Driven Warping Machine	KJ-50-GW	High speed two point/three point spindle driven warping machine Complete with Stop motion creel with AC inverter drive & PLC base control. Beam holding gillette type 50"or 90"	63'X11'X9'	18	21.50	21.50
2	Krishna Engineering	Warping Machine	High Speed Drum Driven Hydraulic / pneumatic Warping Machine	KJ-90-WD	High speed drum driven warping machine Complete with Stop motion creel with frequency inverter drive.	63'X11'X9'	15.25	16.50	16.50
3	Ashi Tex Mech	Warping Machine	High Speed Drum Driven Warping Machine	ATM W-230	Front Head Stock heavy duty MS Structure warping Machine,Beam dia 1000mm and 1250mm, Hydraulic and pneumatic system for Beam pressing ,AC drive with VFD 360+360 ends creel with stop motion complete warping machine	As per customer	20	20.50	20.50



Sizing Machine

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Bas Price (INR) Lakh
1	N. L. Fabricators	Sizing	4 Meter High Speed Multi Cylinder Sizing Machine	NLF	Complete with Warped Beam Holding Creel suitable to mount 4 nos. Beams, Single Dip size Box with Pneumatic System, Drier portion having 11 nos. S.S. Cylinder, Sturdy Head Stock suitable to hold Weavers Beam having maximum 1000 mm Flange Dia X 4000 mm width between Flanges, 5 point A.C. drive system complete with panel Board and Beam pressing Trolley.	39.3'X19.6'X6.5'	30	82.70	82.70
2	R. B. Electronic & Engineering Pvt. Ltd.	Sizing	High Speed Sizing Machine		Model: RB 150, Model: RB 200, Model: RB 500 Multi Cylinder with PLC controller, DC Drive	-	-	24.00-75.00	24.00-75.00
3	R. B. Electronic & Engineering Pvt. Ltd.	Sizing	Laboratory Sizing Machine		Model- RBL 054 with automatic controls	-	-	10.50-20.00	10.50-20.00
4	Indotex Manufacturers	Sizing	Sizing(Beaming) Machine, Model IJ-0005H	IJ-0005H	For Narrow Width (66"w), 7 Cylinder, Single nip Single dip Sow Box, 12 Beams Creel	60' x 12' x 8'ht	25	35.00	35.00
5	Indotex Manufacturers	Sizing	Sizing(Beaming) Machine, Model IJ-0005H	IJ-0005H	For Wider Width (136"w), with Double Beaming facility, 9 Cylinder, Single nip Single dip Sow Box, 12 Beams Creel	65' x 18' x 8'ht	57	60.00	60.00
6	Indotex Manufacturers	Sizing	Sizing(Beaming) Machine, Model IJ-0005H	IJ-0005H	For Wider Width (136"w), 11 Cylinder, Single nip Single dip Sow Box, 12 Beams Creel, Multipoint A.C. drive with PLC control	67' x 18' x 8'ht	57	75.00	75.00
7	Krishna Engineering	Sizing	Multi Point PLC Base High Speed Sizing Machine	KJ-360-S	Multi Point AC Drive Sizing Machine Complete With Beam Creel, Set Of Beams, Cooking Vessel & Storage Vessel along with PLC Drive For Smooth Operation of Machine.	78'X20'X8'	70	65.00	65.00



Sizing Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
8	Krishna Engineering	Sizing	Two Point AC Drive High Speed Sizing Machine	KJ-360-TPS	Two Point AC Drive Sizing Machine Complete With Beam Creel, Set of Beams, Cooking Vessel & Storage Vessel Heavy duty Frame Structure for Vibration Free working with Auto/ Manual Control for Stretch and Moisture	74'X20'X8'	60	55.00	55.00
9	Ashi Tex Mech	Sizing	Wider width 500cmmulticylinder High speed Sizing Machine	ATM6000	Front Head stock Wider width, Double Weavers Beam 90" width and single 216" Weavers Beam between the flange can size with 13 cylinder 156" FW 16 warper beam double winder AC drive and single motor AC Drive for delivery roll PLC controlled with VFD double beam press device weaver beam dia 1250 mmx5500 mm machine capacity	As per Customer	72	88	88
10	Ashi Tex Mech	Sizing	450cm width between flange multi cylinder high speed sizing machine	ATM5000	Front Head Stock weaving beam between the flange 4500 mm, 9 cylinder 2500 FW, 1 size box roller FW 2500mm, 12 Warper Beam, 2 point AC Drive ,single Beam press devices drive controlled by PLC VFD.	As per Customer	55	65	65
11	Ashi Tex Mech	Sizing	360cm width between the flanges weavers beam multi cylinder high speed sizing machine	ATM4400	Front Head Stock capacity 360mm between the flange and minimum 200cm between the flange weaver beam capacity 9 cylinder ,1 size box,12 warper Beam, single beam press devices PLC Ac drive width VFD complete sizing machine..	As per Customer	55	60	60



Beaming									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Madhabi Engineering works Pvt. Ltd.	Beaming	Automatic Beaming Machine	A-B	With Warping Head, Spool Creel, Wet Box, Head Stocks & Electricals	58'X 14'X 9'	10	18.80	18.80
2	N. L. Fabricators	Beaming	Beaming Machine suitable for Heavy Jute Yarn	NLF	Accommodating minimum & maximum 48"to 56"between flange to flange having Beam Barrel dia 5.5"to 6.5"and flange dia 36"complete with three points with switches and fixed type Floor Creel having 504 Running Ends with equivalent number of Reserves Spools complete with Automatic Stop Motion for each end break along with pneumatic pressure control Trolley or yarn Beam complete with Cylinder	59'X11.4'X8.2'	30	26.00	26.00
3	R. B. Electronic & Engineering Pvt. Ltd.	Beaming	Beaming Machine suitable for Heavy Jute Yarn		Model: RB 200 AC Frequency drive with creel	-	-	14.00-30.00	14.00-30.00
4	R. B. Electronic & Engineering Pvt. Ltd.	Beaming	Laboratory Beaming Machine		Model- RBL 054 with automatic controls	-	-	10.50-20.0	10.50-20.0
5	Indotex Manufacturers	Beaming	Sacking Beaming Machine, Model - IJS	Model - IJS	Having 312 Ends, 624 Spool Capacity including Tag End	61.5' x 15' x 7'2" ht approx.	10	22.50	22.50
6	Indotex Manufacturers	Beaming	Sacking Beaming Machine, Model - IJS	Model - IJS	Having 360 Ends, 720 Spool Capacity including Tag End	66.9'x 15' x 7'2" ht approx.	10	23.50	23.50
7	Indotex Manufacturers	Beaming	Sacking Beaming M/c, Model - IJW	Model IJW	Having 312 Ends, 624 Spool Capacity including Tag End	61.5' x 15' x 7'2" ht approx.	10	17.50	17.50
8	Indotex Manufacturers	Beaming	Sacking Beaming Machine IJW	Model IJW	Having 360 Ends, 720 Spool Capacity including Tag End	66.9' x 15' x 7'2"	10	18.40	18.40



Beaming									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
9	Ashi Tex Mech	Beaming	High Speed Sacking Beaming Machine	STM SB 230	Front Head Stock can accommodate weavers beam of dia 1000mm between the flanges of minimum 800mm to maximum 1500mm having creel 360 ends working and 360 ends space for tagging arrangement, wetting box with roller and pneumatic pressure system for spraying water, Leading Section and ink pot with roller complete Sacking Beaming Machine	As per customer	20	22	22

S4A Loom									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Golden India	S4A Loom	High speed automatic shuttle-less jute looms complete with stop motion electric motor panel and 1.5 beams per machines	GI/GL-1	Cloth wide 20" to 32", production - 300 - 350 kg/day, Motor - 3 HP X 720 RPM, all lever cam & many vital items are drop forged carbon steel	8.5'X6.5'X5.5'	2	3.75	3.60
2	Jutex Industries (P) Ltd.	S4A Loom	High speed half circular shuttle-less Jute Loom model JL4	JL-4	Complete with motor & electrical and beams(3 beams per 2 looms)	8.6'X6.8' X5.2'	2	3.85	
3	Hans Machineries Pvt. Ltd.	S4A Loom	Multi shed Rapier Loom Machine (S4A type)	LS-4	Jute Twill Fabric	9.3'X7.2'X6'	2	3.60	
4	Madhabi Engineering works Pvt. Ltd.	S4A Loom	M4A Automatic Weaving Machine	M4A	With Motor, Panel with Stop Motion, Warp Beam set	8'X 8'X 6'	3	4.60	

S4A Loom

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
5	Bhowmick Calculators	S4A Loom	B4A High Speed Jute Loom Machine	B 4A	Driven by 3 H.P. motor, 1440 rpm	8.5'X7'X5'	3	4.50	3.60
6	Lagan Engineering Company Limited	S4A Loom	ARC Looms (S4A Type)	LC4A	Semi-circular, Shuttle less, rigid rapier loom with warp/weft electro-mechanical stop motion, Reed Space 76 cm with complete electric drive equipment of reputable manufacturer	10.1'X 7'X 6'	3	5.50	
7	S. G. Industries	S4A Loom	Automatic Rigid Rapier Loom	SITA	Semi Circular Automatic Rigid Rapier Weaving Loom complete with electrical and accessories including Cloth Roller, Wire Healds, Drop Wire and Contact Bar	11' X 7' X 4'	3	3.86	
8	Nipha Exports Private Limited	S4A Loom	Nipha N4A High Speed Jute Loom	N4A	with all accessories	10' X 7 'X 5'	3	4.50	
9	Milltex Engineers (P) Ltd.	S4A Loom	Milltex Jute Sacking Loom (S4A type)	MJSL	Assembly with pneumatic accessories, lubrication accessories, with electrical motor and panel	10'X7'X5.5'	3	3.60	
10	G D industries	S4A Loom	High speed Shuttle less Loom (Rapier, S4 Loom)	GDI4ALOOM	Complete with stop motion, high speed machine upto 260 pick per minute with all electrical & motor , complete with two Beam per machine.	6.25'X8.5'X5'	3	4.75	
11	Zhejiang Golden Eagle, Co.; Ltd	S4A Loom	High speed Shuttle less Loom (Rapier, S4A Loom)	-	Suitable for producing plain and twill cloth at speeds up to 260 picks per minute. Cloth width ranging from 24" to 30". Complete with Electric Warp stop motion, 3 pick changes, pick counter, Heald frames and individual electric drive equipment. Capacity 20 kg/hr	-	-	US\$ 7,200	




Shuttle less Looms									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Laxmi Shuttle less Looms Pvt. Ltd.	Shuttle less Looms	CM-R Flexible Rapier Loom	CM-R Flexible Rapier Loom	150 Cm Flexible Rapier Loom Suitable for Jute Weaving	12'X7'X6.5'	1.5	3.35	3.35
2	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttle less Rapier Loom	-	180 Cm Chinese Automatic Rapier Loom with cam motion along with (side) Tuck-in unit & Batching device	-	-	US\$ 7,500	US\$ 7,500
3	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttle less Rapier Loom	-	200 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device	-	-	US\$ 9,000	US\$ 9,000
4	Shandong Tongda Textile Machinery (Group) Limited	Shuttle less Looms	Jute Rapier Automatic Shuttle less Loom	TD788	220 Cm reed width Flexible Rapier Loom with Inside Batch Up	12.5'X6.2'	2.50	US\$ 11,960	US\$ 11,000
5	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttle less Rapier Loom	-	220 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device	-	-	US\$ 11,000	
6	Laxmi Shuttle less Looms Pvt. Ltd.	Shuttle less Looms	CM-r Flexible Rapier Loom	CM-R Flexible Rapier Loom	230 Cm Flexible Rapier Loom Suitable for Jute Weaving	15'X7'X6.5'	2 HP	3.95	3.95
7	Shaoxing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttle less Rapier Loom	-	230 Cm Jute Weaving Rapier Loom (Model - SJ758J), Speed - 190 RPM, with continuous Take-up device & Mechanical Let-off	-	-	US\$ 8,550	US\$ 8,550
8	Shaoxing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttle less Rapier Loom	-	230 Cm Jute Weaving Rapier Loom (Model - SJ758J), Speed - 190 RPM, with continuous Take-up device, side & centre Tuck-in unit & Electronic Let-off	-	-	US\$ 10,650	US\$ 10,650
9	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttle less Rapier Loom	-	230 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device	-	-	US\$ 11,150	US\$ 11,150
10	Shaoxing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttle less Rapier Loom	SJ736J-230	230 Cm Jute Weaving Rapier Loom (Model - SJ736J), Speed - 220 RPM, with continuous Take-up device & Mechanical Let-off	-	-	US\$ 11,000	US\$ 11,000

Shuttle less Looms

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
11	Shaoxing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttle less Rapier Loom	-	230 Cm Jute Weaving Rapier Loom (Model - SJ736J), Speed – 220 RPM, with continuous Take-up device, side & centre Tuck-in unit & Electronic Let-off	-	-	US\$ 13,100	US\$ 13,100
12	Hangzhou Shuyuan Imp. Exp. Co. Ltd.	Shuttle less Looms	"Victor" Brand Flexible Rapier Loom suitable for Leno Weave	-	230 Cm Heavy duty Chinese Rapier Loom suitable for production of Technical Textile (100% Leno Fabrics) along with (2 side & 1 centre) Tuck-in unit & Batching device	-	-	US\$ 10,500	US\$ 10,500
13	Shandong Tongda Textile Machinery (Group) Limited	Shuttle less Looms	Jute Rapier Automatic Shuttle less Loom	TD788	260 Cm reed width Flexible Rapier Loom with Inside Batch Up	14.1'X6.2'	2.50	US\$ 12,170	US\$ 12,170
14	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttle less Rapier Loom	-	260 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device	-	-	US\$ 11,900	US\$ 11,900
15	Hangzhou Shuyuan Imp. Exp. Co. Ltd.	Shuttle less Looms	"Victor" Brand Flexible Rapier Loom suitable for Leno Weave	-	260 Cm Heavy duty Chinese Rapier Loom suitable for production of Technical Textile (100% Leno Fabrics) along with (2 side & 1 centre) Tuck-in unit & Batching device	-	-	US\$ 11,250	US\$ 11,250
16	Shandong Tongda Textile Machinery (Group) Limited	Shuttle less Looms	Jute Rapier Automatic Shuttleless Loom	TD788	280 Cm reed width Flexible Rapier Loom with Inside Batch Up	15.2'X6.2'	3	US\$ 12,280	US\$ 12,280
17	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttleless Rapier Loom	-	280 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device	-	-	US\$ 12,250	US\$ 12,250
18	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttleless Rapier Loom	-	290 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device	-	-	US\$ 14,000	US\$ 14,000
19	Laxmi Shuttle less Looms Pvt. Ltd.	Shuttle less Looms	CM-r Flexible Rapier Loom	CM-R Flexible Rapier Loom	300 Cm-r Flexible Rapier Loom suitable for Jute Weaving	18'X7'X6.5'	2	4.50	4.50



Shuttle less Looms									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
20	Lagan Engineering Company Limited	Shuttle less Looms	Flexible Rapier Loom for Hessian (Model - LW 100)	LW100	300 Cm width Speed - 150 - 210 Picks/min, Bearing fitted crank shaft and arm, Friction type Mechanical Let Off, Continuous mechanical Take-up, 800mm dia. of Warp Beam, Mechanical Cam type Shedding motion, Electric stop motion for warp, weft, pre-set mtr., P.L.C. function control with LCD display, Motor - 1.5kw	15.1' X 11.4' X 4.1'	2	7.75	7.75
21	Lagan Engineering Company Limited	Shuttle less Looms	Flexible Rapier Loom for Hessian (Model - LW 101)	LW101	300 Cm width Speed - 160 - 210 Picks/min, Bearing fitted crank shaft and arm, Friction type Mechanical Let Off, Continuous mechanical Take-up, 1000mm dia. Of Warp Beam, Mechanical Cam type Shedding motion, Electric stop motion for warp, weft, pre-set mtr., P.L.C. function control with LCD display, Motor - 2.5kw	15.1' X 11.4' X 4.1'	3.5	9.00	9.00
22	Lagan Engineering Company Limited	Shuttle less Looms	Flexible Rapier Loom for Hessian (Model - LW 200)	LW200	300 Cm width Speed - 180 - 230 Picks/min, Four link short crank arm beat-up, Six link weft insertion, Friction type Mechanical Let Off, Continuous mechanical Take-up, 800mm dia. Of Warp Beam, Mechanical Cam type Shedding motion, Electric stop motion for warp, weft, pre-set mtr., P.L.C. function control with LCD display, Motor - 2.5kw	15.1' X 11.4' X 4.1'	3.5	9.25	9.25
23	Lagan Engineering Company Limited	Shuttle less Looms	Flexible Rapier Loom for Hessian (Model - LW 201)	LW201	300 Cm width Speed - 180 - 230 Picks/min, Four link short crank arm beat-up, Six link weft insertion, Friction type Mechanical Let Off, 1000mm dia. of Warp Beam, Mechanical Cam type Shedding motion, Electric stop motion for warp, weft, pre-set mtr., P.L.C. function control with LCD display, Motor 2.5kw	15.1' X 11.4' X 4.1'	3.5	10.50	10.50



Shuttle less Looms									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
24	Shaoxing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttleless Rapier Loom	-	300 Cm Jute Weaving Rapier Loom (Model - SJ758J), Speed – 150 RPM, with continuous Take-up device & Mechanical Let-off	-	-	US\$ 9,150	US\$ 9,150
25	ShaoXing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttleless Rapier Loom	-	300 Cm Jute Weaving Rapier Loom (Model - SJ758J), Speed – 150 RPM, with continuous Take-up device, side & centre Tuck-in unit & Electronic Let-off	-	-	US\$ 11,250	US\$ 11,250
26	Shandong Tongda Textile Machinery (Group) Limited	Shuttle less Looms	Jute Rapier Automatic Shuttleless Loom	TD788	300 Cm reed width Flexible Rapier Loom with Inside Batch Up	15.7'X6.2'	3	US\$ 12,400	US\$ 12,400
27	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttleless Rapier Loom	-	300 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device	-	-	US\$ 14,000	US\$ 14,000
28	Shaoxing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttleless Rapier Loom	SJ736J-300	300 Cm Jute Weaving Rapier Loom (Model - SJ736J), Speed – 180 RPM, with continuous Take-up device & Mechanical Let-off	-	-	US\$ 11,600	US\$ 11,600
29	Shaoxing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttleless Rapier Loom	-	300 Cm Jute Weaving Rapier Loom (Model - SJ736J), Speed – 180 RPM, with continuous Take-up device, side & centre Tuck-in unit & Electronic Let-off	-	-	US\$ 13,700	US\$ 13,700
30	Hangzhou Shuyuan Imp. EXp. Co. Ltd.	Shuttle less Looms	"Victor" Brand Flexible Rapier Loom suitable for Leno Weave	-	300 Cm Heavy duty Chinese Rapier Loom suitable for production of Technical Textile (100% Leno Fabrics) along with (2 side & 1 centre) Tuck-in unit & Batching device	-	-	US\$ 12,250	US\$ 12,250
31	Shandong Tongda Textile Machinery (Group) Limited	Shuttle less Looms	Jute Rapier Automatic Shuttle less Loom	TD788	320 Cm reed width Flexible Rapier Loom with Inside Batch Up	16.7'X6.2'	3	US\$ 12,600	US\$ 12,600
32	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttle less Rapier Loom	-	330 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device	-	-	US\$ 14,500	US\$ 14,500



Shuttle less Looms									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
33	Hangzhou Shuyuan Imp. Exp. Co. Ltd.	Shuttle less Looms	"Victor" Brand Flexible Rapier Loom suitable for Leno Weave	-	330 Cm Heavy duty Chinese Rapier Loom suitable for production of Technical Textile (100% Leno Fabrics) along with (2 side & 1 centre) Tuck-in unit & Batching device	-	-	US\$ 13,250	US\$ 13,250
34	Lagan Engineering Company Limited	Shuttle less Looms	Flexible Rapier Loom for Hessian (Model - LW 100)	LW 100	360 Cm width Speed - 150 - 210 Picks/min, Bearing fitted crank shaft and arm, Friction type Mechanical Let Off, Continuous mechanical Take-up, 800mm dia. Of Warp Beam, Mechanical Cam type Shedding motion, Electric stop motion for warp, weft, pre-set mtr., P.L.C. function control with LCD display, Motor - 1.5kw	20.3'X11.4'X 4.15'	2	8.25	8.25
35	Lagan Engineering Company Limited	Shuttle less Looms	Flexible Rapier Loom for Hessian (Model - LW 101)	LW 101	360 Cm width Speed - 160 - 210 Picks/min, Bearing fitted crank shaft and arm, Friction type Mechanical Let Off, Continuous mechanical Take-up, 1000mm dia. Of Warp Beam, Mechanical Cam type Shedding motion, Electric stop motion for warp, weft, pre-set mtr., P.L.C. function control with LCD display, Motor - 2.5kw	20.3'X 11.48' X 4.15'	2	9.50	9.50
36	Lagan Engineering Company Limited	Shuttle less Looms	Flexible Rapier Loom for Hessian (Model - LW 200)	LW200	360 Cm width Speed - 180 - 230 Picks/min, Four link short crank arm beat-up, Six link weft insertion, Friction type Mechanical Let Off, Continuous mechanical Take-up, 800mm dia. Of Warp Beam, Mechanical Cam type Shedding motion, Electric stop motion for warp, weft, pre-set mtr., P.L.C. function control with LCD display, Motor - 2.5kw	20.3'X 11.48' X 4.15'	3.5	9.75	9.75



Shuttle less Looms

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
37	Lagan Engineering Company Limited	Shuttle less Looms	Flexible Rapier Loom for Hessian (Model - LW 201)	LW 201	360 Cm width Speed - 180 - 230 Picks/min, Four link short crank arm beat-up, Six link weft insertion, Friction type Mechanical Let Off, 1000mm dia. of Warp Beam, Mechanical Cam type Shedding motion, Electric stop motion for warp, weft, pre-set mtr., P.L.C. function control with LCD display, Motor - 2.5kw	20.3'X 11.48' X 4.15'	3.5	11.00	11.00
38	Shaoxing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttleless Rapier Loom	-	360 Cm Jute Weaving Rapier Loom (Model - SJ758J), Speed - 130 RPM, with continuous Take-up device & Mechanical Let-off	-	-	US\$ 9,550	US\$ 9,550
39	Shaoxing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttleless Rapier Loom	-	360 Cm Jute Weaving Rapier Loom (Model - SJ758J), Speed - 130 RPM, with continuous Take-up device, side & centre Tuck-in unit & Electronic Let-off	-	-	US\$ 11,650	US\$ 11,650
40	Shandong Tongda Textile Machinery (Group) Limited	Shuttle less Looms	Jute Rapier Automatic Shuttleless Loom	TD788	360 Cm reed width Flexible Rapier Loom with Inside Batch Up	17.7'X6.2'	3	US\$ 13,500	US\$ 13,500
41	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttle less Rapier Loom	-	360 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device	-	-	US\$ 15,450	US\$ 15,450
42	Shaoxing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttle less Rapier Loom	SJ736J-360	360 Cm Jute Weaving Rapier Loom (Model - SJ736J), Speed - 160 RPM, with continuous Take-up device & Mechanical Let-off	-	-	US\$ 12,400	US\$ 12,400
43	Shaoxing Textile Machinery Group Co. Ltd.	Shuttle less Loom	"Yuefeng" Brand Flexible Shuttle less Rapier Loom	-	360 Cm Jute Weaving Rapier Loom (Model - SJ736J), Speed - 160 RPM, with continuous Take-up device, side & centre Tuck-in unit & Electronic Let-off	-	-	US\$ 14,500	US\$ 14,500



Shuttle less Looms						Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine				
44	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttle less Rapier Loom	-	360 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device (with Electric Let Off)	-	-	US\$ 16,450	US\$ 16,450
45	Hangzhou Shuyuan Imp. Exp. Co. Ltd.	Shuttle less Looms	"Victor" Brand Flexible Rapier Loom suitable for Leno Weave	-	360 Cm Heavy duty Chinese Rapier Loom suitable for production of Technical Textile (100% Leno Fabrics) along with (2 side & 2 centre) Tuck-in unit & Batching device	-	-	US\$ 14,500	US\$ 14,500
46	Hangzhou Shuyuan Imp. Exp. Co. Ltd.	Shuttle less Looms	"Victor" Brand Flexible Rapier Loom suitable for Leno Weave	-	380 Cm Heavy duty Chinese Rapier Loom suitable for production of Technical Textile (100% Leno Fabrics) along with (2 side & 2 centre) Tuck-in unit & Batching device	-	-	US\$ 15,500	US\$ 15,500
47	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttle less Rapier Loom	-	400 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device	-	-	US\$ 16,500	US\$ 16,500
48	Shuyuan Industry Co. Ltd.	Shuttle less Looms	"Adelphi" Brand Flexible Shuttle less Rapier Loom	-	440 Cm Chinese Automatic Rapier Loom with cam motion along with (side & centre) Tuck-in unit & Batching device	-	-	US\$ 17,750	US\$ 17,750
49	Shandong Tongda Textile Machinery (Group) Limited	Shuttle less Looms	Jute Rapier Automatic Shuttle less Loom	TD788	450 Cm reed width Flexible Rapier Loom with Inside Batch Up	20.6'X6.2'	3	US\$ 16,750	US\$ 16,750
50	Hangzhou Shuyuan Imp. Exp. Co. Ltd.	Shuttle less Looms	"Victor" Brand Flexible Rapier Loom suitable for Leno Weave	-	600 Cm Heavy duty Chinese Rapier Loom suitable for production of Technical Textile (100% Leno Fabrics) along with (2 side & centre) Tuck-in unit & Batching device	-	-	US\$ 21,500	US\$ 21,500



Calender									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Bhowmick Calculators	Calender	Calender Machine	BC-CM	2 pcs Paper Roller, 3 pcs S.S. Roller, Hardness 85, all bearing system mounted roller. Driven by 7.5 H.P. motor variable frequency drive	11.5'X4'X10'	7.5	35.00	35.00

Lapping									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh (INR) (Lakh)	Minimum Basic Price (INR) Lakh
1	Modern Jute Machinery Co. Pvt. Ltd.	Lapping	Lapping Machine	MJMI 72	72" width with max lap length 90" Complete in all respect without Electrical	8'X8'X6'	5	12	12

Sack Cutting									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh (INR) (Lakh)	Minimum Basic Price (INR) Lakh
1	Modern Jute Machinery Co. Pvt. Ltd.	Sack Cutting	Sack Cutting Machine	MJMC72	72" width ,suitable to cut 2 cloths Complete in all respect without Electrical	4'X8'X10'	5 x 2 motor	8	8
2	Bagaria Engineers Private Limited	Sack Cutting	Sack Cutting Machine	BE/G/24S	Gillotene Type	9.16'X5'X7'	3.0	8.21	8.21
3	Bagaria Engineers Private Limited	Sack Cutting	Sack Cutting Machine	BE/R/24S	Rotary Type	9.16'X4.91' X7'	3.0	7.01	7.01
4	Super Engineering Works	Sack Cutting	Super Make Sack Cutting Machine	SC SEW	width 1650 mm	10' X 8.5'X 5.5'	3.0	7.51	7.51



Printing Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Navjivan Exporters	Printing Machine	Single Colour Printing Machine	NEX/1	For Jute Bag	8' X 5' X 5'	1	3.10	1.25
2	Scale Away Mechanical Equipments	Printing Machine	Single Colour Printing Machine	Single	For Jute Bag	10.83'X4.66'X5'	1	1.25	
3	N. Tex Engineering Works	Printing Machine	Single Colour Printing Machine	JS1-3054-BG	Single colour jute bags flexographic printing machine to print jute bags with speed up to 1800 bags/hour	110" x 56" x 60"	1	1.85	
4	N. Tex Engineering Works	Printing Machine	Double Colour Printing Machine	JS2-3054-BG	Double colour jute bags flexographic printing machine to print jute bags with speed up to 1800 bags/hour	140" x 56" x 60"	2	2.85	2.75
5	Navjivan Exporters	Printing Machine	Double Colour Printing Machine	NEX/2	For Jute Bag	11.5' X 5' X 5'	2	4.15	
6	Scale Away Mechanical Equipments	Printing Machine	Double Colour Printing Machine	Double	For Jute Bag	12.91'X4.66'X5'	2	2.75	
7	N. Tex Engineering Works	Printing Machine	Three Colour Printing Machine	JS3-3054-BG	Three colour jute bags flexographic printing machine to print jute bags with speed up to 1800 bags/hour	180" x 56" x 60"	2	3.85	3.85
8	Navjivan Exporters	Printing Machine	Three Colour Printing Machine	NEX/3	For Jute Bag	14.5'X5' X 5'	3	5.35	
9	Scale Away Mechanical Equipments	Printing Machine	Three Colour Printing Machine	Triple	For Jute Bag	15'X4.66'X5'	3	4.50	



10	N. Tex Engineering Works	Printing Machine	Four Colour Printing Machine	JS4-3054-BG	Four colour jute bags flexographic printing machine to print jute bags with speed up to 1800 bags/hour	220" x 56" x 60"	3	4.85	4.85
11	Navjivan Exporters	Printing Machine	Four Colour Printing Machine	NEX/4	For Jute Bag	18.5'X5'X5'	5	6.65	
12	Scale Away Mechanical Equipments	Printing Machine	Four Colour Printing Machine	Four	For Jute Bag	17.0'X4.66'X5'	5	5.90	
13	N. Tex Engineering Works	Printing Machine	Five Colour Printing Machine	JS5-3054-BG	Five colour jute bags flexographic printing machine to print jute bags with speed up to 1800 bags/hour	260" x 56" x 60"	5	5.85	5.85
14	N. Tex Engineering Works	Printing Machine	Six Colour Printing Machine	JS6-3054-BG	Six colour jute bags flexographic printing machine to print jute bags with speed up to 1800 bags/hour	300" x 56" x 60"	5	6.85	6.85
15	N. Tex Engineering Works	Printing Machine	Single colour Heavy duty jute bag printing machine	JS1-3054-EX	Single colour jute bags flexographic printing machine to print jute bags with speed up to 3000 bags/hour with brush roll arrangement with ABB make motor and Elecon make gear box, jute thread accident prevention system	110" x 56" x 60"	1	2.85	2.85
16	N. Tex Engineering Works	Printing Machine	Double colour Heavy duty jute bag printing machine	JS2-3054-EX	Double colour jute bags flexographic printing machine to print jute bags with speed up to 3000 bags/hour with brush roll arrangement with ABB make motor and Elecon make gear box, jute thread accident prevention system	140" x 56" x 60"	2	3.85	3.85



Oil Pump for Jute Bailing Press

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Anita Engineers Private Limited	Oil Pump for Jute Bailing Press	Oil Pump for Jute Bailing Press	AE/350	Oil Hydraulic Power Pack Unit, Tank Capacity - 1850 Ltr, Design a pressure -350Kg/sqcm Working Pressure : 300-320 sqcm	7.33'X7.66'4.58'	73	9.51	9.51
2	Super Engineering Works	Power Pack System	Super Make Power Pack System (Pump)	PPS 700-SEW	Motor two 25 HP, two 2 HP 3 phase, 1440 rpm,/ flange (ISI), 1 HP water pump total 55 HP, oil tank capacity 2500 Lit (appx)	6.5' X 5.9' X 5.9'	55	22.51 (without hydraulic oil)	22.51 (without hydraulic oil)



Hydraulic Jute Bailing Press

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension X B X H L	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Anita Engineers Private Limited	Hydraulic Jute Bailing Press	Hydraulic Jute Bailing Press	AE/900MT	Complete with Oil Hydraulic Power Pack Unit, Tank capacity : 1850 Ltr., Design Pressure : 320 Kg/sqcm, Working pressure : 280-300 Kg/Sqcm.	7.01'X5.83'X22'	73	51.00	51.00
2	Super Engineering Works	Hydraulic Jute Bailing Press	Super Make Hydraulic Jute Bailing Press Machine	1000 SEW (Double Cylinder)	Capacity 1000 Ton, 3300 psi, 225 bar, table size 2300 mm X 1550mm, daylight 107", enjection stroke heavy duty cylinder 2400 mm double enjection (ram) apprX 400 mm, Frame 4 round piller type (dia 210 mm appX) heavy duty MS plate with rib base platform and top head, bale wt. 150 Kg (min) & 700 Kg (maX), motor two 30HP and two 2 HP motor/3 phase /1440 rpm/flange (ISI) 1 HP WP total 65 HP, oil tank capacity 2700 Lit (appx)	93 X 63 X 286 (114H from Floor)	65	75.51 (without hydrolic oil)	75.51 (without hydrolic oil)
3	Super Engineering Works	Hydraulic Jute Bailing Press	Super Make Hydraulic Jute Bailing Press Machine	700 SEW (Double Cylinder)	Capacity 700 Ton, 2300 psi, 160 bar, table size 2200 mm X 1450mm, daylight 107", enjection stroke heavy duty cylinder 2400 mm double enjection (ram) apprX 400 mm dia, Frame 4 round pillers type (dia 200 mm appX) heavy duty MS plate with rib base platform and top head, bale wt. 150 Kg (min) & 500 Kg (maX), motor two 25HP and two 2 HP motor/3 phase /1440 rpm/flange (ISI) 1 HP WP total 55 HP, oil tank capacity 2500 Lit (appx)	93" X 63" X 286 "(114"H from Floor)	55	62.51 (without hydrolic oil)	62.51 (without hydrolic oil)



Hydraulic Jute Bailing Press						Machine Dimension X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine				
4	Super Engineering Works	Hydraulic Jute Bailing Press	Super Make Hydraulic Jute Bailing Press Machine	400 SEW (Single Cylinder)	Capacity 400 Ton, 2500 psi, 170 bar, table size 1800 mm X 1150mm, daylight 90°, injection stroke heavy duty cylinder 1800 mm single injection (ram) apprx 400 mm dia. Frame 4 round pillers type (dia 150 mm appx) heavy duty MS plate with rib base platform and top head, bale wt. 150 Kg (min) & 350 Kg (maX), motor one 30HP and two 2 HP motor/3 phase /1440 rpm/flange (ISI) 1 HP WP total 35 HP, oil tank capacity 1200 Lit (appX)	7' X 4.9' X 20' (90"H from Floor)	35	42.51 (without hydrolic oil)	42.51 (without hydrolic oil)



Industrial Sewing Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	A.K. Industries	Industrial Sewing Machine	Industrial Sewing Machine, Type - Hirackle	AKI/2	Model No. AKI/2, Brand : NU - Young, Motor, Starter, Fiction Pulley, Motor Pulley & Table set (Complete Set)	3.5'X2'X4.3'	1	0.405	0.405
2	A.K. Industries	Industrial Sewing Machine	Industrial Sewing Machine, Type - Hemming	AKI/3	Model No. AKI/3, Brand : NU - Young, Motor, Starter, Fiction Pulley, Motor Pulley & Table set (Complete Set)	3.5'X2'X4.3'	1	0.40	0.40
3	A.K. Industries	Sewing Machine Head	Sewing Machine Head, Type - Hirackle	AKI/2	Model No. AKI/2, Brand : NU - Young, Head Only	1.5'X1'X1'	1	0.255	0.255
4	A.K. Industries	Sewing Machine Head	Sewing Machine Head, Type - Hemming	AKI/3	Model No. AKI/3, Brand : NU - Young, Head only.	1.5'X1'X1'	1	0.250	0.250

Note: Sewing M/c Motor 1 H.P. & Starter along with Table set additional price Rs. 13000/- to be added



Air Stenter									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	IndotexManufacturers	Air Stenter	Hot Air Stenter	-	4 Chamber, with Padding Mangle	50' x 10' x 5'ht approx.	10	60.00	60.00
Beam Lifting Trolley									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Madhabi Engineering works Pvt. Ltd.	Beam Lifting Trolley	Beam Lifting & Carrying Trolley	BLCT	with Hydraulic & Hand Pump Double Piston	8'X 3'X 4'	-	1.4	1.40



Jigger									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Indotex Manufacturers	Bleacher	Jumbo Bleacher (JT-10)	-		12' x 8' x 8'ht approx.	10	15.00	15.00
Colour Matching									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	R. B. Electronic & Engineering Pvt. Ltd.	Colour Matching	Colour Matching Machine	CMM		-	-	6.00 to 15.00	6.00 to 15.00
Conveyer/Un-Winder									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	R. B. Electronic & Engineering Pvt. Ltd.	Conveyer/Un-Winder	Conveyer/Un-Winder Machine	-	Jute Fabric Un-winder	-	-	2.25 to 15.00	2.25 to 15.00



Cooker									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Indotex Manufacturers	Cooker	Cooker (250 Gallon)	-	-	5' x 5' x 8'ht	3	3.75	3.75
Cooking Vessel									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	R. B. Electronic & Engineering Pvt. Ltd.	Cooking Vessel	Size Cooking Vessel	-	50 litres, 1000 litres, 1200 litres, 1500 litres	-	-	2.50 to 5.00	2.50 to 5.00
Beaming Creel									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Indotex Manufacturers	Creel	Creel (Tag End)	-	-	37' x 14.5' x 7'2"ht approx.	-	0.02250/end	0.02250/end
2	Indotex Manufacturers	Creel	Creel (Simple)	-	-	30' x 10' x 7'2"ht approx.	-	0.018/end	0.018/end



Curing Chamber									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	R. B. Electronic & Engineering Pvt. Ltd.	Curing Chamber	Drying Curing Setting Chamber	DCSC	-	-	-	1.50 to 10	1.50 to 10
Dressing Machine									
1	R. B. Electronic & Engineering Pvt. Ltd.	Dressing	Dressing Machine	RB-100AC	Model : RB-100AC, Frequency drive with creel	-	-	14.00 to 30.00	14.00 to 30.00
Dyeing Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	R. B. Electronic & Engineering Pvt. Ltd.	Dyeing	Infra Colour Dyeing Machine	IR-N	-	-	-	0.50 to 10.00	0.50 to 10.00
2	R. B. Electronic & Engineering Pvt. Ltd.	Dyeing	HT/HP Dyeing Machine	GN	-	-	-	0.50 to 10.00	0.50 to 10.00
3	R. B. Electronic & Engineering Pvt. Ltd.	Dyeing	Open Bath Beaker Dyeing Machine	OBBD	-	-	-	0.50 to 6.00	0.50 to 6.00
Finishing Range									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Indotex Manufacturers	Finishing Range	Jute Finishing Range	-	-	75' x 10' x 12'ht	27	48.00	48.00

(77)



Lab Jiggers Machine									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	R. B. Electronic & Engineering Pvt. Ltd.	Jigger	Lab Jiggers Machine	L J	-	-	-	1.50 to 10.00	1.50 to 10.00
Mixer									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Indotex Manufacturers	MiXer	High Speed Mixer	-	-	3' x 3' x 4'ht	2	0.90	0.90
Pad-Drying									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	R. B. Electronic & Engineering Pvt. Ltd.	Pad-Drying	Pad-Drying Machine	PDM	-	-	-	1.50 to 10.00	1.50 to 10.00
Steaming									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	R. B. Electronic & Engineering Pvt. Ltd.	Steaming	Yarn Steaming Machine	-	50Kg to 2000 Kg	-	-	2.50 to 15.00	2.50 to 15.00

(78)



Storage Vessel

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	R. B. Electronic & Engineering Pvt. Ltd.	Storage Vessel	Size Storage Vessel	-	50 litres, 1000 litres, 1200 litres, 1500 litres	-	-	2.50 to 5.00	2.50 to 5.00
2	Indotex Manufacturers	Storage Vessel	Storage Vessel	-	-	5' x 5' x 6'ht	3	3.35	3.35

Transfer Pump

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Indotex Manufacturers	Transfer Pump	Size Transfer Pump	-	-	-	-	0.55	0.55

Tuck in Device

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Laxmi Shuttle less Looms Pvt. Ltd.	Tuck in Device	Tuck in Device (1L+1R)	Tuck in Device (1L+1R)	-	-	-	1.0/set	1.0/set
2	Laxmi Shuttle less Looms Pvt. Ltd.	Tuck in Device	Tuck in Device (1L+1C+1R)	Tuck in Device	-	-	-	1.85/set	1.85/set

(79)



Tuck in Device									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
				(1L+1C+1R)					
3	Laxmi Shuttle less Looms Pvt. Ltd.	Tuck in Device	Tuck in Device (1L+2C+1R)	Tuck in Device (1L+2C+1R)	--	-	-	2.40/set	2.40/set
Vertical Drying Range									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Indotex Manufacturers	Vertical Drying Range	Vertical Drying Range with Padding Mangle	-	-	25' x 10' x 12'ht	17.5	35.00	35.00
Warper Beam									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Indotex Manufacturers	Warper Beam	Warper Beam (Flange dia 40"X 90"Face width)	-	-	-	-	0.65/Beam	0.65/Beam
Washing Fastness Tester									
Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	R. B. Electronic & Engineering Pvt. Ltd.	Washing Fastness Tester	Washing Fastness Tester	Model: WFT	-	-	-	0.50 to 2.00	0.50 to 2.00



Weaver's Beam

Sl. No.	Name of the Vendor	Broad Category	Name of the Machine	Model No.	Specification of the Machine	Machine Dimension L X B X H	Motor HP	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1	Indotex Manufacturers	Weaver's Beam	Weaver's Beam (Flange dia 40"X 90"Face width)	-		-	-	0.70/Beam	0.70/Beam

