



वस्त्र समिति  
भारत सरकार, वस्त्र मंत्रालय  
**Textiles Committee**  
Government of India, Ministry of Textiles

P. Balu Road, Prabhadevi,  
Mumbai - 400 025  
Tel. : +91-022-6652 7507 / 7510  
Fax : +91-022-6652 7509  
Email : secy.tc@nic.in  
Website : www.textilescommittee.gov.in

File No: INSP/1(1)/2017-EPQA

Date: 13<sup>th</sup> August 2024

To,  
Dr. Mahadeb Dutta, Jt. Director(TT),  
Patsan Bhawan,  
5<sup>th</sup> & 6<sup>th</sup> Floor, Street No.175,  
Plot No.6/1, CF Block, Action Area 1,  
New Town, Kolkata – 700156.

**Sub: Forwarding Minimum Basic Price list ; De-novo registration of Indigenous Core machinery manufacturers/Vendors for manufacturing JDPs under CSAPM- reg.**

Sir,

Maximum basic eligible price of Indigenous Core machinery manufacturers/Vendors registered under De-novo registration is annexed at Annexure -I.

Yours faithfully,

(R. Chandran)  
Deputy Director

Encl: Price list - Annexure-I

**Minimum Basic Price List as on 13.08.2024**

**Annexure-I**

Sr. No.	Name and of the Vendor/Agent	Broad Category	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
1.	M/s. Drona Engineering	Loom	Jute Brush Mat loom	-	Width: 1.2 mtr No.of shafts : 2	24.00	24.00
2.	M/s. Drona Engineering	Loom	Jute Matting Loom	-	Width: 2 mtr No.of shafts : 4	29.00	29.00
3.	M/s. Drona Engineering	Loom	Jute Dobby Loom	-	Width: 2 mtr No.of shafts : 8	48.00	48.00
4.	M/s. Drona Engineering	Loom	Jute Loop Loom	-	Width: 3 mtr No.of shafts : 2	35.00	35.00
5.	M/s. Drona Engineering	Loom	Jute Boucle Loom	-	Width: 2.5 mtr No.of shafts : 4	28.00	28.00
6.	M/s. Drona Engineering	Loom	Jute Jacquard Loom	-	Width: 2 mtr Hooks : 3000	45.00	45.00
7.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-4/65	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn breakage	2.10	2.10
8.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-6/55, 8/45, 10/30, 12/20	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn breakage	2.25	2.25

9.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-8/55, 10/45, 12/30, 4/110, 6/80	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn breakage	2.50	2.50
10.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-10/30 DWT	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn breakage	2.45	2.45
11.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-12/20 DWT	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn breakage	2.45	2.45
12.	M/s. Susmatex Machinery	Loom	High speed Needle Loom	SMT-12/30 DWT	Electric Motor 1 HP(0.75kw) AC 3 Phase, Electromagnetic Brake for instant stop incase of yarn breakage, Weft yarn feed attachment with capston device/feed wheel, centralized lubricating system, easy weaving setting, variable motor pulley for different speed, auto stop motion with fault indicator for yarn	2.70	2.70

					breakage			
13.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL55 inches	Use in weaving of all type of fabric. Fully mild steel based machine structure, Electronic creaming motion with combined stop let-off and take-up motion, auto pick finding, Mechanical continuous take-up motion, positive let-off motion, No need of expert technician very user friendly, No need any lubrication, Machine is totally bearing based, Synchronization of E. Jacquard with rapier loom through only single data cable, Low maintenance, Motor – 2 H.P up to 90” and 3 H.P for other big size. LCD Display – Shows RPM(speed) weft finger details Error detection Weft sensor By- Pass: There is option for operator to Bypass the weft sensor as per requirement There is also alarm/ indicators system on machine.	2.00	2.00	
14.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL60 inches		2.30	2.30	
15.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL72 inches		2.50	2.50	
16.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL76 inches		2.55	2.55	
17.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL90 inches		2.75	2.75	
18.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL110 inches		3.00	3.00	
19.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL120 inches		3.20	3.20	
20.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL124 inches		3.40	3.40	
21.	M/s. Amar Jacquard	Loom	Rapier Loom	ARL130 Inches		3.60	3.60	
22.	M/s. Jakob Muller Group	Loom				Regulator-3.5 to 36.7 picks per cm Fabric take off- Double roll with slip proof covering Repeat- 16-48 pattern chain Weaving system- weft knitting, binder thread knitting AC Motor- 1.1Kw, 3 phase Automatic central lubrication Electromagnetic brake fitted on the main loom shaft Machine Net weight- 225kg Weft Feed- MUTRANS <sup>R</sup> 2		
			Narrow Fabric Loom	VARITEX V5Ni		<b>VARITEX V5Ni 02/65H</b> No. Of space- 02 Reed width- 65mm	3.50	3.50

					No of Harness frame- 12		
					<b>VARITEX V5Ni 02/110</b> No. Of spaces-02 Reed width- 65/85/110mm No of Harness frame- 10	3.30	3.30
					<b>VARITEX V5Ni 04/50</b> No. Of spaces-04 Reed width- 50mm No of Harness frame- 12	3.26	3.26
					<b>VARITEX V5Ni 06/30</b> No. Of spaces-06 Reed width- 30mm No of Harness frame- 12	3.46	3.46
23.	M/s. Jakob Muller Group	Loom			Regulator-3.5 to 36.7 picks per cm Fabric take off- Double roll with slip proof covering Repeat- 16-48 pattern chain Weft Feed- MUTRANS <sup>R</sup> 2 Weaving system- weft knitting, binder thread knitting , weft and binder thread knitting AC Motor- 1.1Kw, 3 phase Automatic central lubrication Electromagnetic brake fitted on the main loom shaft Machine Net weight- 370kg		
					<b>VARITEX V5 M 02/175</b> No. Of spaces-02 Reed width- 175mm No of Harness frame- 8	4.40	4.40
					<b>VARITEX V5 M 06/50</b> No. Of spaces-06 Reed width- 50 mm No of Harness frame- 16	3.90	3.90
					<b>VARITEX V5 M 04/65</b> No. Of spaces-04 Reed width- 65 mm No of Harness frame- 16	3.95	3.95
			Narrow Fabric Loom	VARITEX V5 M			

					<b>VARITEX V5 M 04/65H</b> No. Of spaces-04 Reed width- 65 mm No of Harness frame- 12	4.60	4.60
24.	M/s. Jakob Muller Group	Loom			Regulator-3.5 to 36.7 picks per cm Fabric take off- Double roll with slip proof covering Repeat- 16-48 pattern chain Weft Feed- MUTRANS <sup>R</sup> 2 Weaving system- weft knitting, binder thread knitting , weft and binder thread knitting AC Motor- 1.1Kw, 3 phase Automatic central lubrication Electromagnetic brake fitted on the main loom shaft Machine Net weight- 500kg		
					<b>VARITEX V5 L 04/110</b> No. Of spaces-04 Reed width- 110 mm No of Harness frame- 14	4.85	4.85
					<b>VARITEX V5 L 08/50</b> No. Of spaces-08 Reed width- 50 mm No of Harness frame- 16	5.00	5.00
					<b>VARITEX V5 L 06/65</b> No. Of spaces-06 Reed width- 65 mm No of Harness frame- 14	4.90	4.90
			Narrow Fabric Loom	VARITEX V5L			
25.	M/s. Jakob Muller Group	Loom			No. Of spaces-06 Reed width- 50 mm No. Of jacquard hooks-320 Shaft frame- 8 Regulator-3.5 to 36.7 picks per cm Fabric take off- Double roll with slip proof covering Repeat- 16-48 pattern chain Weft Feed- MUTRANS <sup>R</sup> 2 Weaving system- weft knitting, binder thread knitting , weft and	26.00	26.00
			Narrow Fabric Loom	VARITEX 6/50MJ 384			

					binder thread knitting AC Motor- 1.5Kw, 3 phase Dimension- width-1020mm, Height-2980mm, Depth- 3220mm		
26.	M/s. Jakob Muller Group	Loom			No. Of spaces-4 Max. Reed width- 85 mm Max. Fabric width- 80mm Max. Fabric thickness- 3.1mm Weaving system- S1 7 S3- Standard S2 & S5- optional Regulator-3.0 to 15.0 picks per cm Reinforced fabric take off- With chromed and knurled take off and pressure rollers Max. No of heated shaft- 14 Weft Feed- MUTRANS <sup>R</sup> 2 AC Motor- With slow motion gearbox motor and frequency convertor:3 Kw, 3 x 400V- 50/60Hz	13.00	13.00
			Narrow Fabric Loom	MD 4/85			

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
27.	M/s. Susmatex Machinery	Warping Machine	Warping Machine	SMW-350	Automatic Constant surface speed, floating pressure roller, variable winding speed, variable warp pitch, digital preset meter counter for warp length, electromagnetic instant brake for machine stop, Power-2HP, Beam size- 350dia x 250mm.	0.95	0.95
28.	M/s. Susmatex Machinery	Warping Machine	Warping Machine	SMW-500	Automatic Constant surface speed, floating pressure roller, variable winding speed, variable warp pitch, digital preset meter counter for warp length, electromagnetic instant brake for machine stop, Power-5HP, Beam size- 500dia x 450mm.	1.25	1.25
29.	M/s. Jakob Muller Group	Warping Machine	Warping Machine	MW-400	Basic machine is stable, oscillation free desing. Strong electromagnetic brake for short braking distance. Lease insertion device. Safety door. Meter counter with preset and end switch for stopping during full winding. Negative driven equalisation roller for compensation of thread tension using a magnet brake fora quick stop in case of thread breakage. Max. Warping speed-400m/min Max bobbin width-650mm Max. Flange diameter-400mm	4.40	4.40



Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
30.	M/s. Susmatex Machinery	Braiding Machine	Fast knit Braiding Machine	COMBI(Double head)	Diameter of Cord- 2 to 12mm, No. Of fabric cord- 2Nos., Machine speed- 1200rpm, No. Of needles- 4,6 8,12, motor- 0.5HP 3 Phase AC, Net weight- 150kgs	0.95	0.95
31.	M/s. Susmatex Machinery	Braiding Machine	Fast knit Braiding Machine	SMB-8 (Eight head)	Diameter of Cord- 2 to 6mm, No. Of fabric cord- 8 Nos., Machine speed- 800rpm, No. Of needles- 4,6 8 motor- 0.5HP 3 Phase AC, Net weight- 150kgs	1.05	1.05
32.	M/s. Susmatex Machinery	Braiding Machine	High speed Braiding machine	SHB 16-4-90	Capacity: Spindle-16, 4 heads Speed- 330rpm	2.80	2.80
33.	M/s. Susmatex Machinery	Braiding Machine	High speed Braiding machine	SHB 32-2-90	Capacity: Spindle-32, 2 heads Speed- 330rpm	2.80	2.80
34.	M/s. Susmatex Machinery	Braiding Machine	High speed Braiding machine	SHB 48-2-90	Capacity: Spindle 48/ 2 heads Speed- 330rpm	3.95	0.95
35.	M/s. Susmatex Machinery	Braiding Machine	High speed Braiding machine	SHB 16-2-130	Capacity: Spindle 16/ 2 heads Speed- 205rpm	4.00	4.00
36.	M/s. Susmatex Machinery	Braiding Machine	High speed Braiding machine	SHB 24-2-130	Capacity: Spindle 24/ 2 heads Speed- 205rpm	3.20	3.20
37.	M/s. Susmatex Machinery	Knitting Machine	Crochet Machine Knitting	--	Working Width- 780mm Speed:800-1100rpm	4.50	4.50

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
38.	M/s. IIGM Pvt.Ltd.	Embroidery Machine	Multi head Computerized Embroidery Machine	BARUDAN BEKY-Y906II	Size- 800mm x 400mm x 500mm 6 Head 9 color machine 220V/1Phase/50Hz Speed -1000rpm	34.85	34.85
39.	M/s. Shagun Sewing Machine	Embroidery Machine	Multi head Computerized Embroidery Machine	HCH-701-30	Embroidery Area- 285mm x 290mm Speed- 1000 rpm Single phase, 220W, 50/60 Hz	5.00	5.00
40.	M/s. Harichand Anand and Co.	Embroidery Machine	Single head Computerized Embroidery Machine	DUKE DY 1201	-	4.56	4.56
41.	M/s. Harichand Anand and Co.	Embroidery Machine	CAD-CAM system for embroidery			2.325	2.325
42.	M/s. Harichand Anand and Co.	Embroidery Machine	CAD-CAM system with Plotter for patterning or Grading & designing	Duke QH 1900	Cutting Width 2050mm	16.74	16.74
43.	M/s. Harichand Anand and Co.	Embroidery Machine	12 Head Embroidery and sequens Machine	DUKE DY 912	-	17.77	17.77

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
44.	M/s. R. B Electronics & Engineering Pvt. Ltd,	Laboratory Dryer and padder	Hot Air Drying or Curing cum Polymerizer Unit	PDC 600L-VTPSM317	Max.Speed- 2mpm, WorkingWidth- 600mm Connected electric load-16 Kw, Electric supply-3Phase, 415V,50Hz, Electrical heating system for generating hot air, Maximum Sapce- 3.7m (L)x 1.5m(W) x 1m (H), Vertical padding mangle, Mangle dia-120mm, Nip pressure- Digital control, Max 4kg/cm <sup>2</sup> ,	11.00	11.00
45.	M/s. R. B Electronics & Engineering Pvt. Ltd,	Laboratory Dryer and padder	Hot Air Drying or Curing cum Polymerizer Unit	PDC1200L-VTPSM310	Max.Speed- 2mpm, WorkingWidth- 1200mm Connected electric load-24 Kw, Electric supply-3Phase, 415V,50Hz, Electrical heating system for generating hot air, Maximum Sapce- 3m (L)x 2.1m(W) x 1.5m (H), Vertical padding mangle, Mangle dia-200mm, Nip pressure- Digital control, Max 4kg/cm <sup>2</sup> , IR Pre dryer	24.30	24.30
46.	M/s. R. B Electronics & Engineering Pvt. Ltd,	Laboratory Dryer and padder	Hot Air Drying or Curing cum Polymerizer Unit	PD1600L-VTPSMxxx	Max.Speed- 2mpm, WorkingWidth1600mm Connected electric load-26Kw, Electric supply-3Phase, 415V,50Hz, Electrical heating system for generating hot air, Maximum Sapce- 4m (L)x 2.9m(W) x 1.5m (H), Vertical padding mangle, Mangle dia-200mm, Nip pressure- Digital control, Max 4kg/cm <sup>2</sup>	26.00	26.00
47.	M/s. R. B Electronics & Engineering Pvt. Ltd,	Laboratory Dryer and padder	Hot Air Drying or Curing cum Polymerizer Unit	HAD 1900-2400-VTPSM455	Max.Speed- 3.5mpm, WorkingWidth1900mm, Gas Heating system, Connected electric load-7.5Kw, Electric supply-3Phase, 415V,50Hz, Maximum Sapce- 13m (L)x 4m(W) x 2.5m (H) with padding	26.00	26.00
48.	M/s. Impress Apparel Machines	Hot Air Drying or Curing cum Polymerizer Unit	Hot Air Drying or Curing cum Polymerizer Unit	MAX CURE 600S	machine with 24" belt width, 4 feet heating chamber ,3 feet	1.791	1.791

	Private Limited				entry belt, 2.5 feet exit belt length, with Infrared heaters,		
49.	M/s. Impress Apparel Machines Private Limited	Hot Air Drying or Curing cum Polymerizer Unit	Hot Air Drying or Curing cum Polymerizer Unit	Maxcure 600 XL	24" belt width,6 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver.	2.108	2.108
50.	M/s. Impress Apparel Machines Private Limited	Hot Air Drying or Curing cum Polymerizer Unit	Hot Air Drying or Curing cum Polymerizer Unit	MAX CURE 600 XL	curing machine with 24" belt width, 10 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters , Lable Printing	3.625	3.625
51.	M/s. Impress Apparel Machines Private Limited	Hot Air Drying or Curing cum Polymerizer Unit	Hot Air Drying or Curing cum Polymerizer Unit	MAXCURE 900	Conveyor curing machine with 36" belt width,6 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver.	2.99	2.99
52.	M/s. Impress Apparel Machines Private Limited	Hot Air Drying or Curing cum Polymerizer Unit	Hot Air Drying or Curing cum Polymerizer Unit	RIVER SAILOR 900 XL	36" belt width, 10 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver. air circulation assembly and Energy meter	4.441	4.441
53.	M/s. Impress Apparel Machines Private Limited	Hot Air Drying or Curing cum Polymerizer Unit	Hot Air Drying or Curing cum Polymerizer Unit	RIVER SAILOR 900EX	36" belt width, 15 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver. air circulation assembly and Energy meter	5.771	5.771
54.	M/s. Impress Apparel Machines Private Limited	Hot Air Drying or Curing cum Polymerizer Unit	Hot Air Drying or Curing cum Polymerizer Unit	RIVER SAILOR 1200 XL	with 48" belt width, 10 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver air circulation assembly and Energy meter	5.142	5.142
55.	M/s. Impress Apparel Machines Private Limited	Hot Air Drying or Curing cum Polymerizer Unit	Hot Air Drying or Curing cum Polymerizer Unit	RIVER SAILOR 1200 XL	48" belt width, 15 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver air circulation assembly and Energy meter	7.713	7.713
56.	M/s. Impress Apparel Machines Private Limited	Hot Air Drying or Curing cum Polymerizer Unit	Hot Air Drying or Curing cum Polymerizer Unit	RIVER SAILOR 1500 XL	62" belt width, 10 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, withpower driver air circulation assembly and Energy meter	6.63	6.63

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
57.	M/s. Cheran Machines India Private	Printing Machine	Foil Printing Machine (Heat Transfer machine)	CF 2003 DB	Micro control based digital temperature and timer control, Automatic double stroke operation and production monitoring, Platen size- 10" x 15", Power- 230v,50Hz,2.5HP, Heater- 2Kw/9Amp, Temp- 220°C, Timer- 0 to99sec, Air pressure- 0-8bar, Air consumption- 0.5cfm AT 8 bar	0.91	0.91

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
58.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horinzontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	45feet table length/6No. Color/5 KW servo drive for blanket		
					Printing Width-48"	71.00	71.00
					Printing Width-60"	79.50	79.50
					Printing Width-66"	84.10	84.10
59.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horinzontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	60feet table length/8No. Color/5 KW servo drive for blanket		
					Printing Width-48"	77.10	77.10
					Printing Width-60"	87.10	87.10
					Printing Width-66"	92.50	92.50
60.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horinzontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	72feet table length/10No. Color/5 KW servo drive for blanket		
					Printing Width-48"	82.50	82.50
					Printing Width-60"	93.80	93.80
61.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or	UNIQUE-SERVO-DX	85feet table length/12No. Color/5 KW servo drive for blanket		
62.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	horinzontal conveyer dryer/ float cum		Printing Width-48"	88.10	88.10
63.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	horizontal conveyer dryer with single inverter or double servo drive		Printing Width-60"	100.75	100.75

64.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horizontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	45feet table length/6No. Color/7 KW servo drive for blanket		
					Printing Width-72"	89.65	89.65
					Printing Width-80"	99.10	99.10
65.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horizontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	60feet table length/8No. Color/7 KW servo drive for blanket		
					Printing Width-72"	98.25	98.25
					Printing Width-80"	109.20	109.20
66.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horizontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	72feet table length/10No. Color/7 KW servo drive for blanket		
					Printing Width-66"	102.45	102.45
					Printing Width-72"	105.80	105.80
67.	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Fully and Semi-automatic flatbed screen printing machine with float dryer/ vertical or horizontal conveyer dryer/ float cum horizontal conveyer dryer with single inverter or double servo drive	UNIQUE-SERVO-DX	85feet table length/12No. Color/7 KW servo drive for blanket		
					Printing Width-66"	110.15	110.15
					Printing Width-72"	113.70	113.70
					Printing Width-80"	126.80	126.80
68.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3226 E	Platen size: 32" x 26" , Automatic fusing and heat transfer press : Manual Double tray press, with Economy cylinder, with 3 digit Microprocessor, indicating time, temperature, counts and set temperature	2.359	2.359

					digitally. with teflon soft shuttle tray on front side with imported padding.		
69.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3226 FM	Automatic fusing and heat transfer press, Platen size: 32" x 26" , Double platen press, manual tray movement, with Economy cylinder, with 3 digit Microprocessor, indicating time, temperature, counts and set temperature digitally. with sheet metal shuttle tray on front side with imported padding.	2.813	2.813
70.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3024 ABM	Air operated automatic fusing and heat transfer press: Platen size: 30" x 24" , Double platen press, manual tray movement, with heavy duty pneumatic cylinder, with 5 digit Microprocessor, indicating time, temperature, counts and set temperature digitally. with solid metal base platen with imported padding or felt with 3 mm silicone topping	3.043	3.043
71.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3226 FA	Fully automatic fusing and heat transfer press: Platen size: 32" x 26" , Double tray press, automatic tray movement, with pneumatic cylinder, with 5 digit Microprocessor, indicating time, temperature with sheet metal shuttle tray on front side with imported padding.	5.69	5.69
72.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	:RUNNER 3024 AB	Air operated automatic fusing and heat transfer press: Platen size: 32" x 24" , Double platen press, automatic tray movement, with heavy duty pneumatic cylinder, with 5 digit Microprocessor, indicating time, temperature, counts and set temperature digitally. with solid metal base platen with imported padding or felt with 3 mm silicone topping	3.358	3.358



73.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3040 E	Manual tray, air operated automatic Sublimation fusing and heat transfer press, Platen size: 30" x 40" , Manual Double teflon soft tray press, with 3 digit Microprocessor, indicating time and temperature with imported padding. and economy cylinder.	3.756	3.756
74.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3040FM	Semi automatic sublimation fusing and heat transfer press ,manual tray , air operated Sublimation fusing and heat transfer press: Platen size: 30" x 40", Manual Double tray press, with 5 digit Microprocessor, indicating time, temperature and counts with imported padding.	4.349	4.349
75.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3642FM(LD)	Fully automatic air operated Sublimation fusing and heat transfer press, Platen size: 36" x 42" , Manual Double tray press, with Microprocessor, indicating time, temperature, counts and set temperature digitally. MS platens and Indian padding. Single cylinder model.	4.712	4.712
76.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3040FA	Fully automatic Sublimation fusing and heat transfer press, Platen size: 30" x 40" , Automatic Double tray press, with 5 digit Microprocessor, indicating time, temperature, counts with imported padding.	4.845	4.845
77.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3646FM	Fully automatic air operated Sublimation fusing and heat transfer press, Platen size: 36" x 46" , Manual Double tray press, with Microprocessor, indicating time, temperature, counts and set temperature digitally. SS platens and imported padding. Single cylinder model.	5.10	5.10
78.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3642FA ( LD )	Fully automatic Sublimation fusing and heat transfer press, Platen size: 36" x 42" , Automatic Double tray press, with Microprocessor, indicating	5.166	5.166

					time, temperature, counts and set temperature digitally, Indian padding. MS platens ,Single cylinder machine.		
79.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3040ABM	Manual Tray movement fusing and heat transfer press for all application like plastisol, foil, sublimation, transfer printing etc..Platen size: 30" x 40" , Double platen press, with Microprocessor, indicating time, temperature, counts and set temperature digitally. with pneumatic two cylinder pressing, aluminum die casted base platens and felt padding with 3mm silicone sheet.	5.256	5.256
80.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3646FA	Fully automatic air operated Sublimation fusing and heat transfer press, Platen size: 36" x 46" , Manual Double tray press, with Microprocessor, indicating time, temperature, counts and set temperature digitally. SS platens and imported padding. Single cylinder model.	5.364	5.364
81.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3040 AB	Automatic tray air operated Sublimation fusing and heat transfer press printing: Platen size: 30" x 40" , Double platen press, with Microprocessor, indicating time, temperature, counts and set temperature digitally. aluminum die casted base platens and imported padding. Single cylinder machine.	5.571	5.571
82.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3040 ABL	Manual tray air operated Sublimation fusing and heat transfer press for Lanyard printing: Platen size: 30" x 40" , Double platen press, with Microprocessor, indicating time, temperature, counts and set temperature digitally. aluminum die casted base platens and imported padding and lanyard	5.74	5.74

					pin blocks of 12, 16, 20mm		
83.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3642FA	Fully automatic Sublimation fusing and heat transfer press, Platen size: 36" x 42" , Automatic Double tray press, with5 digit Microprocessor, indicating time, temperature, counts with imported padding. Single cylinder machine.	5.88	5.88
84.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 3040ABD	Fully automatic fusing and heat transfer press for all application like plastisol, foil, sublimation, transfer printing etc..Platen size: 30" x 40" , Double platen press, with Microprocessor, indicating time, temperature, counts and set temperature digitally. with pneumatic two cylinder pressing, aluminum diecasted base platens and felt padding with 3mm silicone sheet	5.98	5.98
85.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 6040FM	Semi automatic Sublimation fusing and heat transfer press: ,Platen size: 60" x 40" , Double tray press, with Microprocessor, indicating time, temperature, counts and set temperature digitally. with single eco cylinder and Mild sheet steel base platens and imported padding.	8.454	8.454
86.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	RUNNER 6040FA	Fully automatic Sublimation fusing and heat transfer press: ,Platen size: 60" x 40" , Double tray press, with Microprocessor, indicating time, temperature, counts and set temperature digitally. with single eco cylinder and Mild sheet steel base platens and imported padding.	8.756	8.756
87.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	ST 3040 FM	pneumatically operated Heat transfer press, manual tray , Sublimation fusing and heat transfer press: Platen size: 30" x 40" , Manual Double tray press, with Microprocessor, indicating time, set temperature digitally.	2.303	2.303

88.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	ST 3646FM	pneumatically operated Heat transfer press, Sublimation fusing and heat transfer press: Platen size: 36" x 46" , Manual Double tray press, with Microprocessor, indicating time, set temperature digitally. (Top Cylinder )	3.049	3.049
89.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	ST 6040 FM	pneumatically operated Heat transfer press, manual tray , Sublimation fusing and heat transfer press: Platen size: 60" x 40" , Manual Double tray press, with Microprocessor, indicating time, set temperature digitally.	5.227	5.227
90.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	BPS 54	Platen size: 20" x 15" , Air operated automatic heat transfer press, Double platen press, with 5 digit Microprocessor, indicating time, temperature, counts and set temperature digitally.	1.086	1.086
91.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	BPS 64	Platen size: 22" x 17" ,Air operated automatic heat transfer press, Double platen press, with Microprocessor, indicating time, temperature, counts and set temperature digitally.	1.199	1.199
92.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	BPS 2224	Platen size: 22" x 24" , Air operated automatic heat transfer press, Double tray press, with 3 digit Microprocessor, indicating time, temperature. with Double Mild steel base platens and for all kind of printing like plastisol, foil, sublimation etc.	1.575	1.575
93.	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Semi Automatic or Automatic Flat Bed Printing Machine	FLY EVER ROUND	6 Color round screen printing machine with 12 pallets, Print Size	30.00	30.00
94.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	CE –Copper head Pro Mini 6" x 6" 10S/4C	Machine is an extremely versatile, all-electric automatic screen printing press. It is design to use minimal power to operate	1.31	1.31

					<p>, doesn't need an external compressor , and is a simple low maintenance machine.  No. of color use-04  No. of station-10  Max. image size-6" x 6"  Max. frame size- 11" x 15"  Screen frame thickness- 1.0" x 1.5"  No. of flashes- 4  Electrical requirement- 208-203V, 1 ph, 36A, 50/60 Hz, 6.6Kw  Squeegee Rubber specification- 0.314" x 1.18"  Machine height- 57.56", Machine Diameter- 57.5", Total machine Wight- 400kg</p>		
95.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	CE –Copper head Pro Mini 6" x 6" 8S/3C	<p>Machine is an extremely versatile, all-electric automatic screen printing press. It is design to use minimal power to operate , doesn't need an external compressor , and is a simple low maintenance machine.  No. of color use-03  No. of station-8  Max. image size-6" x 6"  Max. frame size- 11" x 15"  Screen frame thickness- 1.0" x 1.5"  No. of flashes- 3  Electrical requirement- 208-203V, 1 ph, 28A, 50/60 Hz, 5Kw  Squeegee Rubber specification- 0.314" x 1.18"  Machine height- 57.56", Machine Diameter- 50.5", Total machine Wight- 305kg</p>	1.127	1.127

96.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	Copperhead Grand	Automatic screen printing press. combine with high quality components, leading class craftsmanship and high speed production. Lightweight honeycomb pallets with soft top rubber pads avoid excess overheating after flashing. The squeegee pressure equalizer system ensure uniform ink deposit to achieve consistency in color reproduction. The Copperhead Grand's electric printheads, tool-free squeegee/floodbar angle adjustments, pneumatic frame locks and independent squeegee/floodspeeds provide operators with all the time-saving features needed for quick setups		
					<b>Copperhead Grand 24"x 40"(60x 100cm) 12S/6C</b>  No. of color use-06 No. of station-12 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48" Electrical requirement- 400-440V, 3 ph, 50 Hz, Squeegee Rubber specification- 0.35" x 1.97" Machine height- 114"	45.52	45.52
					<b>Copperhead Grand 24"x 40"(60x 100cm) 12S/8C</b>  No. of color use-08 No. of station-12 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48" Electrical requirement- 400-440V, 3 ph, 50 Hz, Squeegee Rubber specification- 0.35" x 1.97"	49.72	49.72

					Machine height- 114"		
					<b>Copperhead Grand 24"x 40"(60x 100cm) 12S/10C</b>  No. of color use-08 No. of station-12 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48" Electrical requirement- 400-440V, 3 ph, 14.5A, 50 Hz, 6.75kW Squeegee Rubber specification- 0.35" x 1.97" Machine height- 114", Machine dimension(L x W)- 95"x 79" Machine diameter- 245.6" Machine weight- 3010kg	53.92	53.92
					<b>Copperhead Grand 24"x 40"(60x 100cm) 14S/6C</b>  No. of color use-06 No. of station-14 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48" Electrical requirement- 400-440V, 3 ph, 50 Hz, Squeegee Rubber specification- 0.35" x 1.97" Machine height- 114"	34.78	34.78
					<b>Copperhead Grand 24"x 40"(60x 100cm) 14S/8C</b>  No. of color use-08 No. of station-14 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48" Electrical requirement- 400-440V, 3 ph, 50 Hz,	44.75	44.75

					<p>Squeegee Rubber specification- 0.35" x 1.97" Machine height- 114"</p>		
					<p><b>Copperhead Grand 24"x 40"(60x 100cm) 14S/10C</b></p> <p>No. of color use-10 No. of station-14 Max. image size-24" x40" Max. frame size- 30" x 52" Standard Pallet size - 30" x 48" Electrical requirement- 400-440V, 3 ph, 50 Hz, Squeegee Rubber specification- 0.35" x 1.97" Machine height- 114"</p>	48.35	48.35
97.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	Copperhead III Series	<p>Copperhead III Series presses were built from the ground up to optimize speed, performance, flexibility, print quality, and durability. With a digital touch screen control panel featuring icon-based labeling; an extensive variety of configurations; an unrivaled set of standard features and timesaving, output enhancing exclusives; efficient design; and high production speed, the III Series is poised to dominate the next decade of automatic screen printing. Lightweight Aluminum pallets with soft top rubber pads avoid excess overheating after flashing, which is one of the key features for printers using water base and discharge inks. Squeegee pressure equalizer system</p>		



					ensures uniform ink deposit to achieve consistency in color reproduction. With electric print heads, tool-free squeegee/floodbar angle adjustments, pneumatic frame locks and independent squeegee/flood speeds provide operators with all the time-saving features needed for quick setups.		
					<b>Copperhead III Series 20"x 30"(50x 75cm) 12S/6C</b>  No. of color use-06 No. of station-12 Max. image size-50" x75"	28.70	28.70
					<b>Copperhead III Series 20"x 30"(50x 75cm) 12S/8C</b>  No. of color use-08 No. of station-12 Max. image size-50" x75"	40.60	40.60
					<b>Copperhead III Series 20"x 30"(50x 75cm) 12S/10C</b>  No. of color use-10 No. of station-12 Max. image size-50" x75"	44.80	44.80
					<b>Copperhead III Series 20"x 30"(50x 75cm) 14S/8C</b>  No. of color use-08 No. of station-14 Max. image size-50" x75"	42.25	42.25

					<b>Copperhead III Series 20''x 30''(50x 75cm) 14S/10C</b> No. of color use-10 No. of station-14 Max. image size-50'' x75''	46.92	46.92
					<b>Copperhead III Series 20''x 30''(50x 75cm) 18S/12C</b> No. of color use-12 No. of station-18 Max. image size-50'' x75''	61.60	61.60
					<b>Copperhead III Series 20''x 30''(50x 75cm) 18S/14C</b> No. of color use-14 No. of station-18 Max. image size-50'' x75''	65.80	65.80
98.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	Copperhead III Series Max <b>20''x28''(50x 70cm) 18S/8C</b>	Copperhead III Series presses were built from the ground up to optimize speed, performance, flexibility, print quality, and durability. With a digital touch screen control panel featuring icon-based labeling; an extensive variety of configurations; an unrivaled set of standard features and timesaving, out put enhancing exclusives; efficient design; and high production speed, the III Series is poised to dominate the next decade of automatic screen printing. Lightweight Aluminum pallets with soft top rubber pads avoid excess overheating after flashing, which is one of the key features for printers using water base and discharge inks. Squeegee pressure equalizer system ensures uniform ink deposit to achieve consistency in color	43.059	43.059

					<p>reproduction. With electric printheads, tool-free squeegee/floodbar angle adjustments, pneumatic frame locks and independent squeegee/flood speeds provide operators with all the time-saving features needed for quick setups.</p> <p><b>Copperhead III Series Max 20"x28"(50x 70cm) 18S/8C</b></p> <p>No. of color use-8 No. of station-18 Max. image size-50" x70"</p>		
99.	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	Copperhead Rival	<p>Copperhead Rival™ presses are the benchmark in automatic screen printing presses, combining highest quality components, leading-class craftsmanship and high-speed production. An electric indexing system enables extremely smooth and quiet operation. The included, innovative squeegee pressure equalizer system with regulators on each printhead speeds setup and ensures uniform ink deposit for excellent print quality.</p>		
					<p><b>Copperhead Rival 18"x20"(45x 50cm) 12S/6C</b></p> <p>No. of color use-06 No. of station-12 Max. image size-18" x20"</p>	25.00	25.00
					<p><b>Copperhead Rival 18"x20"(45x 50cm) 12S/8C</b></p> <p>No. of color use-08 No. of station-12 Max. image size-18" x20"</p>	35.00	35.00

100	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	<b>Copperhead Pro Flex 14"x15"(35x38cm) 10S/5C</b>	No. of color use-05 No. of station-10 Max. image size-14" x15"	20.887	20.887
101	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	<b>Copperhead Intel 20"x28"(50x70cm) 28S/12C</b>	Copperhead Intel automatic oval screen printing press combines high volume throughput, and durable construction with the latest features in oval press design. The Intel comes standard with electronic printheads, pneumatic frame locks, independent controls for print & flood speeds, and the full suite of automatic programming that work in either clockwise or counter-clockwise printing configurations Each Intel printhead utilizes the patented squeegee pressure equalizer system which maintains a uniform squeegee pressure across the entire print area to minimize printing pressure, maintain image detail, and avoid ink deposit variation. All standard Intel pallets are solid, lightweight aluminum with rubber coating to better manage heat during flashing.  No. of color use-12 No. of station-28 Max. image size-36" x 28" Max. frame size- 26" x 40" Standard Pallet size – 23.5" x 35" Electrical requirement- 400-440V, 3 ph, 14.9A, 50 Hz, 4.75kW Machine dimension(L x Wx H)- 334" x 135" x 74.3" Air @ 7 Bar 1425l /min	80.00	80.00
102	M/s. DCC Print Vision LLP	Screen Printing Machine	Automatic flat bed screen printing machine	<b>Copperhead Icon 22"x28"(55x70cm) 26S/8C</b>	Copperhead Icon automatic oval screen printing press combines high volume throughput, and	58.00	

					<p>durable construction with the latest features in oval press design. The Icon comes standard with electronic print heads, pneumatic frame locks, independent controls for print &amp; flood speeds, and the full suite of automatic programming that work in either clockwise or counter-clockwise printing configurations.</p> <p>No. of color use-8  No. of station-26  Standard image size-22" x 28"  Standard frame size- 28" x 42"  Standard Pallet size – 23.5" x 35"  Electrical requirement- 400-440V, 3 ph, 7.5A, 50 Hz, 4.kW  Machine dimension(L x W x H)- 334" x 135" x 74.3"  Air @ 7 Bar 1096 l /min</p>		58.00
103	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Ordinary Flat Bed Printing Machines with or Without Tables	EC - 34,	Manually operated Economy digital Heat transfer press ,Platen size- 10 x 15 with 3 digit Micro processor based digital timer and digital temperature controller.	0.318	0.318
104	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Ordinary Flat Bed Printing Machines with or Without Tables	EC - 44	Manually operated Economy digital Heat transfer press ,Platen size- 15 x 15 with 3 digit Micro processor based digital timer and digital temperature controller.	0.355	0.355
105	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Ordinary Flat Bed Printing Machines with or Without Tables	EC - 44 U	Manually operated Economy Deluxe digital Heat transfer press,Platen size- 15 x 15 with 3 digit Micro processor based digital timer and digital temperature controller.	0.389	0.389
106	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Ordinary Flat Bed Printing Machines with or Without Tables	EC - 54	Manually operated Economy digital Heat transfer press, Platen size- 15 x 20 with 3 digit Micro processor based digital timer and digital temperature controller.	0.445	0.445

107	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Ordinary Flat Bed Printing Machines with or Without Tables	DC - 44	Manually operated digital Heat transfer press, Platen size- 15 x 15 with 3 digit Micro processor based digital timer and digital temperature controller.	0.523	0.523
108	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Ordinary Flat Bed Printing Machines with or Without Tables	DC - 54	Manually operated digital Heat transfer press, Platen size- 15 x 20 with 3 digit Micro processor based digital timer and digital temperature controller.	0.55	0.55
109	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Ordinary Flat Bed Printing Machines with or Without Tables	DC - 54U	Manually operated digital Heat transfer press, Platen size- 15 x 20 with 3 digit Micro processor based digital timer and digital temperature controller.	0.55	0.55
110	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Ordinary Flat Bed Printing Machines with or Without Tables	DC - 64U	Manually operated digital Heat transfer press, Platen size- 17 x 22 with 3 digit Micro processor based digital timer and digital temperature controller.	0.667	0.667
111	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	ZEBRA 44	manual economy chest printing machine with 4 col 4 stations ,2"pillar and 4 Mild steel palettes. ( Pallet Size : 17" x22" )	0.80	0.80
112	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	ZEBRA 66	Manual economy chest printing machine with 6 col 6 stations ,3"pillar and 6 Mild steel palettes. ( Pallet Size : 17" x22" )	1.207	1.207
113	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	ZEBRA 88	Manual economy chest printing machine with 8 col 8 stations ,3"pillar and 8 Mild steel palettes. ( Pallet Size : 17" x22" )	1.573	1.573
114	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	ZEBRA 1212	Manual economy chest printing machine with 12 col 12 stations ,3"pillar and 12 Mild steel palettes. ( Pallet Size : 17" x22" )	2.359	2.359
115	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	RAINBOW 44	Manual chest printing machine with 4 col 4 stations ,with micro registration ,2"pillar and 8 Mild steel palettes. ( Pallet Size : 17" x22" )	1.238	1.238
116	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	RAINBOW 66	Manual chest printing machine with 6 col 6 stations ,with micro registration ,3"pillar and 6 Mild steel palettes. ( Pallet Size : 17"	1.915	1.915

					x22" )		
117	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	RAINBOW 88	Manual chest printing machine with 8 col 8 stations ,with micro registration ,3"pillar and 8 Mild steel palettes. ( Pallet Size : 17" x22" )	2.468	2.468
118	M/s. Impress Apparel Machines Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	RAINBOW 1212	Manual chest printing machine with 12 col 12 stations ,with micro registration ,3"pillar and 12 Mild steel palettes. ( Pallet Size : 17" x22" )	4.114	4.114
119	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	APEX	8 color structure with 6 color head Printing speed- 8 to 80 m/min		
					Printing Width-48"	85.00	85.00
					Printing Width-60"	104.15	104.15
					Printing Width-72"	124.10	124.10
120	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	APEX	8 color structure with 8 color head Printing speed- 8 to 80 m/min		
					Printing Width-48"	95.25	95.25
					Printing Width-60"	118.10	118.10
					Printing Width-72"	140.75	140.75
121	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	APEX	12 color structure with 10 color head Printing speed- 8 to 80 m/min		
					Printing Width-48"	108.30	108.30
					Printing Width-60"	134.30	134.30
					Printing Width-72"	160.11	160.11
122	M/s Screenotex Engineers Private Limited	Screen Printing Machine	Rotary Screen Printing Machine	APEX	12 color structure with 12 color head Printing speed- 8 to 80 m/min		
					Printing Width-48"	119.41	119.41
					Printing Width-60"	148.20	148.20
					Printing Width-72"	176.85	176.85
123	M/s. Arrow Digital Pvt.Ltd.	Digital Printing Machine	Digital Printer EFI Vutek	EFI Pro 32R Plus Rolled Printed Fully Loaded	Speed up to 2,756 sqft/hr (256 sqm/hr), Four colors plus optional white ink or clear ink, Gen-5 print heads with native 7	235.00	235.00

					pL droplets and Ultra Drop™ Technology, LED for lower power consumption and the use of thinner substrates, Integrated mesh kit, Wrinkle analyzer, Advanced software settings, Includes a built-in Fiery® digital front end, featuring FAST RIP acceleration technology, plus RIP and print-on-demand functionality or the ability to print pre-ripped files at the printer interface.		
124	M/s APTECH DIGITAL	Digital Printing Machine	Digital Printing Machine	Handtop HTL-3200UV	Machine size- 6.46(L)x 1.31(W)x 1.71(H) 04 printhead, 1200*1200dpi-Resolution, Max.width-3.2mm, Max media thickness-2mm, flexible UV ink, Machine net weight-1800kg, Power consumption-3.9KW, LED UV Curing, Print speed production-63m <sup>2</sup> /h, Ink colour used- C,M,YK	50.00	50.00



Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
125	M/s Screenotex Engineers Private Limited	Screen Exposing Machine	Multi Cage Screen Stretching Machine	Multi Cage Screen Stretching Machine	The machine is designed with rectangular and horizontal M.S Frame having well built legs. Clamp chariots are provided on all the four sides with pneumatic cylinder and prolonging tubes and necessary air connection are fitted with all the cylinders. The pneumatic cylinder hold the screen frame so that its lifting is enable , and required gadgets are provided to suit change of screen s of various sizes		
					Machine Width-48"	12.00	12.00
					Machine Width-60"	14.00	14.00
126	M/s. Cheran Machines India Private	Screen Exposing Machine	x-wel " screen Exposing Machine	CMX 30 x 40	The machine consist indigenous quick start exposal system, Programmable up to 99 setting, Overall size- 1390mm(L) x 1010mm(w) x 1061mm(H) Frame size- 35" x 45", Power-440v/50Hz/4HP, Vacuum Pump-0.25HP/1.5CFM/3 X 10'	3.98	3.98

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
127	M/s. Cheran Machines India Private	Curing Machine	Electric curing/Drying machine	CC310	Maximum Size- 14ft(L)x3.5ft(W) x 4 ft (H), Power- 440v/50Hz/20HP, Heater- 15KW/34.5 Amp, Working Area-90 x 300cm, Temp- 200°C, Operating speed- 33F/min, Conveyor drive- DC motor with 180V DC drive, Blower- 230V AC/30W	3.00	3.00
128	M/s. Cheran Machines India Private	Curing Machine	Electric curing/Drying machine	CC315	Maximum Size- 21ft(L)x3.5ft(W) x 4 ft (H), Power- 440v/50Hz/32HP, Heater- 24KW/54.5 Amp, Working Area-90 x 450cm, Temp- 200°C, Operating speed- 33F/min, Conveyor drive- DC motor with 180V DC drive, Blower- 230V AC/30W	4.38	4.38
129	M/s. Cheran Machines India Private	Curing Machine	Electric curing/Drying machine	CC145	Maximum Size- 21ft(L)x5ft(W) x 4 ft (H), Power- 440v/50Hz/48HP, Heater- 36KW/82Amp, Working Area- 120 x 450cm, Temp- 200°C, Operating speed- 33F/min, Conveyor drive- DC motor with 180V DC drive, Blower- 230V AC/30W	4.30	4.30
130	M/s. DCC Print Vision LLP	Curing machine	IR operated Curing machine	Copperhead Charge Electric dryer 24x 6 ft	Belt width- 24" Exhaust blower system- 7.9", 8650 l/min, Heat chamber length- 72" Dimension (L x W x H)-156"x 37" x 71", Machine weight- 641kg	7.727	7.727

131	M/s. DCC Vision LLP	Print	Curing machine	IR operated machine	Curing	Copperhead Charge Electric dryer 40 x 13 ft	Belt width- 40"	2.525	2.525
132	M/s. DCC Vision LLP	Print	Curing machine	IR operated machine	Curing	Copperhead Industrial dryer Electric 60" bw/ 16'hc/ 8'out	-	22.00	22.00
133	M/s. DCC Vision LLP	Print	Curing machine	Flash Curing Machine		Jalapeno Flash Cure	The Jalapeno has been designed to optimize and balance the heat across the printed area during flashing, which minimizes scorching and provides better consistency across different ink and shirt colors. The improved airflow of the Jalapeno provides particularly good results on water base inks. The quartz flash switches activate as the pallets start to move to minimize warm-up delays. Each Copperhead Jalapeno comes with built-in electrical system connectors to easily plug in with a Copperhead Automatic Screen Printing Presses main control functions, so no additional wiring or cables are required. Smooth rolling, locking casters makes moving the flash fast & easy.		

					<b>Jalapeno Flash 1820 Cure</b> Machine Dimension ( L x W x H)- 31"x 19" x 41" Curing area- 18" x 20" Electric Requirement- 208-230 V, 3ph, 31A, 50/60 Hz, 12Kw, 400-440 V, 3ph, 22A, 50 Hz, 12Kw, Weight- 48Kg	1.20	1.20
					<b>Jalapeno Flash 2030 Cure</b> Curing area- 20" x 30"	1.60	1.60
					<b>Jalapeno Flash 2840-R Cure</b> Machine Dimension ( L x W x H)- 62"x 32" x 46" Curing area- 28" x 40" Electric Requirement- 208-230 V, 3ph, 55 A, 50/60 Hz, 12.7 Kw, 400-440 V, 3ph, 40 A, 50Hz, 12.7 Kw, Weight- 53Kg	2.00	2.00
134	M/s. Impress Apparel Machines Private Limited	Curing machine	Hot Plate or Frame operated Curing Machine	MAX CURE 600S	Conveyor curing machine with 24" belt width, 4 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters	1.791	1.791
135	M/s. Impress Apparel Machines Private Limited	Curing machine	Hot Plate or Frame operated Curing Machine	Maxcure 600 XL	machine with 24" belt width,6 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver	2.108	2.108
136	M/s. Impress Apparel Machines Private Limited	Curing machine	Hot Plate or Frame operated Curing Machine	MAXCURE 900	Conveyor curing machine with 36" belt width,6 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver	2.99	2.99
137	M/s. Impress Apparel Machines Private Limited	Curing machine	Hot Plate or Frame operated Curing Machine	MAX CURE 600 XL	Conveyor curing machine with 24" belt width, 10 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters , Lable Printing	3.625	3.625

138	M/s. Impress Apparel Machines Private Limited	Curing machine	Hot Plate or Frame operated Curing Machine	RIVER SAILOR 900 XL	Conveyor curing machine with 36" belt width, 10 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver. air circulation assembly and Energy meter	4.441	4.441
139	M/s. Impress Apparel Machines Private Limited	Curing machine	Hot Plate or Frame operated Curing Machine	RIVER SAILOR 900EX	Conveyor curing machine with 36" belt width, 15 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver. air circulation assembly and Energy meter	5.771	5.771
140	M/s. Impress Apparel Machines Private Limited	Curing machine	Hot Plate or Frame operated Curing Machine	RIVER SAILOR 1200 XL	Conveyor curing machine with 48" belt width, 10 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver air circulation assembly and Energy meter	5.142	5.142
141	M/s. Impress Apparel Machines Private Limited	Curing machine	Hot Plate or Frame operated Curing Machine	RIVER SAILOR 1200 XL	Conveyor curing machine with 48" belt width, 15 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver air circulation assembly and Energy meter	7.713	7.713
142	M/s. Impress Apparel Machines Private Limited	Curing machine	Hot Plate or Frame operated Curing Machine	RIVER SAILOR 1500 XL	Conveyor curing machine with 62" belt width, 10 feet heating chamber ,3 feet entry belt, 2.5 feet exit belt length, with Infrared heaters, with power driver air circulation assembly and Energy meter	6.63	6.63

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
143	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Five Thread Over Lock Machine	JUKIMO6816SFH660HDD10K	Capacity- 7000sti/min	0.63	0.63
144	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Five Thread Over Lock Machine	JUKI MO-6816SFH660HDD10K	Capacity- 7000sti/min	0.65	
145	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Five Thread Over Lock Machine	JUKIMO6816SFH660HDD10K	Capacity- 7000sti/min	0.65	
146	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Five Thread Over Lock Machine with thread trimming	JUKIMO-6816SFH660HDD10K/T053/GA112-1-S2-P-F	Capacity- 7000sti/min	0.832	0.63
147	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Five Thread Over Lock Machine with thread trimming	JUKI MO-6816SFH660HDD10K/T053/GA112-1-S2-P-F	Capacity- 7000sti/min	0.832	
148	M/s. Shagun Sewing Machine	Sewing Machine	Juki Five Thread Over Lock Machine with thread trimming	JUKI MO-6816SFH660HDD10K	Capacity- 7000sti/min	0.63	
149	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Five Thread Over lock Machine with thread trimming	JUKI MO-6816SFH660HDD23	Capacity- 7000sti/min	0.80	0.80
150	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Four Thread Over lock Machine	JUKI MO-6814SBE634HG44Q143DD10K	Capacity- 7000sti/min	0.56	0.56
151	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Four Thread Over lock Machine with thread trimming	JUKI MO-6814SBE634HG44Q143D22K	Capacity- 7000sti/min	0.80	0.80
152	M/s. Harichand Ananad & Co.	Sewing Machine	High speed Direct Drive Four Needle Lockstitch Sewing Machine	DUKE DY 9503-D2	Capacity- 5000sti/min	0.195	0.195
153	M/s. Shagun Sewing Machine	Sewing Machine	Kansai Four Needle Flatbed Double Chain stitch Machine	Kansai DRL1509P/FL	Capacity- 4500sti/min	1.475	1.475
154	M/s. Shagun Sewing Machine	Sewing Machine	Kansai Eleven Needle Flatbed Double Chain stitch Machine	Kansai DFB1411P-XP	Capacity- 4500sti/min	1.485	1.485
155	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKI DDL8100EH/JIN-PSM 550	Capacity- 4000sti/min	0.279	0.2475
156	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL8100EH/JIN PSM 550	Capacity- 4000sti/min	0.2475	

157	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL8100EH/JIN PSM 550	Capacity- 4000sti/min	0.279	
158	M/s. Harichand Ananad & Co.	Sewing Machine	High speed Direct Drive Single Needle Lockstitch Sewing Machine	DUKE DY 9503-D4	Capacity- 5000sti/min	0.285	0.285
159	M/s. STI Apparels Automation Pvt. Ltd	Sewing Machine	High speed Direct Drive Single Needle Lockstitch Sewing Machine	FS-1+	Capacity- 5000sti/min	0.22	0.22
160	M/s. Apparels & Leather Technics	Sewing Machine	Single Needle Direct Drive 1 stepping motor lockstitch machine with UBT and auto presser foot lifter with latest technology short thread cut - complete set	SW-7200 SID IV DT	-	0.285	0.285
161	M/s. Shagun Sewing Machine	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL8100EH	Capacity- 4000sti/min	0.26	0.26
162	M/s. Juki Singapore Pet. Ltd	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKI DDL8100eH/X73120-AA/JIN-PSM-550W	Capacity- 4000sti/min	0.325	0.325
163	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL8100eH/X73 120-AA/JIN-PSM-550W	Capacity- 4000sti/min	0.325	
164	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL8100eH/X73 120-AA/JIN-PSM-550W	Capacity- 4000sti/min	0.325	
165	M/s. Apparels & Leather Technics	Sewing Machine	Single Needle Direct Drive 2 stepping motor lockstitch machine with UBT and auto presser foot lifter with latest technology short thread cut - complete set	SW-7200 SID V DT	-	0.313	0.313
166	M/s. STI Apparels Automation Pvt. Ltd	Sewing Machine	Single Needle Lockstitch Sewing Machine	FC-0303-CX	-	0.32	0.32
167	M/s. Shagun Sewing Machine	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL8100eHX	Capacity- 4000sti/min	0.325	0.325
168	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL7000AH7NB K	Capacity- 4000sti/min	0.34	
169	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Juki Single Needle Lockstitch	JUKIDDL7000AH7NB K	Capacity- 4000sti/min	0.416	

			Machine				0.34
170	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL7000AH7NB K	Capacity- 4000sti/min	0.416	
171	M/s. Shagun Sewing Machine	Sewing Machine	Juki Single Needle Lockstitch Machine	JUKIDDL7000AH7	Capacity- 4000sti/min	0.36	
172	M/s. Apparels & Leather Technics	Sewing Machine	Single Needle Direct Drive 2 Stepping Motor Lockstitch Machine With Ubt And Auto Presser Foot Lifter With Latest Technology Short Thread Cut -Heavy Duty	SW-7200 SID V DT H	-	0.376	0.376
173	M/s. Shagun Sewing Machine	Sewing Machine	Juki Single Needle Lockstitch Machine	Typical- GC0303DCX	Capacity- 2200sti/min	0.325	0.325
174	M/s. Shagun Sewing Machine	Sewing Machine	Juki Single Needle Lockstitch Machine	Typical- GC0303D	Capacity- 2200sti/min	0.32	0.32
175	M/s. Shagun Sewing Machine	Sewing Machine	Juki Single Needle Lockstitch Machine	Typical- GC202D	Capacity- 2200sti/min	0.29	0.29
176	M/s. Harichand Anand & Co.	Sewing Machine	High speed lock stitcher with automatic thread trimmer	HIGHLEAD GC 128	Speed- 3000 rpm to 5000 rpm	0.34	0.34
177	M/s. Shagun Sewing Machine	Sewing Machine	Heavy Duty cylinder arm compound feed sewing machine with vertical hook	Typical- GC2263D	Capacity- 2500sti/min	1.00	1.00
178	M/s. Harichand Anand & Co.	Sewing Machine	Cylinder bed compound feed lockstitch Sewing Machine	HIGHLEAD GC 2698	Speed- 2400 rpm	0.87	0.87
179	M/s. Apparels & Leather Technics	Sewing Machine	Single Needle Lockstitch Direct Drive Machine With UBT, Auto Presser Foot Lifter & Fabric Edge Trimmer	SW-777 DD	-	0.397	0.397
180	M/s. Apparels & Leather Technics	Sewing Machine	Single Needle Lockstitch Direct Drive Stepping Motor Machine With UBT, Auto Presser Foot Lifter & Fabric Edge Trimmer - Complete Set	SW-777 DD (A)	-	0.407	0.407



181	M/s. Apparels & Leather Technics	Sewing Machine	Single Needle, Needle Feed Direct Drive Lockstitch With UBT, Auto Presser Foot Lifter With Minimum Lubrication - Two Step Motor With Foot Lifter	SW-7300 SID VI NF	-	0.791	0.791
182	M/s. Apparels & Leather Technics	Sewing Machine	Single Needle, Needle Feed Direct Drive Stepping Motor Lockstitch With UBT, Auto Presser Foot Lifter With Minimum Lubrication - With Foot Lifter - Complete Set	SW-7200 SID V NF	-	0.541	0.541
183	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Direct-drive, High-speed, 1-needle, Lockstitch Machine, with Automatic Thread Trimmer	DDL900CSHNBK	Capacity- 4000sti/min	0.555	0.555
184	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Computer Controlled Cycle Sewing Machine with input Function Complete set	AMS-210EN/1510	Capacity- 2800sti/min	12.50	11.0
185	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Juki Computer Controlled Cycle Sewing Machine with Input Function Complete Set	AMS-210EN/1510	Capacity- 2800sti/min	11.00	
186	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Computer Controlled Cycle Sewing Machine with input Function Complete set	AMS-210EN/1510	Capacity- 2800sti/min	11.00	
187	M/s. IIGM Pvt. Ltd.	Sewing Machine	Juki Two Needle Lockstitch Split Needle Bar Machine Complete set	JUKI LH-3568AGF	Capacity- 3000sti/min	1.80	1.80
188	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Two Needle Lockstitch Split Needle Bar Machine Complete set	JUKI LH-3568AGF	Capacity- 3000sti/min	1.892	
189	M/s. Juki India Pvt. Ltd.	Sewing Machine	Juki Two Needle Lockstitch Split Needle	JUKI LH-3568AGF-7BW/SC920A/CP18A	Capacity- 3000sti/min	3.777	

			Bar Machine UBT Machine				3.777
190	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Juki Two Needle Lockstitch UBT Machine Complete Set	JUKI LH-3568AGF- 7WB/SC920A/CP18A	Capacity- 3000sti/min	3.777	
191	M/s. Apparels & Leather Technics	Sewing Machine	Two Needle Fixed Bar Direct Drive Lockstich Machine Without UBT	SW-8420 DD	-	0.402	0.402
192	M/s. Apparels & Leather Technics	Sewing Machine	Two Needle Direct Drive Lockstitch With Split Needle Bar Without UBT	SW-8450 DD	-	0.526	0.526
193	M/s. Apparels & Leather Technics	Sewing Machine	Two Needle Fixed Bar Direct Drive Lockstich Machine Large Hook Heavy Duty	SW-8720 DD	-	0.530	0.530
194	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Juki Two Needle Lockstitch Machine Complete Set	JUKI LH-3500 SERIES	Capacity- 3000sti/min	1.892	1.892
195	M/s. IIGM Pvt. Ltd.	Sewing Machine	Single Needle Unison Feed Lockstitch Machine Complete Set with Standard Accessories	JUKILU1510N/PSM- 750	Capacity:3000sti/min	0.957	
196	M/s. Juki Singapore Pte Ltd.	Sewing Machine	Single Needle Unison Feed Lockstitch Machine Complete Set with Standard Accessories	JUKI LU1510N/PSM- 750	Capacity:3000sti/min	1.585	0.957
197	M/s. Juki India Pvt. Ltd.	Sewing Machine	Single Needle Unison Feed Lockstitch Machine Complete Set with Standard Accessories	JUKI LU 1510 N/PSM- 750	Capacity- 3000sti/min	1.585	
198	M/s. Apparels & Leather Technics	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Single Needle Direct Drive Top & Bottom Feed Machine For Shirt Bottom Hemming Operation - Complete Set	SW-7200 BT	-	0.7407	0.7407
199	M/s. IIGM Pvt. Ltd.	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Juki Button Stitch Sewing Machine Complete Set	JUKI MB-1377	Capacity- 1500sti/min	1.85	
200	M/s. Juki Singapore Pte Ltd.	Button, belt, zipper, snap fastener, hook stitching & fixing	Juki Button Stitch Sewing Machine Complete Set	JUKI MB-1377	Capacity- 1500sti/min	2.118	1.85

		machine					
201	M/s. Juki India Pvt. Ltd.	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Juki Button Stitch Sewing Machine Complete Set	JUKI MB-1377	Capacity- 1500sti/min	2.118	
202	M/s. Shagun Sewing Machine	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Juki Button Stitch Sewing Machine Complete Set	JUKI MB-1377	Capacity- 1500sti/min	2.10	
203	M/s. Juki Singapore Pte Ltd.	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Juki Button Sewing Machine Complete Set.	JUKI LK-1903BNHS/MC672KN N	Capacity- 2700sti/min	4.245	4.245
204	M/s. Juki India Pvt. Ltd.	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Juki Button Sewing Machine Complete Set	JUKI LK-1903BNHS/MC672KN N	Capacity- 2700sti/min	4.245	
205	M/s. Shagun Sewing Machine	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Juki Button Sewing Machine Complete Set	JUKI LK-1903BNSS	Capacity- 2700sti/min	4.245	
206	M/s. Hari Chand Anand & Co.	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Pneumatic Single Headed Button /Rivet Attaching Machine	DUKE DQ-1	Speed-35/min Fixing-50pcs/min	0.31	0.31
207	M/s. Hari Chand Anand & Co.	Button, belt, zipper, snap fastener, hook stitching & fixing machine	Zipper Fixing Machine	DUKE DY 9503-D2	-	0.23	0.23
208	M/s. IIGM Pvt. Ltd.	Label Attaching/ Bar Tracking machine	Juki Bar Tracking Sewing Machine Complete Set	JUKI LK-1903BNHS/MC672KN N	Capacity- 3200sti/min	2.36	2.36
209	M/s. Juki Singapore Pte Ltd.	Label Attaching/ Bar Tracking machine	Juki Bar Tracking Sewing Machine Complete Set	JUKI LK-1900BNHS/MC672KN N	Capacity- 3200sti/min	2.90	
210	M/s. Juki India Pvt. Ltd.	Juki Bar Tracking sewing machine complete set	Juki Bar Tracking Sewing Machine Complete Set	JUKILK1900BNHS /MC672KNN	Capacity- 3200sti/min	3.227	
211	M/s. Shagun Sewing Machine	Juki Bar Tracking sewing machine complete set	Juki Bar Tracking Sewing Machine Complete Set	JUKILK1900BNHS	Capacity- 3200sti/min	2.480	
212	M/s. Harichand Anand & Co.	Label Attaching/ Bar Tracking machine	Bar Tracking Sewing Machine Complete Set	DUKE DY- 630GT	-	2.05	2.05

213	M/s. Juki Singapore Pte Ltd.	-	Pattern Machine	Seamer	PS800	Capacity - 3000sti/min	8.00	8.00
214	M/s. Juki Singapore Pte Ltd.	-	Label attaching device	Seamer	LA1 DEVICE for AMS machine	-	1.80	1.80
215	M/s. Juki Singapore Pte Ltd.	-	Feed of the arm, Double chain stitch machine		MS1261F/VO45S	Capacity - 3600sti/min	4.07	4.07
216	M/s. Shagun Sewing Machine	Rib Cutting , Side Cutting, Punching, Riveting, Sealing Machine	Auto Rib Cutting Machine		DINO- LU933	Speed- 30 to 460 rpm Capacity- 1 roll/45sec	0.95	0.95
217	M/s. Harichand Anand & Co.	Rib Cutting , Side Cutting, Punching, Riveting, Sealing Machine	Auto Rib Cutting Machine		DUKE DY 933	Speed- 60 to 330 rpm	0.85	0.85
218	M/s. Shagun Sewing Machine	Button Setting Machine	Button Setting Machine		ESDA -818	-	0.14	0.14
219	M/s. Hari Chand Anand & Co.	Button Setting Machine	Button Setting Machine		DUKE DY 430 GT	-	1.38	1.38
220	M/s. Shagun Sewing Machine	Button Hole or eyelet Making Machine	Computer-controlled, High-speed ,Button holing Sewing System		JUKI LBH-1790ANS	Capacity - 4200sti/min 9(Max.)	4.036	4.036
221	M/s. Hari Chand Anand & Co.	Button Hole or eyelet Making Machine	Button Hole or eyelet Making Machine		DUKE DY-9820		4.15	4.15
222	M/s. Hari Chand Anand & Co.	Skiving Machine	Skiving Machine		HIGHLEAD YXP 18	Speed- 1000 to 2000 rpm	0.54	0.54

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
223	M/s. Shagun Sewing Machine	Carpet , Rug Stitching Machine	Stitching Machine	JUKIMO6900GJ	Capacity -6000sti/min	1.499	1.499
224	M/s. Shagun Sewing Machine	Carpet , Rug Stitching Machine	Stitching Machine	KANSAI-JJ3116GE03X	Capacity -7000sti/min	0.625	0.625
225	M/s. STI Apparel Automation Pvt. Ltd	Carpet , Rug Stitching Machine	Two thread Heavy Duty Industrial Over edging Machine	FH-2502	Capacity -3500sti/min Stitch width- 10- 13mm	0.95	0.95
226	M/s. Hari Chand Anand & Co.	Carpet , Rug Stitching Machine	Two thread Carpet Over edging Machine & Tape Binding Machine	DUKE 2502 K	Capacity -3000sti/min Stitch width- 3- 8mm	1.32	1.32
227	M/s. Shagun Sewing Machine	Tape Binding Machine	Tape Binding Machine	LH3528AGF	Capacity - 3000sti/min	18.00	18.00

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
228	M/s. IIGM Pvt. Ltd.	Cutting machine	Eastman Power Driven Cloth Cutting Machine Complete Set	EASTMAN 629*8"	0.65 H.P Motor. 220V Single Phase, Single Phase, Speed-2850 RPM Knife size (inch) - 6, 7, 8, 10, 11.5, 13 Cutting capacity (inch) - 4.5, 5.5, 6.5, 8.5, 10, 11.5	0.98	0.98
229	M/s. IIGM Pvt. Ltd.	Cutting machine	Eastman Power Driven Cloth Cutting Machine Complete Set	EASTMAN 629*10"	0.65 H.P Motor. 220V Single Phase, Single Phase, Speed-2850 RPM Knife size (inch) - 6, 7, 8, 10, 11.5, 13 Cutting capacity (inch) - 4.5, 5.5, 6.5, 8.5, 10, 11.5	1.05	1.05
230	M/s. Hari Chand Anand & Co.	Cutting machine	Cloth Cutting machine	DUKE DK3 8"	-	0.24	0.24
231	M/s. Juki India Pvt. Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine complete set	JIN-3C 8" 1200W	-	0.248	0.248
232	M/s. Juki Singapore Pte Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine Complete Set	JIN-3C 8 "1200W	-	0.248	
233	M/s. Shagun Sewing Machine	Cutting machine	Cutting machine	St-6001 8"	Speed- 2850RPM	0.16	0.16
234	M/s. Juki India Pvt. Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine complete set	JIN-3C 10" 1200W	-	0.253	0.253
235	M/s. Juki Singapore Pte Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine Complete Set	JIN-3C 10" 1200W	-	0.253	
236	M/s. Shagun Sewing Machine	Cutting machine	Cutting machine	St-7001 10"	Speed- 2850RPM	0.190	0.190
237	M/s. Juki India Pvt. Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine complete set	JIN-3C 12" 1200W	-	0.258	0.258
238	M/s. Juki Singapore Pte Ltd.	Cutting machine	JIN Power Driven Cloth Cutting Machine Complete Set	JIN-3C 12" 1200W	-	0.258	
239	M/s. Juki India Pvt. Ltd.	Cutting machine	JIN Power Driven Round Knife Cloth Cutting Machine complete set	JIN -RCM-110	-	0.051	0.051

240	M/s. Juki Singapore Pte Ltd.	Cutting machine	JIN Power Driven Round Knife Cloth Cutting Machine Complete Set	JIN –RCM-110	-	0.0516	
241	M/s. Juki India Pvt. Ltd.	Cutting machine	JIN Power Driven Round Knife Cloth Cutting Machine complete set	JIN –RCM-125	-	0.055	0.055
242	M/s. Juki Singapore Pte Ltd.	Cutting machine	JIN Power Driven Round Knife Cloth Cutting Machine Complete Set	JIN –RCM-125	-	0.055	
243	M/s. Shagun Sewing Machine	Tape Cutting Machine	Tape Cutting Machine	TI-110	Speed- 70 pcs/min	0.80	0.80
244	M/s. Shagun Sewing Machine	Edge Cutting Machine	Edge Cutting Machine	Santani- CZD-B11N	Cutting Capacity- Less than 10mm Running speed- 18000R/min	0.16	0.16
245	M/s. Hari Chand Anand & Co.	Edge Cutting Machine	Edge Cutting Machine	DUKE DY- 5200D	Speed-4500pcs/Min	0.33	0.33

---

<b>Sr. No.</b>	<b>Name and of the Vendor/Agent</b>	<b>Broad Category as per CSAPM Machine List</b>	<b>Name of the Machine</b>	<b>Model No</b>	<b>Specification of the Machine</b>	<b>Unit Basic Price (INR) Lakh</b>	<b>Minimum Basic Price (INR) Lakh</b>
246	M/s. Hari Chand Anand & Co.	Glue Mixing Machine	Glue Mixing Machine	DUKE TX 140	-	1.35	1.35



Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
247	M/s. Hari Chand Anand & Co.	Trimming Machine	Trimming Machine	GRAND T22 EBLN	-	0.34	0.34

<b>Sr. No.</b>	<b>Name and of the Vendor/Agent</b>	<b>Broad Category as per CSAPM Machine List</b>	<b>Name of the Machine</b>	<b>Model No</b>	<b>Specification of the Machine</b>	<b>Unit Basic Price (INR) Lakh</b>	<b>Minimum Basic Price (INR) Lakh</b>
248	M/s. Hari Chand Anand & Co.	Semi automatic Fabric Spreading Devises	Semi automatic Fabric Spreading Devises	Cradle 590 E	Working Width 180- 240cm	12.09	12.09

<b>Sr. No.</b>	<b>Name and of the Vendor/Agent</b>	<b>Broad Category</b>	<b>Name of the Machine</b>	<b>Model No</b>	<b>Specification of the Machine</b>	<b>Unit Basic Price (USD)</b>	<b>Minimum Basic Price (USD)</b>
249.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN NEEDLE PUNCHING UNITS WITH SPARE PARTS & ACCESSORIES	COMPRESSIVE BATT FEEDER CBF	TUE-WA-1700	-	5,000.00	5,000.00
250.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN NEEDLE PUNCHING UNITS WITH SPARE PARTS & ACCESSORIES	TEXTILE NEEDLE LOOM FOR FINISHING NONWOVENS WITH SPARE PARTS	TUE-ZAY-UD-II-1800	-	44,660.00	44,660.00
251.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN NEEDLE PUNCHING UNITS WITH SPARE PARTS & ACCESSORIES	TEXTILE NEEDLE LOOM FOR FINISHING NONWOVENS WITH SPARE PARTS	TUE-ZAU-1600	-	19,580.00	19,580.00
252.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN NEEDLE PUNCHING UNITS WITH SPARE PARTS & ACCESSORIES	TEXTILE NEEDLE LOOM FOR FINISHING NONWOVENS WITH SPARE PARTS	TUE-ZAD-1600	-	19,580.00	19,580.00

Sr. No.	Name and of the Vendor/Agent	Broad Category	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (USD)	Minimum Basic Price (USD)
253.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN CALENDARING UNIT WITH SPARE PARTS & ACCESSORIES	HOT TEXTILE CALENDAR WITH HEATING SYSTEM	TUE-RA-22-1600	-	33,350.00	33,350.00
254.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN CALENDARING UNIT WITH SPARE PARTS & ACCESSORIES	COOL TEXTILE CALENDAR WITH CHILLING SYSTEM	TUE-LZA-33-1600	-	38,000.00	38,000.00
255.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN CALENDARING UNIT WITH SPARE PARTS & ACCESSORIES	FABRIC UNWINDER	TUE-FJB-1600	-	5,500.00	5,500.00
256.	M/s. Suzhou T.U.E Hi-Tech Non-Woven Machinery Co. Ltd., China	NONWOVEN CALENDARING UNIT WITH SPARE PARTS & ACCESSORIES	SIDE FABRIC OPENER	TUE-BKA-800	-	8,000.00	8,000.00

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
257.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -960 hooks	<p>Ideal for weaving flat fabrics on all tyoes of repier , airjet, waterjet loom.</p> <p>Very robust, wear resistant and designed for many years of daily use with a minimum maintenance. Quick and easy install. Suitable for very heavy load weaving. Suitable for very load weaving, Precision kinematics with no vibration, Low friction engineering reduces energy consumption</p> <p>Drive System &amp; Shedding Double lift open shed Jacquard Machine Gear mechanism up to 1536 hook</p>	1.00	1.00
258.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -1344 Hooks	<p>Chain mechanism with 1792, 2688,5367</p> <p>Precision adjustment of shed geometry</p> <p>Main drive available with chain and gear box, High quality aluminium blades for low vibration,</p> <p>Controller</p> <p>Amar's control innovator is latest Linux based jacquard controller, Pattern transfer is made possible USB or network, Inner memory upto 32GB, Support BMP &amp; EP files, Can syrinconized with any loom, Combas, Parallel &amp; serial</p>	1.20	1.20
259.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -1536 Hooks	<p>Chain mechanism with 1792, 2688,5367</p> <p>Precision adjustment of shed geometry</p> <p>Main drive available with chain and gear box, High quality aluminium blades for low vibration,</p> <p>Controller</p> <p>Amar's control innovator is latest Linux based jacquard controller, Pattern transfer is made possible USB or network, Inner memory upto 32GB, Support BMP &amp; EP files, Can syrinconized with any loom, Combas, Parallel &amp; serial</p>	1.40	1.40

					data analysis, Slim and seek Design Controller 2.0 Amar's control innovator is latest Linux based jacquard controller, a practical and efficient interface between user and jacquard. The controller features a clear display of information using icons, on a 4" character LCD, Making navigation between function quick and easy. Inner memory upto 16GB, Support BMP & EP files, Can syrinconized with any loom, Combas, Parallel & serial data analysis show errors and faults, Single sensor & double sensor option Available, Direct weft select data available.		
260.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -1792 Hooks		1.50	1.50
261.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -2048 Hooks	Dust proof with high speed exhaust fan, Do not need to open the machine for lubrication, No need any special preparation for new machine, given plug and play option, user just need to insert this connector in jacquard and given single phase power to machine 02 types of power inputs 110v & 220V Amar Intelligent Cloud Service This app designed only for costumer and the motto of this app is to maintain customer's direct interaction with company 's director , so that customer can take after sales support on time wi100% transparency	2.00	2.00
262.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -2688 Hooks		2.50	2.50
263.	M/s. Amar Jacquard	Dobby or Jacquard for carpet loom	Electronic Jacquard	AJ -5376 Hooks		3.50	3.50

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
264.	M/s. Manoj Engineering	HHTP Dyeing Machine	1 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF01	Capacity- 1kg	2.50	2.50
265.	M/s. Manoj Engineering	HHTP Dyeing Machine	10 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF10	Capacity-10kg	3.50	3.50
266.	M/s. Manoj Engineering	HHTP Dyeing Machine	25 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF25	Capacity-25kg	4.70	4.70
267.	M/s. Manoj Engineering	HHTP Dyeing Machine	50 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF50	Capacity-50kg	8.90	8.90
268.	M/s. Manoj Engineering	HHTP Dyeing Machine	100 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF100	Capacity-100kg	14.20	14.20
269.	M/s. Manoj Engineering	HHTP Dyeing Machine	200 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF200	Capacity-200kg	16.00	16.00
270.	M/s. Manoj Engineering	HHTP Dyeing Machine	300 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF300	Capacity-300kg	19.11	19.11
271.	M/s. Manoj Engineering	HHTP Dyeing Machine	400 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF400	Capacity-400kg	24.00	24.00
272.	M/s. Manoj Engineering	HHTP Dyeing Machine	500 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF500	Capacity-500kg	30.00	30.00
273.	M/s. Manoj Engineering	HHTP Dyeing Machine	700 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF700	Capacity-700kg	38.00	38.00
274.	M/s. Manoj Engineering	HHTP Dyeing Machine	800 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF800	Capacity-800kg	45.21	45.21
275.	M/s. Manoj Engineering	HHTP Dyeing Machine	1000 Kg HHTP Vertical Fibre Dyeing Machine	MEHTHPF1000	Capacity-1000kg	55.00	55.00

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
276.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY01	This machine is ideal for polyester yarn having feature of low liquor ratio with maximum temperature of 140°C and 6kg hydraulic tested vessel.	2.50	2.50
277.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY10		3.50	3.50
278.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY25		4.70	4.70
279.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY50	These vessel have axial turbo pump which is directly fitted on the main body of the machine and this completely eliminates turbo pipes, from which derives the compact design circuit and consequent optimization of the liquor ratio.  In fact, cabinet can assure a very low liquor that, according to the type of material and the cycle of reference, can range between 1:8 and 1:10  Air-pad system gives the chance for a 50% variable loading at almost constant liquor ratio and ensures a very high level of flexibility for every bath need  Vessel can be designed and manufacture from 3kg up to very large lot of 2000kg	8.90	8.90
280.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY100		14.20	14.20
281.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY200		16.00	16.00
282.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY300		19.11	19.11
283.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY400		24.00	24.00
284.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY500		30.00	30.00
285.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY700		38.00	38.00
286.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY800		45.21	45.21
287.	M/s. Manoj Engineering	HHTP Dyeing Machine	HHTP Vertical Yarn Dyeing Machine	MEHTHPY1000		55.00	55.00
288.	M/s. RK Tex Machines India Pvt Ltd	HHTP Dyeing Machine	HHTP Vertical Yarn/fibre Dyeing Machine	RK-Expert/DM		Very Low liquor ratio, Highly efficient Turbo Main pump, High pressure Injection pump, Heating coil made out of seamless pipes for quick heat transfer Easily operating new technology PLC, Extra safety pressure release valve, Inverter driven turbo pump for variable flow control and save factor  Capacity – 10Kgs	4.80



					Capacity – 30Kgs	7.75	7.75
					Capacity – 50Kgs	12.75	12.75
					Capacity – 100Kgs	19.50	19.50
					Capacity – 300Kgs	32.50	32.50
					Capacity – 500Kgs	44.50	44.50
					Capacity – 800Kgs	53.75	53.75
					Capacity – 1000Kgs	59.50	59.50

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
289.	M/s. Manoj Engineering	HHTP Dyeing Machine	1 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHP01	<p>Lowest liquor ratio of 1:3 to 1:5.2 in single direction and dual direction turbo pump.</p> <p>The machine is suitable for cross-wound bobbins, warp beam, yarn hank, loose stock and combed top, yarn springs loaded, cotton, polyester, woolen.</p> <p>The machine is suitable for bleaching/dyeing.</p> <p>Differential level transmitter is equipped for variable loading carrier.</p> <p>Analogical level system is equipped for suitable filling level</p> <p>Temp- control system- Duplex sensor highly leak proof tested placed b/w the spring coil to maintain accurate gradient</p> <p>High efficiency balanced centrifugal pump with mechanical seal driven by electric motor with frequency conversion control</p> <p>Fully automatic proportional temp rising system</p> <p>Internal/external dye condensing system</p> <p>Latest type high efficiency heat exchanger</p> <p>Quantified gradual material feeding system</p> <p>Fast cleaning system</p>	2.50	2.50
290.	M/s. Manoj Engineering	HHTP Dyeing Machine	10 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHP10		3.50	3.50
291.	M/s. Manoj Engineering	HHTP Dyeing Machine	25 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHP25		4.70	4.70
292.	M/s. Manoj Engineering	HHTP Dyeing Machine	50 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHP50		8.90	8.90
293.	M/s. Manoj Engineering	HHTP Dyeing Machine	100 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHP100		14.20	14.20
294.	M/s. Manoj Engineering	HHTP Dyeing Machine	200 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHP200		16.00	16.00
295.	M/s. Manoj Engineering	HHTP Dyeing Machine	300 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHP300		19.11	19.11
296.	M/s. Manoj Engineering	HHTP Dyeing Machine	400 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHP400		24.00	24.00
297.	M/s. Manoj Engineering	HHTP Dyeing Machine	500 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHP500		30.00	30.00
298.	M/s. Manoj Engineering	HHTP Dyeing Machine	700 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHPY00		38.00	38.00
299.	M/s. Manoj Engineering	HHTP Dyeing Machine	800 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHP800		45.21	45.21
230.	M/s. Manoj Engineering	HHTP Dyeing Machine	1000 Kg HHTP Vertical Bleaching Dyeing Machine	MEHTHP1000		55.00	55.00

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
231.	M/s. RK Tex Machines India Pvt Ltd	Package Dyeing Machine	Package Dyeing Machine	RK-Expert/PDM	The total dyeing time can be reduced, which leads to ample machine out put and energy saving,with support of automatic control devices, precision instrument allow the shortest dyeing time and MLR as low		
					Capacity – 10Kgs	15.75	15.75
					Capacity – 75Kgs	18.75	18.75
					Capacity – 150Kgs	25.25	25.25
					Capacity – 350Kgs	37.50	37.50
					Capacity – 600Kgs	47.50	47.50
					Capacity – 800Kgs	72.25	72.25
					Capacity – 1200Kgs	76.50	76.50

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
232.	M/s. Manoj Engineering	Hydro Extractor	Basket Type Hydro Extractor	MEBTH500	60 to 80% moisture absorbtion in cotton and 99% of moisture absorbtion in 6 min Three point suspension on heavy duty spring on CI Leg % amp, channel frame	8.50	8.50
233.	M/s. Manoj Engineering	Hydro Extractor	Basket Type Hydro Extractor	MEBTH300	Basket in side out of 3mm thick perforated sheet of SS 304 quality Bottom plate 25mm thick mild steel with 16 gauge S,S 304 quality lining. Stud size of bolting arrangement of SS 304 Quality	6.50	6.50
234.	M/s. Manoj Engineering	Hydro Extractor	Spindle High Speed Hydro Extractor	MEHE10	Outer cage of mild steel with inside lining out of S.S 304 Quality both Shell are bolted together. Top cover on top of outer cage whole lid opening with spring loaded cylinder for easy & ramp, smooth opening of order VFD Drive	5.50	5.50
235.	M/s. Manoj Engineering	Hydro Extractor	Basket Type Hydro Extractor	Low Speed Hydro Extractor	The machine will be dynamically balance by proper machine	3.10	3.10
236.	M/s. RK Tex Machines India Pvt Ltd	Hydro Extractor	Automatic Hydro Extractor	RK-Expert/HE	High quality hydro extractor with automatic loading system. Low noise and minimum vibration, High rotating speed for quick and maximum hydro extraction, Low power consumption and high production capacity, the machine braked automatically at the end of the process by means of braking resister		
					Capacity-25 kgs	5.25	5.25
					Capacity- 100Kgs	6.25	6.25
					Capacity- 150Kgs	6.80	6.80
					Capacity- 250 Kgs	10.50	10.50

Sr. No.	Name and of the Vendor/Agent	Broad Category as per CSAPM Machine List	Name of the Machine	Model No	Specification of the Machine	Unit Basic Price (INR) Lakh	Minimum Basic Price (INR) Lakh
237.	M/s. RK Tex Machines India Pvt. Ltd.	Hot Air Dryer	Hot Air Dryer	RK Expert/HAD	Dryer is equipped with the steam/Electric/ Thermic Fluid oil cycling and superior heat exchanger insulation system. Made up of mild steel/ss and radiator are made out of seamless pipe with aluminium fins for quick heating.		
					Capacity- 100Kgs	3.25	3.25
					Capacity- 500Kgs	5.50	5.50
					Capacity-1000Kgs	11.25	11.25
238.	M/s. Harichand Anand & Co.	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	DUKE DY 900 LFS	3 Phase Pneumatic Pressure	6.35	6.35
239.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	SPICE 5M INFRA RED CPM	flasher Medium wave with heating area of 17" x 22" WITH 3600 WATTS IR heaters and temperature regulator	0.226	0.226
240.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	SPICE 2224M INFRA RED CPM	flasher Medium wave with heating area of 22" x 24" WITH 4500 WATTS IR heaters and temperature regulator	0.346	0.346
241.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	SPICE 5S INFRA RED CPM	flasher short wave with heating area of 17" x 22" WITH 6000 WATTS IR heaters and Timer for preset time ON and OFF	0.392	0.392
242.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	SPICE 2224S INFRA RED CPM	flasher Sort wave with heating area of 22" x 24" WITH 4500 WATTS IR heaters and temperature regulator	0.482	0.482
243.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	LAVA16x30 ( 2030S) INFRA RED CPM	flasher Short wave with heating area of 16" x 30" WITH 13.5 KW with 9 no IR heaters and temperature regulator	0.931	0.931
244.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	Lava 2230 (24x30S ) INFRA RED CPM	flasher Short wave with heating area of 22" x 30" WITH 18 kw with 9 no IR heaters and temperature regulator,	1.158	1.158

245.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	Lava 2630S INFRA RED CPM	flasher Short wave with heating area of 26" x 30" WITH 22.5 kw with 9 no IR heaters and temperature regulator,	1.324	1.324
246.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	Lava 30x30S INFRA RED CPM	flasher Short wave with heating area of 30" x 30" WITH 27 kw with 9 no IR heaters and temperature regulator,	1.576	1.576
247.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	Lava 35x30S INFRA RED CPM	flasher Short wave with heating area of 35" x 30" WITH 18 kw with 9 no IR heaters and temperature regulator	1.814	1.814
248.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	Lava 30x35S INFRA RED CPM	flasher Short wave with heating area of 30" W x 35 L" WITH 18 kw with 9 no IR heaters and temperature regulator,	1.814	1.814
249.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	Lava 35x30S INFRA RED CPM	flasher Short wave with heating area of 35" x 30" WITH 24 kw IR with 12 no heaters and temperature regulator	1.937	1.937
250.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	Lava 40x30S INFRA RED CPM	flasher Short wave with heating area of 40" x 30" WITH 18 kw with 9 no IR heaters and temperature regulator	2.137	2.137
251.	M/s. Impress Apparel Machines Private Limited	Hot air Dryer & Fusing Machine	Hot air Dryer & Fusing Machine	Lava 40x30S INFRA RED CPM	flasher Short wave with heating area of 40" x 30" WITH 24 kw with 12 no IR heaters and temperature regulator	2.50	2.50